US ENVIRONMENTAL PROTECTION AGENCY	EPA REGISTRATION NO. 748-288	NOV 18 1992			
OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	TERM OF ISSUANCE				
NOTICE OF PESTICIDE: REGISTRATION	NAME OF PESTICIDE PRODUCT Prist Aviation Fuel Additive				
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)					
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)					
F					
PPG Industries, Inc	•				
One PPG Place Pittsburgh, PA 15272					
L	L				
	<u> </u>				
NOTE: Changes in labeling formula differing in substance f submitted to and accepted by the Registration Division prio product always refer to the above U.S. EPA registration num	r to use of the label in commerce.				
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is hereby [Registered/Reregistered under			
A copy of the labeling accepted in connection with this Re	gistration/Reregistration is return	ed herewith.			
health and the environment, the Administrator, on his motio icide in accordance with the Act. The acceptance of any na Act is not to be construed as giving the registrant a right to by others. This product is conditiona	ne in connection with the registra o exclusive use of the name or to lly registered in a	tion of a product under this its use if it has been covered			
FIFRA sec. 3(c)(7)(A) provided	that you:				
 Submit/cite all data r reregistration of your product the Agency requires all registr such data; and submit acceptabl reregistration of your product 	under FIFRA section ants of similar pro e responses require	a 3(c)(5) when oducts to submit ed for			
2. Make the labeling chang the product for shipment:	es listed below bef	fore you release			
a. Add the phrase "EPA Registration No. 748-288".					
b. Delete 748-EII. This is not your registration number.					
c. Delete the exclamation point which appears next to the signal word.					
d. Include the leading zero for the percentage in the Inert Ingredients section to read: 0.4 %					
ATTACHMENT IS APPLICABLE					
SIGNATURE OF APPROVING OFFICIAL	······································	DATE			
EPA Form \$570-6 (Rev. 5-76) PREVIO 'S EDITIO					

1

()

• •

-| |

- e. Delete the words: First Aid.
- f. Include also the recommended ppm level for the dosages declared on the label.
- g. Delete the word: "Prevent" or replace it with the word controls or inhibits.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

John H. Lee Product Manager (31) Antimicrobial Program Branch Registration Division (H7505C)

"U S. Geveniment Printing Office: 1982 - 630-85640872

Enclosures

)

CONCURRENCES								
SYMBOL								
DATE	_				••••••••••••••••••••••••••••••••••••••			
EPA Form	1320-1A (1/90)			Printed on Recycled	l Paper	<u> </u>	OFFICI.	AL FILE COPY

M3: 1111-282

PRIST AVIATION FUEL ADDITIVE

ANTI-ICING AND MICROBIOCIDAL

PREVENTS FUEL SYSTEM ICE FORMATION CONTROLS BACTERIAL AND FUNGAL GROWTH


Contents meet Military Specification MIL-I-27686E, with approved aviation fuel dye added. FOR USE IN ENCLOSED SYSTEMS ONLY. FOR USE WITH HAMMONDS NOZZLE-MOUNT FUEL INJECTOR ONLY DO NOT POUR DIRFCTLY INTO FUEL TANK.


KEEP OUT OF REACH OF CHILDREN.

WARNING!

Harm.iul if inhaled, swallowed, or absorbed by skin. See back panel for additional precautionary statements.

NET CONTENT ONE PINT 4 FL. OZ. (570 GRAMS)





. . . **.** . .

3-04-1

(LABEL FRONT)

ł

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

<u>WARNING!</u> Use with adequate ventilation. Harmful if inhaled, swallowed or absorbed by the skin. Avoid breathing vapors. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling. Avoid contact with food or food utensils. Laboratory animal studies have indicated that 2-methoxyethanol shows a potential for reproduction-related toxicities in both males and females.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.

<u>STATEMENT OF PRACTICAL TREATMENT:</u> FIRST AID - In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of water. Avoid alcohol. Call a physician.

For use in aviation fuel, the Federal Aviation Administration must be consulted as to the acceptability of the additive for use in specific engines and/or aircraft. When used as directed the contents of this bottle will provide the recommended concentration of 0.06% by volume minimum to 0.15% volume maximum. Contents are adequate for a minimum of 105 gallons and a maximum of 270 gallons of fuel to fall within concentration range.

Do not allow concentrated Fuel Additive to contact coated interior of fuel tank or coated surface of aircraft.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage and disposal. Open dumping is prohibited. *Pesticide Disposal:* Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. *Container Disposal:* Dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

<u>DIRECTIONS FOR USE:</u> It is a violation of federal law to use this product in a manner inconsistent with its labeling. Before fueling begins, check level of additive on the bottle. The label shows additive quantity in ounces and the amount of fuel that can be treated. Additive bottles can be easily changed during fueling. Make certain the injector is not allowed to run out of additive during a fueling operation.

TO INSTALL NEW BOTTLE:

(

- 1. Do not damage outer ring of septum cap.
- 2. Hold bottle upside down, with fuel scale facing away from injector body.
- 3. Do not twist bottle. Push bottle straight down, allowing needles to puncture the seal...
- 4. Make certain bottle is in full contact against injector body.
- 5. Turn injector on when additive is required.

TO REMOVE BOTTLE:

- 1. Bottle must be completely empty before removing.
- 2. Remove by sliding upward until neck has cleared the base.
- 3. Remove from spring clamp.
- 4. After fueling is complete, compare additive used with fuel delivered.

PPG Industries, Inc.	EMERGENCY TELEPHONE NUMBER
One PPG Place	PPG Industries, Inc., Natrium, WV
Pittsburgh, PA 15272	(304) 843-1300

EPA Reg. No. 748-EII EPA Est. No. 7056-TX-1

Fr

14.1

(LABEL BACK)