



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Antimicrobials Division (7510C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

748-307

Date of Issuance:

Jan. 24, 2006

R

NOTICE OF PESTICIDE:

Registration
 Reregistration

Term of Issuance: Conditional

Name of Pesticide Product: CHES60

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

PPG Industries, Inc.
One PPG Place - 8 North
Pittsburgh, PA. 15272

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to the use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit one copy of the revised final printed label for the record changing the EPA File symbol 748-GNT to EPA Registration Number 748-307.
3. Certification regarding Child Resistant Packaging and Compliance with the standards of 40 CFR 157.32 including the revised effectiveness standards in 16 CFR 1700.15(b), and the revised testing procedures in 16 CFR 1700.20 as published in 60 FR 37710 (July 21, 1995) must be submitted. Your certification must include a statement describing the type of packaging used and its designation using the American Society for Testing and Materials (ASTM) Standard D3475- 95 "Standard Classification of Child-Resistant Packages". Your revised statement is subject to review and approval by the Agency.
4. Make the signal word DANGER and Keep Out Of Reach Of Children phrase, larger and more prominent as described in chapter 3 of the Label Review Manual.
5. Move the treatment protocol for If In Eyes to the first position after First Aid.
6. Submit the Corrosion Study when completed.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Submit a finished copy of your final labeling for the record.

Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

Emily H. Mitchell
Emily H. Mitchell
Product Manager 32

Date:

1-24-06

2 8 6

EPA MASTER LABEL COPY

CHES60

EPA Reg. No. 748-~~307~~ GNT
EPA Est. No. 748-WV-1

ACTIVE INGREDIENT: Calcium Hypochlorite. . . . 60%
OTHER INGREDIENTS: 40%
Minimum 57.5% Available Chlorine

KEEP OUT OF REACH OF CHILDREN
DANGER

} make larger

Do not mix with other chemicals.
Do not add water to product – Add product to water
See additional precautionary statements on back label.

move "Eyes" section to top

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. (If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.) If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. If swallowed, call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Contact 1-412-434-4515 or your poison control center for 24-hour emergency medical treatment information. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Manufactured by
PPG INDUSTRIES, INC.
One PPG Place
Pittsburgh, PA 15272
Emergency Telephone Number: 1-412-434-4515

NET WT. 100 lbs.

[04/29/05 pending EPA, approved xxx]

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JAN 24 2006

Under the Federal Insecticide,
Fungicide and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

748-307

3 8 6

PRECAUTIONARY STATEMENTS -

HAZARDS TO HUMANS AND DOMESTIC ANIMALS -

DANGER - Highly Corrosive. Causes irreversible eye damage and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing and shoes before reuse. May be Fatal if swallowed. Irritating to Nose and Throat. Avoid breathing dust.

[NOTE TO EPA: Per PR Notice 95-1, the following Environmental Hazards paragraph will be used on 50# or larger sizes. Smaller sizes will only display: "ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms."]

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

[NOTE TO EPA: For smaller, single use packages, the sentence "Use only a clean, dry utensil made of metal or plastic each time product is taken from the container." will be removed from the following PHYSICAL AND CHEMICAL HAZARDS paragraph.]

PHYSICAL AND CHEMICAL HAZARDS: Strong oxidizing agent! Mix only with water. **Never add water to product. Always add product to large quantities of water.** Use only a clean, dry utensil made of metal or plastic each time product is taken from the container. Do not mix with any other chemicals. **Do not add this product to any dispensing device containing remnants of any other product. Such use may cause violent reaction leading to fire or explosion.** Contamination with moisture, acids, organic matter, cleaning chemicals, pool chemicals, or other chemicals, or easily combustible materials such as petroleum or paint products may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of a fire or explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well-ventilated area. Flood with large volumes of water, if necessary.

STORAGE AND DISPOSAL: Keep in original container in a cool, dry, well-ventilated place. Keep container closed when not in use. Keep away from heat sources, sparks, open flames and lighted tobacco products. To help maintain product strength, storage temperatures should not exceed 90°F (32°C). **Container Disposal** - Do not reuse container. Residual material remaining in empty container can react to cause fire. Thoroughly flush empty container with water then destroy by placing in trash collection. **Pesticide Disposal** - Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food, or feed by storage or disposal. **In Case of Fire** - Drench with water. Calcium hypochlorite supplies oxygen; therefore, attempts to smother fire with a wet blanket, carbon dioxide, or a dry chemical extinguisher are ineffective. **In Case of Spill or Leak** - Use extreme caution. Contamination may cause fire or violent reaction. If fire or reaction occurs in area of spill, douse with plenty of water. Otherwise sweep up spilled material, using a clean, dry shovel and broom and dissolve spilled material in water. Then immediately use solution as directed.

HANDY REFERENCE GUIDE FOR SOLUTIONS:

- * 1 lb. (16 ounces) of calcium hypochlorite in 66,000 gallons of water is 1 ppm available chlorine.
- * 1.5 lbs. (28 ounces) of calcium hypochlorite in 100 gallons of water is 1,000 ppm available chlorine.
- * 7.6 lbs. (139 ounces) of calcium hypochlorite in 50 gallons of water is a 1% solution (10,000 ppm available chlorine).

(1 ounce of calcium hypochlorite equals approximately 2 level tablespoons)

ACCEPTED
with COMMENTS
in EPA Letter Dated:
JAN 24 2006

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

748-307

[SWIMMING POOL USE DIRECTIONS: (pails and drums as a general sanitizer)]

[Optional Marketing Claims:]

- Dry Chlorinating Granules for Swimming Pools "or" Calcium Hypochlorite Granules for Swimming Pools
- Bactericide "or" Kills Bacteria
- Algaecide "or" Controls Algae
- Destroys Organic Contaminants "or" Removes Organic Waste
- Low Residue
- Restores a Crystal Clarity to Pool Water "or" Restores Sparkle and Clarity to Pool Water
- For Use With All Pool Surfaces (vinyl and plaster)
- For Pools and Spas
- Buffered Sanitizer, Oxidizer "or" Buffered (easier to maintain pH balance in pool)

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Calcium Hypochlorite is a dry granular material in free flowing form that contains a minimum of 58% available chlorine. It provides a rapid source of a chlorine containing disinfectant that protects the pool against the growth of bacteria and algae to help keep the pool in a sanitary condition.

HOW TO APPLY: This product is best added to the pool as a solution. Predissolve the required quantity of this product in a plastic pail using 1 gallon of water to dissolve every 3 ounces (6 level tbsp.). **NOTE: Never add water to product. Always add product to large quantities of water.** Allow the mixture to settle and decant off the clear solution into a plastic sprinkling can and use the clear solution for treatment. This product may also be added to inground pools by broadcasting the dry granules over the pool water surface at the deepest end of the pool. Broadcasting is not recommended for above ground, vinyl liner pools. No one should be in the pool when chemicals are being added. This product will raise the pH of pool water. For best results, test your pool water prior to addition of this product. If your pH measures 7.4 or higher, adjust it downward to between 7.2 to 7.4. This will help avoid clouding of water and allow for faster dispersion of the product.

REGULAR TREATMENT FOR POOLS IN USE:

Maintain pool water parameters in the ranges recommended below or at levels required by location regulations. Obtain and make use of a pool test kit to measure pH, free chlorine residual, total alkalinity, water hardness, and cyanuric acid concentration.

Parameter	Test Frequency	Recommended Level
pH	Daily	7.2 to 7.4
Free Chlorine Residual	Daily	1 to 3 ppm in unstabilized pools. 2 to 4 ppm minimum in stabilized pools.
Total Alkalinity as CaCO ₃	Weekly	80-100 ppm
Stabilizer (Cyanuric Acid)	Monthly	20 to 50 ppm
Water Hardness as CaCO ₃	Monthly	200 ppm minimum

Initial Chlorination: Begin operation of your recirculation equipment. Superchlorinate the pool following the directions given below for Superchlorination. Wait at least 4 hours, preferably overnight, then vacuum the pool bottom. Determine the free chlorine residual using your test kit. If no residual is found, superchlorinate again. Wait 30 minutes then retest. Repeat the treatment until a minimum of 1.5 ppm (parts per million) free chlorine residual has been established. Do not enter the water until the free chlorine residual is 4.0 ppm or less. Make certain the pool water parameters listed above are in their proper ranges.

Routine Chlorination: The pH, total alkalinity, water hardness, and stabilizer concentration should be maintained at values recommended in the prior table. Subsequently, add 3.5-4.5 ounces of this product (1.3-2.6 ounces in

with COMMENTS
in EPA Letter Dated:

JAN 24 2006

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended for the pesticide,
registered under EPA Reg. No. 748-
307

5 7 6

stabilized pools) per 5,000 gallons of water daily or as often as needed to maintain the desired free chlorine residual whether the pool is in use or not. Actual dosages of this product required to maintain the desired free chlorine residual will vary with sunlight, water temperature, bathing load, stabilizer concentration, water balance, and other factors. Use a test kit frequently to determine and maintain the proper free chlorine residual. For small changes in free chlorine residual once a free chlorine residual is detected, the addition of 1.3 ounces (3 level tbsp.) of this product to 5,000 gallons of water will raise the free chlorine residual approximately 1.0 ppm.

ADDITIONAL HELPFUL HINTS IN SWIMMING POOL CARE

Shock Treatment / Superchlorination: Shock Treatment / Superchlorination is recommended to combat the growth of algae and other microorganisms, noxious odors, and to destroy unfiltered organic contamination that could build up in the pool water. Adjust pH between 7.2 and 7.4 prior to shocking / superchlorinating. Add 1.3 to 2.6 ounces of this product to every 1,000 gallons of water to yield 5-10 ppm available chlorine. **NOTE: Never add water to product. Always add product to large quantities of water.** Maintain operation of your pump and filter. Treatment should be done at night or during a period when the pool is not in use. Shock / Superchlorinate at least once per week during periods of heavy use or when water temperatures are above 80°F and once every two weeks in residential pools receiving normal usage. Do not enter the pool until the free chlorine residual has dropped to 4.0 ppm or less as measured using your test kit.

Proper Water Balance and Use of Stabilizer: Maintaining the proper pH, total alkalinity, and water hardness is necessary to obtain proper water balance, and help avoid problems such as cloudy water, scaling, corrosion and swimmer discomfort. Stabilizer (cyanuric acid) slows down the rate at which chlorine is destroyed by sunlight. Follow carefully the directions given with the product when using a stabilizer. Kits for testing free chlorine, pH, total alkalinity, water hardness, and cyanuric acid concentration are an integral part of a proper program for controlling the quality of your pool water. The kits are inexpensive and available from most pool chemical dealers.

How to Determine the Capacity of Your Pool:

First: Approximate the average depth in feet by adding the depth at the deep end to the depth at the shallow end and divide the total by two.

Then: For rectangular or square pools: Multiply length (ft) x width (ft) x average depth (ft) x 7.5 = capacity of pool in gallons.

For circular pools: Multiply diameter (ft) x diameter (ft) x average depth (ft) x 5.9 = capacity of pool in gallons.

For oval pools: Multiply long axis (ft) x short axis (ft) x average depth (ft) x 5.9 = capacity of pool in gallons.

NOTE: If pool has sloping sides, multiply total gallons calculated by 0.85 to arrive at the capacity of your pool.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JAN 24 2006

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

748-307

6 8 6

[SWIMMING POOL USE DIRECTIONS: (Smaller Package Sizes for shock treatment)]

[Optional Marketing Claims:]

- Shock Treatment / Superchlorinator For Swimming Pools
- Dry Chlorinating Granules for Swimming Pools "or" Calcium Hypochlorite Granules for Swimming Pools
- Bactericide "or" Kills Bacteria
- Algaecide "or" Controls Algae
- Destroys Organic Contaminants "or" Removes Organic Waste
- Low Residue
- Fast Dissolving "or" Quick Dissolving
- Restores a Crystal Clarity to Pool Water "or" Restores Sparkle and Clarity to Pool Water
- No Need to Predissolve "or" Eliminates the Need to Predissolve
- 1 Pound Treats up to 12,600 Gallons
- For Use With All Pool Surfaces (vinyl and plaster)
- For Pools and Spas
- Buffered Sanitizer, Oxidizer "or" Buffered (easier to maintain pH balance in pool)
- For new pool start-ups
- For occasional power boost following heavy bather loads or rainstorms

Use Entire Bag In One Application.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Swimming pool water is subject to a build-up of a wide variety of organic contaminants including swimmer wastes, such as perspiration, ammonia compounds, and natural and synthetic oils and lotions. If left untreated, the build-up of these contaminants can lead to the development of noxious odors, irritating water, and unsightly water clarity problems. These organic wastes that serve as nutrients for bacteria, algae, and other organisms, should be removed from the pool on a regular basis to prevent their build up. This product will effectively reduce organic contamination in swimming pool water resulting in increased water clarity. A 5-10 ppm dose is recommended for Shock Treatment / Superchlorination.

Always adjust pH between 7.2 and 7.4 prior to using this product. To oxidize the organic contamination that builds up in pool water, add 1-2 pounds of this product for every 12,600 gallons of water to yield 5-10 ppm available chlorine. (Use the total contents of the one-pound package all at one time.) **NOTE: Never add water to product. Always add product to large quantities of water.** Add this product to the pool by broadcasting the dry granules over the pool water surface in the deepest end of the pool. Do this while the pump is running to allow for the best product dispersion. You may also add this product directly into the skimmer while the pump is running. Make sure that all other chemicals or debris have been removed from the skimmer before adding product.

Add this product at night or when the pool is not in use. Do Not use the pool until the free chlorine residual has dropped below 4.0 ppm as determined by using a test kit. This product should be used weekly during periods of heavy use or when water temperatures are above 80°F and once every two weeks in residential pools receiving normal usage. Between treatments with this product, continue to maintain the proper water balance and sanitizer level in your pool as recommended on the label of your normal pool sanitizer.

For specific literature on other accepted uses, contact PPG.

ACCEPTED
with COMMENTS
m EPA Letter Dated:

JAN 24 2006

748-307