

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

MAY 272011

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Natalie A Gaydos, Sr EHS Specialist PPG Industries 4325 Rosanna Drive Allison Park PA 15101

Subject CHES 60 EPA Registration Number 748-307 Application Date May 12, 2011 Receipt Date May 16, 2011

Dear Ms Gaydos

This acknowledges receipt of your Notification submitted in accordance with the provisions of PR Notice 98-10 under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c)9

Proposed Notification

Addition of optional marketing statements For Domestic Use and Not for Export

General Comments

Based on a review of the material submitted, the notification is acceptable

Should you have any questions or comments concerning this letter please contact Tom Luminello at (703) 308-8075

Sincerely Wanda Y Henson Acting Product Manager 32 Regulatory Management Branch II Antimicrobials Division (7510P)

Please read instructions on re	verse side before completi	6 1	F	orm Approve	d 3 No 2070	2 0060 Approval expires 05 31 98	
⊜EPA	Environme	tion Agency		egistration mendment ther	OPP Identifier Number		
		Application	on for Pesticide –	Section 1			
1 Company/Product Number			2 EPA Product Manager			3 Proposed Classification	
748-307			Wanda Henson			None Restricted	
4 Company/Product (Name) PPG Industries, Inc /CHES60				PM# C None Restricted			
5 Name And Address Of Applicant (Include ZIP Code)			6 Expedited Review In accordance with FIFRA Section 3(c)(3)				
PPG Industries Inc			(b)(i) my product is similar or identical in composition and labeling to				
4325 Rosanna Drive			EPA Reg No				
Pittsburgh, PA 15101							
			Product Nam	ne			
			Section II				
Amendment – Explai	n below				n response to		
Resubmission in resp	oonse to Agency letter d	ated	Agency letter dated Me Too Application				
Notification – Explain	below			••			
Explanation Use Additi	<u></u>			Explain Belo	w		
willfully make any fals	e statement to EPA 1	further under	stand that if this notifica FRA and I may be subj	ation is not o	consistent with	n of 18 U S C Sec 1001 to the terms of PR Notice 98 10 nd penalties under sections	
· · · ·			Section III				
1 Material This Product W	II Be Packaged In						
Child Resistant Packaging			Water Soluble Packaging		2 Type of Container		
Yes	Yes				Metal Risstra		
No				No. nor			
* Certıfıcatıon must be submıtted 425# not CR EPA has data on file	If Yes Unit Packaging wgt 1# 1#	No per Container 24 50	If Yes Unit Packaging wgt	No per Container	Pap		
		4 Size(S) Re 1# 12# 24#			Location of Labe On Label On Label		
6 Manner in Which Label i	s Affixed to Product	Lithograp Paper glu Stenciled	red r	Other			
	· · · · · · · · · · · · · · · · · · ·		Section IV				
1 Contact Point (Complete	items directly below fo	r identification o	f individual to be contacted	I f necessary	to process this	applicatior')	
Name						hone No (include Area Code)	
Natalie A Gaydos			Sr EHS Specialist 412			492 5536	
	at any knowingly false		ion d all attachments thereto a atement may be punishable			6 Cate Application Received	
2 Signature	Jambos/		3 Title Sr EHS Specialis	st			
4 Typed Name	0		5 Date				
Natalie A Gaydos			May 12, 2011				

EPA Form 8570 1 (Rev 8 94) Previous editions are obsolete

PPG Industries

(

PPG Industries Inc 4325 Rosanna Drive Allison Park PA 15101 USA

Natalie A Gaydos Sr EHS Specialist Product Stewardship Environment Health & Safety Phone 1 412-492 5536 Fax 1 412 492 5484 E mail gaydos@ppg.com

May 12 2011

Ms Wanda Henson Product Manager 32 Document Processing Desk Office of Pesticide Programs (7504P) U S Environmental Protection Agency Room S 4900 One Potomac Yard 2777 South Crystal Drive Arlington VA 22202

RE CHES60, EPA Reg No 748 307 Notification of Label Update per PR Notice 98 10

Dear Ms Henson

Attached is a request for a label update for EPA Reg No 748 307 CHES60 For your reference I have also attached a document with the changes noted in red We would like to add two optional marketing claims to the label

- 1 For Domestic Use
- 2 Not for Export

No other label changes were made

This notification is consistent with the provisions of PR Notice 98 10 and EPA regulations at 40 CFR 152 46 and no other changes have been made to the labeling or the confidential statement of formula of this product I understand that it is a violation of 18 U S C Sec 1001 to willfully make any false statement to EPA I further understand that if this notification is not consistent with the terms of PR Notice 98 10 and 40 CFR 152 46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA

If you have any questions please call

Very truly yours

tely Lay

Natalie A Gaydos Attachments

CHES60 Dry Chlorinating Tablets

FOR REPACKAGING AND FORMULATING ONLY

EPA Reg No 748 307 EPA Est No 748 WV 1 or 52270 GA 1 or 85855 WV 001

ACTIVE INGREDIENT Calcium Hypochlorite OTHER INGREDIENTS TOTAL Minimum 57 5% Available Chlorine

60% 40% 100%

KEEP OUT OF REACH OF CHILDREN DANGER

Do not mix with any other chemicals, including any other pool chemicals of any kind Mixing with other chemicals could cause a fire or explosion Always add product to large quantities of water to fully dissolve product Do not pour water into product always add product to water Do not use with stabilized chlorine or bromine tablet chemical feeders See additional precautionary statements on back label

FIRST AID If in eyes hold eye open and rinse slowly and gently with water for 15 20 minutes Remove contact lenses if present after the first 5 minutes then continue rinsing eye Call a poison control center or doctor for treatment advice **If on skin or clothing** take off contaminated clothing Rinse skin immediately with plenty of water for 15 20 minutes Call a poison control center or doctor for treatment advice **If swallowed** call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person **If inhaled** move person to fresh air. If person is not breathing call 911 or an ambulance then give artificial respiration preferably by mouth to mouth if possible Call a poison control center or doctor for further treatment advice. **Note to Physician** probable mucosal damage may contraindicate the use of gastric lavage

Contact 1 412 434 4515 or your poison control center for 24 hour emergency medical treatment information. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Manufactured by PPG INDUSTRIES INC One PPG Place Pittsburgh PA 15272 Emergency Telephone Number 1 412 434 4515

NET WT XXX lbs (XXX Kgs)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER Highly Corrosive Causes irreversible eye damage and skin burns. Do not get in eyes on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling and before eating drinking chewing gum using tobacco or going to the toilet. Remove and wash contaminated clothing and shoes before reuse. May be fatal if swallowed Irritating to nose and throat. Avoid breathing dust

[NOTE TO EPA The following statement will appear on package sizes 50 lbs or larger] ENVIRONMENTAL HAZARDS This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes streams ponds estuaries oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA

[NOTE TO EPA The following statement will appear on package sizes less than 50 lbs] ENVIRONMENTAL HAZARDS This pesticide is toxic to fish and aquatic organisms

PHYSICAL AND CHEMICAL HAZARDS Strong oxidizing agent! Mix only with water Do not mix this product with any other chemicals including any other pool chemicals of any kind such as other disinfection or shock pool products Always add product to large quantities of water to dissolve product Do not pour water into product [The following statement shall not be used on small single use packages Use only a clean dry utensil made of metal or plastic each time product is taken from the container] Do not add this product to any dispensing device containing remnants of any other product or pool chemical Such use may cause violent reaction leading to fire or explosion. Contamination with moisture acids organic matter other chemicals (including but not limited to cleaning chemicals and other pool chemicals) petroleum or paint products or other easily combustible materials may start a chemical reaction with generation of heat liberation of hazardous gases and possible violent reaction leading to fire or explosion. If product becomes contaminated or decomposes do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water if necessary to fully dissolve product.

[NOTE TO EPA The following Optional Marketing Claims and Symbols may be added to the product label]

Dry Chlorinating Granules for Swimming Pools *or*' Calcium Hypochlorite Granules for Swimming Pools Bactericide *or*' Kills Bacteria Algaecide *or*' Controls Algae Destroys Organic Contaminants *or*' Removes Organic Waste Low Residue Restores a Crystal Clarity to Pool Water *or*' Restores Sparkle and Clarity to Pool Water For Use with All Pool Surfaces (vinyl and plaster) For Pools and Spas Buffered Sanitizer Oxidizer *or*' Buffered (easier to maintain pH balance in pool) Stop! Do not mix with other products or pre dissolve before use Step 3 Shock Weekly Shock For Domestic Use Not for Export



6/10

Directions for Use

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling

SWIMMING POOL USE

This calcium hypochlorite product is a dry granular free flowing material that contains a minimum of 57 5% available chlorine. It provides a rapid source of a chlorine containing disinfectant that protects the pool against the growth of bacteria and algae to help keep the pool in a sanitary condition.

For any application method you choose No one can be in the pool when chemicals are being added directly to the pool **Do not mix this product with other chemicals including any other pool chemicals of** <u>any</u> kind such as other disinfection or shock products Mixing could cause a fire or explosion Always add this product into large quantities of water to fully dissolve <u>Never add</u> <u>water into product</u> Make sure to keep the pump and filter running during application and for at least 6 to 8 hours after application to allow for the best product dispersion. For best results test your pool water prior to addition of this product and maintain pool water parameters in the ranges noted below

This product will raise the pH of pool water For best results test your pool water prior to addition of this product. If your pH measures 7.4 or higher adjust it downward so that it is between 7.2 to 7.4. This will help avoid clouding of water and allow for faster dispersion of the product.

APPLICATION METHOD

This product can be added by broadcasting the dry granules over the pool water surface at the deepest end of the pool while the pump is running Should any granules settle at the bottom of the pool use a pool brush to disperse them Take care to not tear the liner in above ground pools (or any pool with a liner) while brushing

This product can be directly added into the skimmer while the pump is running. Make sure that all other chemicals or debris have been removed from the skimmer before adding product

HOW TO APPLY TO POOLS

REMINDER Never add water to product Always add product to large quantities of water to fully dissolve Maintain operation of your pump and filter Treatment should be done at night or during a period when the pool is not in use

Opening Pool/Initial Chlorination Begin operation of your recirculation equipment Balance the water by making certain the pool water parameters for pH total alkalinity and water hardness are in their proper ranges provided in Table 1 Follow Shock Treatment/Superchlorination application directions to superchlorinate the pool. Allow 30 minutes for the product to disperse then determine the free chlorine residual using a pool test kit. If no residual is found superchlorinate again. Repeat treatment as needed until the chlorine residual is 1.0 ppm. If a stabilizer is used check and adjust stabilizer to proper level (10.20 ppm). Do not enter the water until the free chlorine residual is 4.0 ppm or less. Wait at least 4 hours preferably overnight, then vacuum the pool bottom.

Routine Chlorination The pH total alkalinity water hardness and stabilizer concentration shou'd be maintained at values recommended in Table 1 under Regular Treatment for Pools in Use Actual dosages of this product required to maintain the desired free chlorine residual will vary with sunlicht water temperature bathing load stabilizer concentration water balance and other factors. Use a test kit frequently to determine and maintain the proper free chlorine residual. Do not enter the pool until kit iree chlorine residual has dropped to 4.0 ppm or less as measured using your test kit

2110

Add 3 5 4 5 ounces of this product (1 3 2 6 ounces in stabilized pools) per 5 000 gallons of water daily or as often as needed to maintain the desired free chlorine residual whether the pool is in use or not For small changes in free chlorine residual once a free chlorine residual is detected the addition of 1 3 ounces of this product to 5 000 gallons of water will raise the free chlorine residual approximately 1 0 ppm

Shock Treatment / Superchlorination Adjust pH between 7 2 and 7 4 prior to shocking or superchlorination. Add this product at night or when the pool is not in use. To prevent pool water problems shock at least once per week during periods of heavy use or when water temperatures are above 80°F and once every two weeks in residential pools receiving normal usage. Maintain operation of the pump and filter. Do not enter the pool until the free chlorine residual has dropped to 4 0 ppm or less as measured using a suitable test kit. Between treatments with this product continue to maintain the proper water balance and sanitizer level in your pool as recommended on the label of your normal pool sanitizer.

Add 1 3 to 2 6 ounces of this product to every 1 000 gallons of water to yield 5 10 ppm available chlorine

ADDITIONAL INSTRUCTIONS FOR SWIMMING POOL CARE

Regular Treatment for Pools in Use Maintain pool water parameters in the ranges in Table 1 or at levels required by local regulations This product will raise the pH of pool water If your pH measures 7 4 or higher adjust it downward to between 7 2 to 7 4 This will help avoid clouding of water and allow for faster dispersion of the product. Obtain and make use of a pool test kit to measure pH free chlorine residual total alkalinity water hardness and cyanuric acid concentration.

Parameter	Test Frequency	Level				
рН	Daily	7 2 to 7 4				
Free Chlorine Residual	Daily	1 to 3 ppm in unstabilized pools 2 to 4 ppm minimum in stabilized pools				
Total Alkalınıty as CaCO ₃	Weekly	80 100 ppm				
Stabilizer (Cyanuric Acid)	Monthly	10 20ppm				

Table 1 Parameters for Water in Pools

Water Hardness as CaCO₃

[NOTE TO EPA For smaller packages the following statement in paragraph form can be used instead of the above paragraph and table]

200 ppm minimum

Regular Treatment for Pools in Use Maintain pool water parameters as follows adjust pH to 7 2 7 4 free chlorine residual 1 4 ppm total alkalinity 80 100ppm stabilizer 10 20ppm and water hardness at 200 ppm minimum Obtain and make use of a pool test kit to measure the levels

[NOTE TO EPA Optional Statements for Pool Maintenance]

Monthly

Proper Water Balance and Use of Stabilizer Maintaining the proper pH total alkalinity and water hardness is necessary to obtain proper water balance and help avoid problems such as cloudy water scaling corrosion and swimmer discomfort Stabilizer (cyanuric acid) slows down the rate at which chlorine is destroyed by sunlight Follow carefully the directions given with the product when using a stabilizer Kits for testing free chlorine pH total alkalinity water hardness and cyanuric acid concentration are an integral part of a proper program for controlling the quality of your pool water TI e kits are inexpensive and available from most pool chemical dealers

How to determine the capacity of your pool

Fırst	Approximate the average depth in feet by adding the depth at the deep end to					
	the depth at the shallow end and divide the total by two					
Then	For rectangular or square pools Multiply length (ft) x width (ft) x average depth					
	(ft) x 7 5 = capacity of pool in gallons					
	For circular pools Multiply diameter (ft) x diameter (ft) x average depth (ft) x 5 9					
	= capacity of pool in gallons					
	For oval pools Multiply long axis (ft) x short axis (ft) x average depth (ft) x 5 9 =					
	capacity of pool in gallons					
NOTE	If pool has sloping sides multiply total gallons calculated by 0 85 to arrive at the					
	capacity of your pool					

End of Season At the end of the end of the swimming pool season or when the water is to be drained from the pool chlorine must be allowed to dissipate from treated pool water before discharge Do not chlorinate the pool within 24 hours prior to discharge

HANDY REFERENCE GUIDE FOR SOLUTIONS

1 lb (16 ounces) of this product in 66 000 gallons of water is 1 ppm available chlorine 1 5lbs (28 ounces) of this product in 100 gallons of water is 1 000 ppm available chlorine 7 6 lbs (139 ounces) of this product in 50 gallons of water is a 1% solution

7 6 lbs (139 ounces) of this product in 50gallons of water is a 1% solution (10 000 ppm available chlorine)

(1 ounce of this product equals approximately 2 level tablespoons)

For specific literature on other accepted uses contact PPG

For a complete copy of the master label for this product contact PPG or review the most current EPA stamped accepted label available at <u>www epa gov/pesticides/pestilabels</u>

||6

STORAGE AND DISPOSAL

Do not contaminate food or feed by storage disposal or cleaning of equipment

Pesticide Storage

Keep this product dry in a tightly closed container when not in use Store in a cool dry well ventilated area away from heat or open flame. In case of decomposition isolate container (if possible) and flood area with large amounts of water to dissolve all materials before discarding this container.

Pesticide Disposal

Pesticide wastes may be hazardous Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal Law If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance

Container Handling

[NOTE TO EPA Language for Plastic non refillable rigid containers all pails drums and bottles] Nonrefillable container Do not reuse or refill this container Triple rinse or pressure rinse container (or equivalent) promptly after emptying

[NOTE TO EPA This language is for containers with capacities less than 5 gallons] Triple rinse as follows Empty the remaining contents into application equipment or a mix tank Fill the container ¼ full with water and recap Shake for 10 seconds Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal Drain for 10 seconds after the flow begins to drip Repeat this procedure two more times Then offer for recycling if available or place in trash collection

[NOTE TO EPA This language is for containers with capacities greater than 5 gallons or 50 lbs] Triple rinse as follows Empty the remaining contents into application equipment or a mix tank Fill the container ¼ full with water Replace and tighten closures Tip container on its side and roll it back and forth ensuring at least one complete revolution for 30 seconds Stand the container on its end and tip it back and forth several times Turn the container over onto its other end and tip it back and forth several times Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal Repeat this procedure two more times Then offer for recycling if available or place in trash collection

[NOTE TO EPA This language is for non refillable bags of granular or dry formulation] Completely empty bag into pool by shaking and tapping sides and bottom to loosen clinging particles Submerse empty bag in pool to eliminate any residue then place bag in trash for disposal

LIMITED WARRANTY The Manufacturer warrants for a period of 1 year from purchase that when this Product is stored and used all in accordance with label directions it will be fit for its intended purpose THE MANUFACTURER EXPRESSLY DISCLAIMS ALL OTHER EXPRESS OR IMPLIED WARRANTIES TO THE EXTENT THIS DISCLAIMER IS PROHIBITED BY APPLICABLE LAW ANY IMPLIED WARRANTIES ON THIS PRODUCT ARE LIMITED IN DURATION TO THE DURATION OF THIS WARRANTY If this Product fails to conform to this Limited Warranty the Manufacturer will refund your purchase price or furnish you with replacement product at Manufacturer's option. This is the Manufacturer's sole liability and in no event will Manufacturer be liable for direct indirect special incidental or consequential damages. To make a claim under this Limited Warranty contact the store/dealership where you purchased this Product. This Limited Warranty gives you specific legal rights and you may also have other legal rights which vary from state to state