

769-34



NET WEIGHT SIX POUNDS

# NUTONEX SULPHUR

REG. U.S. PAT. OFF.

WEI. ABLE **APR 14, 1965**

**CAUTION:** KEEP OUT OF REACH OF CHILDREN.  
SEE BACK PANEL FOR OTHER PRECAUTIONS.  
THIS PACKAGE CONTAINS

ACTIVE INGREDIENT	
Sulphur, as elemental not less than	94.0%
INERT INGREDIENTS, not more than	6.0%
	<hr/>
	100.00%


Sulphur—95% through 325 mesh screen

U.S.U.A. Reg. No. 769-34

NUTONEX SULPHUR  
**CONTROLS**  
POWDERY MILDEW—




**ROSE BLACK SPOT**



NUTONEX SULPHUR  
**CONTROLS**  
BROWN ROT—



**PEACH SCAB**



04/14/1965

29

30  
1/2



## CAUTION

Avoid contamination of feed and food-stuffs. Do not apply this material to Cucumbers, Melons or Squash. Avoid applying this material during very hot periods of the day. When this product is used with Lead Arsenate, 8 pounds of Hydrated Lime or Basic Zinc Sulphate should be added for each 100 gallons of spray.

### DIRECTIONS

**PEACHES and PLUMS:** To control Brown Rot and Scab use 6 pounds per 100 gallons of water. Follow locally issued spray schedule for number and frequency of applications. Usually 6 applications are made. No. 1—when  $\frac{1}{3}$  petals have fallen, No. 2—when  $\frac{3}{4}$  shucks have shed, No. 3—two weeks later, No. 4—two weeks after No. 3, No. 5—four weeks before harvest, No. 6—two weeks before harvest.

**FLOWERS and ORNAMENTALS:** To control Red Spiders and the diseases listed below use Nutonex as a dust or spray using 6 pounds per 100 gallons of water. Applications should be made at 5 to 7 day intervals beginning when the disease first appears and continuing until all danger from the disease has passed. During periods of humid or rainy weather it may be necessary to make applications as often as every 2 to 3 days.

**POWDERY MILDEW:** Aster, Chrysanthemum, Cosmos, Dahlia, Daisy, Delphinium, Dogwood, Euonymus, Golden Fleece, Hibiscus, Honeysuckle, Hydrangea, Lady's Mantle, Ligustrum, Lilac, Myrtle, Phlox, Poplar, Silver Vine, Rose, Spiraea, Sunflower, Verbena, Willow and Zinnia.

**LEAF SPOTS:** Calendula, Cherry Laurel, Clematis, Columbine, English Ivy, Foxglove, Hydrangea, Petunia, Phlox, Sage, Smilax, and Snapdragon.

**BLACK SPOT:** Rose.

**ROSE POWDERY MILDEW:** Rose.

**BOTRYTIS BLIGHT:** Hydrangea.

**RED SPIDERS:** Arborvitae, Carnation, Cedars, Chrysanthemum, Clematis, Hydrangea, Rose, Snapdragon and Sweet-peas.

### NOTICE

The directions for use given for this product are based upon use under normal and reasonably foreseeable conditions. If the directions for use are followed and the precautions set forth on the label are observed, research indicates that the product will give satisfactory results. However, because of the fact that the climatic, geographical, and other conditions under which this product may be used will vary widely, the seller makes no warranty or representation express or implied concerning this material or its use except that it conforms to the chemical description on the label and no person is authorized to make any other representation upon its behalf. The seller shall not be held responsible for damages resulting from the handling, storage or use of this product for any reason except the failure of the material to conform to the chemical description on the label. Damages, if any, which may result from the failure of this material to conform with the description on the label shall be limited to direct damages but shall not include consequential damages such as those resulting from crop or personal injury or failure to give adequate control.

212