

ACCEPTED

JAN 5 1968

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 769-34 SUBJECT
TO ATTACHED COMMENTS.



NET WEIGHT • SIX POUNDS

NUTONEX SULPHUR

REG. U.S. PAT. OFF.

WETTABLE

CAUTION: KEEP OUT OF REACH OF CHILDREN.
SEE BACK PANEL FOR OTHER PRECAUTIONS.

THIS PACKAGE CONTAINS

ACTIVE INGREDIENT

Sulphur, as elemental not less than 94.0%

INERT INGREDIENTS, not more than 6.0%

100.00%

Sulphur—95% through 325 mesh screen

U.S.D.A. Reg. No. 769-34

**NUTONEX SULPHUR
CONTROLS
POWDERY MILDEW—**




ROSE BLACK SPOT



**NUTONEX SULPHUR
CONTROLS
BROWN ROT—**



PEACH SCAB



SECURITY
BRAND

CAUTION

Avoid contamination of feed and food-stuffs. Do not apply this material to Cucumbers, Melons or Squash. Avoid applying this material during very hot periods of the day. When this product is used with Lead Arsenate, 8 pounds of Hydrated Lime or Basic Zinc Sulphate should be added for each 100 gallons of spray.

DIRECTIONS

PEACHES and PLUMS: To control Brown Rot and Scab use 6 pounds per 100 gallons of water. Follow locally issued spray schedule for number and frequency of applications. Usually 6 applications are made. No. 1—when $\frac{1}{2}$ petals have fallen, No. 2—when $\frac{3}{4}$ shucks have shed, No. 3—two weeks later, No. 4—two weeks after No. 3, No. 5—four weeks before harvest, No. 6—two weeks before harvest.

FLOWERS and ORNAMENTALS: To control Red Spiders and the diseases listed below use Nutonex as a dust or spray using 6 pounds per 100 gallons of water. Applications should be made at 5 to 7 day intervals beginning when the disease first appears and continuing until all danger from the disease has passed. During periods of humid or rainy weather it may be necessary to make applications as often as every 2 to 3 days.

POWDERY MILDEW: Aster, Chrysanthemum, Cosmos, Dahlia, Daisy, Delphinium, Dogwood, Euonymus, Golden Fleece, Hibiscus, Honeysuckle, Hydrangea, Lady's Mantle, Ligustrum, Lilac, Myrtle, Phlox, Poplar, Silver Vine, Rose, Spiraea, Sunflower, Verbena, Willow and Zinnia.

LEAF SPOTS: Calendula, Cherry Laurel, Clematis, Columbine, English Ivy, Foxglove, Hydrangea, Petunia, Phlox, Sage, Smilax, and Snapdragon.

BLACK SPOT: Rose.

ROSE POWDERY MILDEW: Rose.

BOTRYTIS BLIGHT: Hydrangea.

RED SPIDERS: Arborvitae, Carnation, Cedars, Chrysanthemum, Clematis, Hydrangea, Rose, Snapdragon and Sweet-peas.

DISPOSAL WARNING: Dispose of waste pesticide and empty container in a safe place. Never re-use container.

NOTICE—DISCLAIMER OF WARRANTY, MERCHANTABILITY AND LIABILITY— If for any reason this product is not used, applied, stored, transported or disposed of in accordance with the instructions set forth on this label, then and thereafter Woolfolk Chemical Works, Ltd., terminates, ends and excludes all warranties, expressed or implied, including the warranty of merchantability and fitness. The failure to use, apply, store, transport or dispose of this product, in accordance with the instructions set forth on the label, shall then and thereafter terminate and end Woolfolk Chemical Works, Ltd.'s liability for injury to crops, animals, personal property and real property, of every kind and description, and for injury to any person or persons, and for any consequential damages arising out of injury to the foregoing set forth. There are no warranties which extend beyond the description on this label.