

BENZEN WETTABLE LINDANE
(Homeowner)
Page 2

169-50

DOG DIPS

Use of this product is permitted only for treatment of mites. The use of this product for treatment of other pests is prohibited. Applicators must wear the following protective clothing during the treatment process: elbow-length waterproof gloves, a waterproof apron, and unlined waterproof boots. Improper dilution of this product could cause serious injury to your pet. Children should not be allowed to handle or apply this product.

SARCOPTIC MANGE MITES: Thoroughly wet dog before treatment, then dip animal in a suspension, kept well mixed, using 1/2 pound Benzex to 15 gallons of water. Make two treatments one week apart. Do not apply to young animals under 3 months of age or to emaciated, sick or lactating animals. Do not use on cats.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store pesticide in original container and place in a locked storage area. Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: The seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on this label.

NET WEIGHT: 1 POUND

WOOLFOLK CHEMICAL WORKS, INC.

MANUFACTURERS

FORT VALLEY, GEORGIA

89 APR 1984

300/17075
17/3

Mr. Thomas H. Alden
Woolfolk Chemical Works, Inc.
P.O. Box 938
Fort Valley, GA 31030

Dear Mr. Alden:

Subject: Lindane RPAR
Security Brand Benzex Wettable Lindane
EPA Registration No. 769-50
Application Dated November 11, 1983

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. The "If swallowed" STATEMENT OF PRACTICAL TREATMENT is inappropriate. The aspiration hazard exists only when a large amount of light-weight petroleum distillate or other lightweight solvent is found in the formulation. With a wettable powder, in this toxicity range, it is generally recommended that the victim (or someone else on the scene) induce vomiting as soon as possible. Therefore, you should use the following:

If swallowed - Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

2. Add the following to the end of the bee precaution:

Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

CONCURRENCES							
SYMBOL ▶							
SURNAME ▶							
DATE ▶							

76950

-2-

3. Add the following statement to appear under "Hazards to Humans...":

Wash hands and face thoroughly after handling and before eating or smoking.

4. Add the following precaution to the directions: "Do not apply by aircraft."

5. Since this is a commercial use product, revise your storage and disposal paragraph in compliance with PR Notices 83-3 and 84-1. Note: lindane is a toxic commercial pesticide on RCRA "P" list.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

P.S. Submit five copies of your revised final label before you release the product for shipment.
RD/IRB:DCR-28636:LaRocca:pjb:Raven:557-2226:CBI-20:4/20/84:Del.5/4/84

A stamped copy of the label is enclosed for your records.

BEST DOCUMENT AVAILABLE



SECURITY BRAND
 BENZEX (R)
 WETTABLE LINDANE

ACCEPTED
 with COMMENTS
 by EPA Label Office

1/1
 U

APR 24 1971

ACTIVE INGREDIENT:	Gamma Isomer of Benzene Hexachloride (Lindane)	6.0%
INERT INGREDIENTS:		94.0%
	TOTAL	100.0%

EPA Reg. No. 769-50 EPA Est. 769-GA-1

769-50

KEEP OUT OF REACH OF CHILDREN
 CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person. IF INHALED: Remove victim to fresh air. Apply respiration if indicated. IF ON SKIN: Remove contaminated clothing and wash contaminated skin with soap and water. IF IN EYES: Flush eyes with plenty of water. Get medical attention immediately.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION! HARMFUL IF SWALLOWED. May be absorbed through skin. Avoid inhalation and skin contact. Avoid contamination of feed and foodstuffs. Do not use on household pets except as directed on this label. Do not use on humans. Do not allow children to handle or apply this product. Children and pets should not be allowed in treated areas until sprayed surfaces are dry.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply to any body of water. Do not apply to any area not specified on this label. PROTECT BEES: This product is highly toxic to bees exposed to direct treatment or residues on treated areas. Do not apply this product, or allow it to drift, to blooming plants or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

PROTECTIVE CLOTHING REQUIRED: Applicators must wear the following protective clothing during the application process: long-sleeved shirt, long pants, waterproof gloves, full foot covering, and a head covering.

RESIDUAL SPRAYS

CAUTION: Do not use in milk rooms, dairy barns, poultry houses or homes. Do not contaminate animal feed or water.

TICKS and CHIGGERS: Apply at the rate of 1 lb. per 1300 square feet in sufficient water for coverage. Make application to weeds and underbrush harboring pests. Do not use on food crops or grazing areas. Repeat application if necessary.

CONVERSION TABLE: 1 OUNCE BY WEIGHT = 4-1/3 TABLESPOONS BY VOLUME.

VEGETABLES

RATE TO USE: 1 lb. per 25 gallons of water or 2-3/4 tablespoons per gallon of water.
 CABBAGE, CAULIFLOWER, COLLARDS, BROCCOLI, BRUSSELS SPROUTS: For control of cabbage aphids and thrips. Do not apply more than 200 gallons per acre. Do not apply after seedling stage.
 PEPPERS: For control of aphids and serpentine leafminer. Do not apply to peppers after edible parts start to form. Do not use on crops which will be followed by root crops which might absorb a musty flavor.