

NET WEIGHT

SECURITY

3 POUNDS

FERBAM DUST

CONTROLS TOBACCO BLUE MOLD

ACTIVE INGREDIENT:

Ferbam 1.4%

INERT INGREDIENTS: 98.6%

S.D.A. Reg. No. 769-73 TOTAL 100.0%

Ferric Dimethylthiocarbamate

Contains 1.53% iron as metallic

CAUTION! KEEP OUT OF REACH OF CHILDREN. May cause irritation of nose, throat and skin. Avoid breathing dust. Avoid contact with eyes, skin or clothing. In case of contact, flush with plenty of water. For eyes, get medical attention.

DIRECTIONS

PROTECT WILDLIFE: This product is toxic to fish. Keep out of any body of water.

TOBACCO: Blue Mold- Dust small plants at the rate of 1½ to 3 pounds per 100 square yards of plant bed. Increase the rate to 3½ pounds when the plants are large. At first signs of blue mold, dust at maximum recommended rate regardless of size of plants.

Begin dusting as soon as blue mold appears in your tobacco section and continue twice each week until all danger of blue mold has passed or until all plants are affected and recovery is evident. Dust after every rain even if 3 or 4 dusts are required each week. Plants may be dusted when either wet or dry if the wind is not blowing.

Beds less than 4 feet wide can best be dusted through the cover if it is at least 6 inches above the ground. For wider beds it will be necessary to remove the cover and walk along lanes every 5 to 6 feet.

Use a hand crank duster with a delivery tube several feet long and at least 1/2 inches in diameter is most satisfactory for applying dust. Fans or the most complete dusters are unsatisfactory.

For more information on the use of this product, contact your local agricultural agent or the manufacturer.

NOTICE

WOOLFOLK CHEMICAL WORKS, LTD.
Manufacturers Fort Valley, Ga.