

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

ACCEPTED
JUN 1 1964
Under the Federal Insecticide, Fungicide, and Herbicide Act, as amended, for the pesticide registered under 769-9-
EPA Reg. No.



1% PARATHION DUST

ACTIVE INGREDIENT: Parathion 1.0%
INERT INGREDIENTS: 99.0%
TOTAL 100.0%
*O, O-diethyl O-p-nitrophenyl thiophosphate
E. P. A. Reg. No. 769-93 EPA Est. 769-GA-1

ANTIDOTE: IF SWALLOWED: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a Physician Immediately! Atropine is antidotal. PMD chloride is also antidotal and may be administered in conjunction with atropine. **IF ON SKIN:** In case of contact remove contaminated clothing and immediately wash skin with soap and water.

WARNING! KEEP OUT OF REACH OF CHILDREN Parathion is toxic and may be inhaled, or absorbed through skin. Rapidly absorbed through skin. It may get in eyes or on skin. Wear natural rubber gloves, protective clothing, goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for such protection. Keep all unprotected persons out of operating areas, especially where there may be danger of drift. Volatile residues may be inhaled until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Do not apply where children, livestock and poultry are present. **PROTECT WILDLIFE** High toxicity to birds and mammals. Do not apply to any body of water and apply to any area of open water. Do not apply when weather conditions favor drift to near-treated areas. Feeding on treated areas may be affected. **PROTECT BEES** This is a highly toxic substance to bees. Do not apply to treatment of bees. Consult your local Extension Office for more information.

DIRECTIONS
FIELD CROPS
COTTON: Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest. Do not apply within 15 days of pasturing. **PEANUTS, SOYBEANS:** Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest. **TOBACCO:** Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest.

VEGETABLES
INTERVAL BETWEEN LAST APPLICATION AND HARVEST: Do not apply to tomatoes within 5 days of harvest. Do not apply to brussels sprouts, cauliflower, kohlrabi, collards, rutabaga, turnip, eggplant, and celery within 15 days of harvest. Do not apply to beans, black-eyed peas, carrots, celery, cucumbers, squash, melons, pumpkins, and lettuce within 15 days of harvest. Do not apply to asparagus within 15 days of harvest. Do not apply to spinach within 15 days of harvest. Do not apply to Swiss chard within 15 days of harvest.

- ASPARAGUS:** Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest.
- BEANS:** Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest.
- BLACK-EYED PEAS:** Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest.
- CABBAGE, BROCCOLI, BRUSSELS SPROUTS, KALE, MUSTARD GREENS, CAULIFLOWER, KOHLRABI, COLLARDS, RUTABAGA, TURNIP:** Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest.
- CARROTS:** Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest.
- CELERY:** Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest.
- CORN:** Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest.
- CUCUMBER, SQUASH, MELONS, PUMPKINS:** Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest.
- EGGPLANT:** Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest.
- ENDIVE:** Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest.
- LETTUCE:** Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest.

BEST DOCUMENT AVAILABLE

OKRA: Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest. **PEAS:** Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest. **PEPPERS:** Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest. **RADISHES:** Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest. **SPINACH, SWISS CHARD:** Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest. **POTATOES, TOMATOES:** Apply at the rate of 35 to 45 pounds per acre. Do not apply within 15 days of harvest.

FORAGE CROPS
VELOC, ALFALFA, CLOVER: Apply at the rate of 25 to 40 pounds per acre. Do not apply within 15 days of harvest or pasturing. **WHEAT, OATS, BARLEY:** Apply at the rate of 25 to 40 pounds per acre. Do not apply within 15 days of harvest or pasturing.

ORNAMENTALS
APHIDS, WHITEFLIES, RED SPIDER MITES: Apply at the rate of 30 to 40 pounds per acre. Repeat as necessary. Repeat in 7 to 10 days for control of red spider mites. **MEALYBUGS, LEAF TIERS:** Apply at the rate of 30 to 40 pounds per acre. Repeat as necessary. Apply this material indoors only. **CAUTION:** This product should be used only by properly equipped persons on commercial plantings, never on home plantings.

FRUIT AND NUTS
BLACKBERRIES: Red-necked Cane Borer. Apply at the rate of 30 to 35 pounds per acre before 6:00 pm. Do not apply within 15 days of harvest. **BLUEBERRIES:** Mite, Thrips. Apply at the rate of 30 pounds per acre. Do not apply within 15 days of harvest. **BOYSENBERRIES, DEWBERRIES:** Red Spider Mites, Aphids. Apply at the rate of 30 to 35 pounds per acre. Repeat at 7 to 10 day intervals as necessary. Do not apply within 15 days of harvest. **GRAPES:** Red Spider Mite, Leaf Folder, Mealybug. Apply at 40 pounds per acre. Repeat at 7 to 10 days for Red Spider. Do not apply within 14 days of harvest. **STRAWBERRIES:** Red Spider Mite, Aphids. Apply at the rate of 20 to 30 pounds per acre. Repeat at 7 to 10 days for red spider. Do not apply within 14 days of harvest. **PECAN:** Black Pecan Aoid. Apply to thoroughly cover the trees. Make applications after shucks have started to open. Do not feed vegetation on trees treated with this material to dairy or beef animals.

DISPOSAL WARNING
Do not use in water, soil, or air. Containers by burning in non-crop land away from water courses. Never reuse containers.
NOTICE
Disclaimer of Warranty, Merchantability and Liability
This product is sold as is, not used, applied, stored, transported or distributed. The user must follow the instructions set forth on this label, then and thereafter, and the user, dealer, distributor, retailer, and terminal user, and excludes all warranties, express or implied, including the warranty of merchantability. The user must follow the instructions set forth on the label, shall then and thereafter, and the user, dealer, distributor, retailer, and terminal user, and excludes all warranties, express or implied, including the warranty of merchantability. There are no warranties, express or implied, including the warranty of merchantability. There are no warranties, express or implied, including the warranty of merchantability. 870209

WOOLFOLK CHEMICAL WORKS, INC.
Manufacturers Fort Valley, Ga.