

NET WEIGHT



16 POUNDS

PAN-THION 769-100 SPRAY

OTHER TRADE NAMES: INSECTICIDE
FUNGICIDE AND FUNGICIDE ACT
FOR PROPOSED PERSONS

Jul 1, 71

ACTIVE INGREDIENTS:

*Parathion	1.3%
Zinc, in the form of Basic Sulphate, as metallic metallic	10.0%
Sulphur, as elemental	36.5%

INERT INGREDIENTS: 9.7%

** D.A. Reg. No. 769-100 TOTAL 100.0%
D-diethyl O-p-Nitrophenyl phosphonate

DIRECTIONS

DANGER: Do not apply Pan-Thion within 14 days of harvest. To avoid exceeding the maximum permissible rate of 5 pounds of parathion per year, do not use more than 272 pounds of Pan-Thion per acre per year. Do not apply sprays when trees are wet or when temperature is above 90° F. Do not use on peaches in California.

REACHES: To control CURCULIO, ORIENTAL FRUIT MOTH, SAN JOSE SCALE (IN THE CRAWLING STAGE ONLY), BROWN ROT, SCAB AND BACTERIAL SPOT - Use Pan-Thion at the rate of 16 pounds per hundred gallons of water. The following schedule is suggested as a general guide but is in no way guaranteed. The number of applications and time of application may vary in different localities. Early ripening varieties will not require the full schedule of applications.

SPRAY SCHEDULE

- 1) When all petals are off.
- 2) When 3-4 shucks have shed.
- 3) 7 to 10 days after No. 2.
- 4) 12 to 14 days after No. 3 (See Note Below).
- 5) 4 weeks before harvest of each variety.
- 6) 4 weeks before harvest.
- 7) 2 weeks before harvest.
- 8) See note below.

NOTE: If no curculios are present in a orchard at the time of spray No. 4 use PAN WITHOUT LEAD ARSENATE or if no zinc is desired use only NUTONEX SULPHUR for disease control. Spray No. 8 should be applied 1 week before harvest using NUTONEX SULPHUR.

DISPOSAL WARNING

Dispose of waste pesticide and containers by burning in incinerator land. Never re-use container.

NOTICE

DISCLAIMER OF WARRANTY, MERCHANTABILITY AND LIABILITY
If for any reason this product is not used, applied, stored, transported or disposed of in accordance with the instructions set forth on this label, then and thereafter Woolfolk Chemical Works, Ltd. terminates, ends and excludes all warranties, expressed or implied, including the warranty of merchantability and fitness.

170420



ANTIDOTE: If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a Physician immediately! Atropine is antidotal. If on skin, in case of contact remove contaminated clothing and immediately wash skin with soap and water.

DANGER! KEEP OUT OF REACH OF CHILDREN.

POISONOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. Do not get in eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and feedstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Do not use or store this product in or around the home.

PROTECT WILDLIFE: This product is poisonous to fish and wildlife. Keep out of any body of water. Keep out of lakes, ponds and streams. Do not apply in any manner not specified on the label. Birds feeding on treated areas should be protected.

PROTECT BEES: Do not apply this product to flowers or other sources of nectar when bees are present. Do not apply to alfalfa or clover blossoms. Do not apply to alfalfa or clover blossoms when bees are present. Do not apply to alfalfa or clover blossoms when bees are present.

WOOLFOLK CHEMICAL WORKS, LTD.
Manufacturers Fort Valley, Ga.