

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.


DANGER: Do not apply Pan-Thion within 14 days of harvest. To avoid exceeding the maximum permissible rate of 5 pounds of parathion per year, do not use more than 272 pounds of Pan-Thion per acre per year. Do not apply sprays when trees are wet or when temperature is above 90°F. Do not use in California.

PEACHES: To control CURCULIO, ORIENTAL FRUIT MOTH, SAN JOSE SCALE (in the crawling stage only) BROWN ROT, SCAB and BACTERIAL SPOT - USE Pan-Thion at the rate of 16 pounds per hundred gallons of water. The following schedule is suggested as a general guide but is in no way guaranteed. The number of applications and time of application may vary in different localities. Early ripening varieties will not require the full schedule of applications.

CAUTION: Do not mix with Captan or apply within 2 weeks of a Captan spray.

SPRAY SCHEDULE

1. When all petals are off
2. When ¼ shucks have shed
3. 7 to 10 days after No. 2
4. 12 to 14 days after No. 3
5. 6 weeks before harvest of each variety
6. 4 weeks before harvest
7. 2 weeks before harvest



NOTICE

DISCLAIMER OF WARRANTY, MERCHANTABILITY AND LIABILITY If for any reason this product is not used, applied, stored, transported or disposed of in accordance with the instructions set forth on this label, then and thereafter Woolfolk Chemical Works, Inc. terminates, ends and excludes all warranties, expressed or implied, including the warranty of merchantability and fitness. 183030

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification

SECURITY

PAN-THION®

Peach Spray

ACTIVE INGREDIENTS:

Parathion (0,0-diethyl 0-p-Nitrophenyl thiophosphate)	1 9%
Zinc, in the form of Basic Sulphate, as metallic	10 0%
Sulphur, as elemental	35 5%

INERT INGREDIENTS:

52 6%

EPA Reg No 769-100

EPA Est 769-GA-1

Total 100 0%

KEEP OUT OF REACH OF CHILDREN.



POISON — DANGER
NOT FOR HOME USE

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN: Remove by washing with soap and water.

IF IN EYES: Flush eyes with clean water for 10 minutes. Get medical attention.

NOTE TO PHYSICIAN: Atropine is antidotal. 2-PAM Chloride is also antidotal and may be administered in conjunction with atropine.

Woolfolk Chemical Works, Inc.
Manufacturers Ft. Valley, Ga.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER. KEEP OUT OF REACH OF CHILDREN. POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN! RAPIDLY ABSORBED THROUGH SKIN. Do not get in eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U. S. Bureau of Mines) and by the National Institute of Occupational Safety and Health under the provisions of 30 CFR Part 11. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Do not use this product in or around the home.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams and ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

PROTECT BEES This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Dispose of empty containers in an incinerator or landfill approved for pesticide containers, or bury in a safe place. Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

(Directions for use on left side panel.)