

FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear mask, goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy-duty nitrile rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands if you feel sick in any way. STOP work and get help right away. Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

STOP! READ THE LABEL



POISON

See side panels for antidote and precautions

DANGER!

Keep out of reach of children

**PARATHION - SULPHUR
2 PEACH SPRAY 6**

Active Ingredients:		
Parathion (O, O-diethyl O-p-nitrophenyl phosphorothioate)	71.70%	
Sulphur	24.55%	
INERT INGREDIENTS:		
E. P. A. Reg. No. 769-110	E. P. A. Est. 769-GA-1	TOTAL 100.00%

NOT FOR HOME USE

ANGER-POISON-PRECAUTIONS



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.

DIRECTIONS FOR USE

It is violation of federal law to use this product in a manner inconsistent with its labeling.

FOR USE ON PEACHES (Areas Other Than California). To control CURCULIO, ORIENTAL FRUIT MOTH, SAN JOSE SCALE (in the crawler stage), BROWN ROT and SCAB. Use Parathion - Sulphur at the rate of 8 pounds per hundred gallons of water. Application should not be made when temperature is excessively high because of the danger of sulphur injury. Do not apply more than 5 pounds of actual parathion per acre per year. The following schedule is suggested as a general guide but is in no way guaranteed. The number of applications and time of application may vary in different localities. Early ripening varieties will not require the full schedule of applications. Consult your nearest Experiment Station for specific directions. To avoid exceeding the maximum permissible rate of 5 pounds of parathion per year, do not use more than 130 pounds of Parathion - Sulphur per acre per year.

SPRAY SCHEDULE

- (1) When all petals are off
- (2) When 3-4 shucks have shed
- (3) 7 to 10 days after No. 2
- (4) 12 to 14 days after No. 3 (See Note Below)
- (5) 6 weeks before harvest of each variety
- (6) 4 weeks before harvest
- (7) 2 weeks before harvest
- (8) See Note Below

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling, frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while performing first aid. See

NOTE TO PHYSICIAN

Antidote-administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

NOTE: If no curculios are present in orchard at the time of Spray No. 4, use only NUTONEX Sulphur for disease control. Spray No. 8 should be applied 1 week before harvest using NUTONEX Sulphur.

DO NOT APPLY THIS MATERIAL WITHIN 14 DAYS OF HARVEST.


DISPOSAL WARNING

Dispose of waste pesticide and containers by burying in non-crop area away from water supplies. Never re-use container.

NOTICE

DISCLAIMER OF WARRANTY, MERCHANTABILITY AND LIABILITY

If for any reason this product is not used, applied, stored, transported or disposed of in accordance with the instructions set forth on this label, the manufacturer, Woolfolk Chemical Works, Inc. terminates, ends and excludes all warranties, expressed or implied, including the warranty of merchantability and fitness.



Woolfolk Chemical Works, Inc.
Manufacturers 815030 Ft. Valley, Ga.