

WATER DILUTION: Dilute 2 parts of BHC CONCENTRATE with 23 parts of water. For small dilutions this would be equivalent to 3.4 pints (24 fl. oz.) to 2 gallons of water.

OIL DILUTION: Dilute 2 parts of BHC CONCENTRATE with 30 parts of No. 2 fuel oil. Do not use kerosene or other light weight oil as a substitute for No. 2 fuel oil when spraying living trees. To make small volumes of spray use 2 cups (16 fl. oz.) to 2 gallons of oil.

For trees infested with red or black turpentine beetles, spray the bark surface of the trunk up to a height of 6 feet. On uninfested trees, to prevent infestation, spray only the bottom 30 inches of the trunk. It is advisable to slough off the loose flaky bark and debris before application. Use a cone shaped spray nozzle producing a coarse spray and operate at high enough pressure to force the material into cracks and crevices of the bark. Wet the bark to the dripping point which will usually require about 1 gallon per 40 to 50 square feet of bark surface. Do not apply in rain or when bark is wet. Do not apply more often than once every 6 months.

When harvested logs or pulpwood from infested trees are not removed immediately to the mills, they should be sprayed with a 0.5% solution to prevent infestation of nearby trees. Stumps of harvested trees should be sprayed soon after cutting.

DISPOSAL WARNING: Dispose of waste pesticide and spillage by burying in non-crop land away from water supplies. Containers should be perforated or crushed and buried with waste.

NOTICE: The seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on this label.

CONTENTS



ACTIVE INGREDIENTS:

Gamma Isomer of Benzene Hexachloride	1.00
Other Isomers of Benzene Hexachloride	1.00
Aromatic petroleum derivative solvent	69.6

INERT INGREDIENTS: 3.00

E. P. A. Reg. No. 769-209 TOTAL 74.60

WARNING: KEEP OUT OF REACH OF CHILDREN. See additional warnings on side panel.

WOOLFOLK CHEMICAL WORKS, INC.
Manufacturers 3134 Fort Valley, Ga.

WARNING: May Be Fatal If Swallowed. May Be Absorbed through skin. May produce irritation of skin and eyes. Do not breathe spray mist. Avoid contact with skin and eyes. In case of contact, wash immediately with soap and water. For eyes, flush with water and get medical attention. Avoid contamination of food and foodstuffs. Do not use on household pets or humans.

PROTECT WILDLIFE: This product is toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on the label.

DIRECTIONS

This product contains 1 pound Gamma isomer per gallon and may be diluted with either water or No. 2 fuel oil for control of pine bark beetles. Usually around homes, where there is danger of causing injury to plants or lawns from oil drift, water dilution would be more desirable. For forest stands oil dilution is usually preferred. Use a 1/2% concentration for prevention of infestation and a 1% concentration for control of existing infestation.

1/2% GAMMA ISOMER SPRAY WITH WATER OR OIL WATER DILUTION: Dilute 1 part of BHC CONCENTRATE with 23 parts of water. For small dilutions this would be equivalent to 3.4 pint (12 fl. oz.) to 2 gallons of water.

OIL DILUTION: Dilute 1 part of BHC CONCENTRATE with 30 parts of No. 2 fuel oil. Do not use kerosene or other light weight oil as a substitute for No. 2 fuel oil when spraying living trees. To make small volumes of spray use 1 cupful (8 fl. oz.) to 2 gallons of oil.

1% GAMMA ISOMER SPRAY WITH WATER OR OIL

