

SECURITY

GRAIN PROTECTANT SPRAY

Contains 5 Pounds Malathion Per Gallon

MADE FROM 95% TECHNICAL PREMIUM GRADE MALATHION

ACTIVE INGREDIENTS:

| | |
|---|-------|
| Malathion (O, O-dimethyl dithiophosphate of diethyl mercapt. succinate) | 57.0% |
| Xylene | 31.5% |

INERT INGREDIENTS:

11.5%

U. S. D. A. Reg. No. 769-218

TOTAL

100.0%

This product contains 8% emulsifier as approved by manufacturer of Malathion and by G. F. A. Peanut Association.

CAUTION! KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED. Avoid prolonged breathing of spray mist. Avoid prolonged or repeated contact with skin; wash thoroughly after using. Avoid contamination of feed and foodstuffs. Keep away from heat and open flame.

PROTECT WILDLIFE: This product is poisonous to fish. Keep out of lakes, streams and ponds.

DIRECTIONS

For protection of stored grain, such as wheat, oats, rice, corn, rye, barley, grain sorghum, peanuts and field or garden seeds.

To control Confused Flour Beetle, Rice Weevil, Granary Weevil, Sawtoothed Grain Beetle, Flat Grain Beetle, Red Flour Beetle, Rusty Grain Beetle, Lesser Grain Borer and Indian Meal Moth.

APPLICATION TO GRAIN: Apply 1 pint of 57% Malathion in 2 to 5 gallons of water per 1000 bushels as the grain or seed are being loaded or turned into final storage. To protect un-infested grain in storage from Indian Meal Moth, apply Diweevil Spray at the rate of 1/2 pint in 1 to 2 gallons of water per 1000 square feet of surface. Apply evenly over the surface immediately after grain is loaded into storage. Repeat applications if necessary.

RESIDUAL APPLICATION: As a residual wall, floor and machinery spray in grain elevators, in treating truck beds, boxcars, and ships' holds before loading grain, mix 1 gallon in 25 gallons of water and apply thoroughly. Before applying spray, clean elevators, box-

cars, etc. thoroughly. Remove and burn all sweepings and debris.

STORED PEANUTS

RESIDUAL WAREHOUSE SPRAY (Before Storing Peanuts): Clean warehouse thoroughly of trash and old remains of peanuts 1-2 weeks before new peanut crop is stored. Thoroughly spray with sufficient pressure interior of empty warehouse (including cracks and protected places), outside walls to a height of 6-8 feet, and the ground to a distance of about 6 feet from the warehouse, by diluting 1 pint of Diweevil Spray Grain Protectant in sufficient water to make 2 1/2 gallons of spray or 1 gallon with 19 gallons of water. Apply finished spray at the rate of 2 gallons per 1,000 square feet or to run-off.

BULK SPRAY TREATMENT (Peanuts going into storage): Apply 2 1/2 pints of Diweevil Spray Grain Protectant in 5 gallons of water per 15 tons of farmers' stock peanuts as they go into storage. Apply coarse spray uniformly, preferably use a suitable mechanical spray applicator which regulates rate of application to flow of peanuts. Otherwise, adjust pressure and size of nozzle opening to rate of flow of peanuts.

NOTE: Malathion may be used under the requirements of Khapra Beetle Quarantine, where water or diesel oil emulsions are indicated, as prescribed by the current quarantine instructions.

DISPOSAL WARNING Reuse equipment and containers and dispose of waste and sludge by burying in non-crop land away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes.

NOTICE

DISCLAIMER OF WARRANTY, MERCHANTABILITY AND LIABILITY - If for any reason this product is not used, applied, stored, transported or disposed of in accordance with the instructions set forth on this label, then and thereafter Woolfolk Chemical Works, Ltd. terminates, ends and excludes all warranties, expressed or implied, including the warranty of merchantability and fitness.

WOOLFOLK CHEMICAL WORKS, LTD.

MANUFACTURERS

071021

FORT VALLEY, GEORGIA