

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

SEP 12 1990

Ms. Linda C. Watson
Sureco, Inc.
Route 1
Lakeland, GA 31635

BEST AVAILABLE COPY

Dear Ms. Watson:

Subject: Revised Labeling, Data Citation Form
10% Sevin Dust
EPA Registration No. 769-229
Your Submission Dated August 9, 1990

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

51682:I:WP5.0:CR-43:Kumar:C.Disk:KENCO:09/07/90:de:jh:de

CONCURRENCES							
SYMBOL ▶							
SURNAME ▶							
DATE ▶							

EPA REG. NO. 769-229

HOME AND GARDEN USE

DIRECTIONS FOR USE: Suregard 10% Sevin Dust is to be used without dilution. Apply uniformly to foliage with a conventional duster. Cover all exposed parts (both upper and lower leaf surfaces) with a thin, even film of dust using any garden type duster. Apply preferably in early morning or late evening when the air is quiet. Apply when insects or their damage appear. Best results are secured by dusting regularly at 7-10 day intervals throughout the growing season. Foliage should be dry before dust is applied. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl label(s).

CROPS	INSECTS CONTROLLED	LAST APPLICATION ALLOWED BEFORE HARVEST
Asparagus (On Spears)	Asparagus Beetle. Do not repeat application within 3 days.	1 Day
Asparagus (On Ferns and Brush)	Asparagus Beetle, Apache Cicada Post-Harvest Application.	
Beans	Lygus Bugs, Stink Bugs, Corn Earworm Leafhoppers, Flea Beetles, Tarnished Plant Bug, Bean Leaf Roller, Mexican Bean Beetle, Bean Leaf Beetle, Western Bean Cutworm, Japanese Beetle, Velvet- bean Caterpillar, Armyworms. Do not feed forage to dairy animals or animals being finished for slaughter.	0 Days
<p>ACCEPTED with COMMENTS in EPA Letter Dated SEP 12 1990 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. <u>769-229</u></p>		
Cucumbers, Squash, Cantaloupes, Watermelons	Striped Cucumber Beetle, Spotted Cucumber Beetle, Melonworm, Pickleworm, Squash Bug, Leafhoppers, Flea Beetles.	0 Days
Potatoes, Tomatoes, Eggplants, Peppers	Flea Beetles, Armyworms, (Fall), Tomato Fruit Worm, Corn Earworm, Tomato Horn- worms, Leafhoppers, European Corn Borer, Stink Bugs, Colorado Potatoe Beetle, Lace Bug, Lygus Bugs.	0 Days
Lettuce	Flea Beetles, Stink Bugs, Corn Earworm, Leafhoppers, Armyworms, Harlequin Bug, Spittlebugs, Lygus Bugs.	3 Days (Head) 14 Days (Leaf)
Carrots	Flea Beetles, Leafhoppers, Six-spotted Leafhopper, (Aster Yellows Vector), Armyworms, Spittlebugs, Lygus & Stink Bugs.	0 Days
Cabbage, Broccoli, Brussels Sprouts, Cauliflower, Kohlrabi	Flea Beetles, Harlequin Bug, Corn Earworm, Armyworms.	3 Days

BEST AVAILABLE COPY

Okra	Corn Earworm, Stink Bugs	0 Days
Strawberries	Spittlebugs, Strawberry Leaf Roller, Strawberry Weevil.	1 Day
Grapes	Grape Leafhoppers, Grape Leaf Folder, Grape Berry Moth, European Fruit Lacanium, Grape Leaf Skeletonizer, Japanese Beetle, June Beetles, Red-Banded Leaf Roller.	0 Days

BEST AVAILABLE COPY