

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, boots or rubber over-shoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PROTECT BEES

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding post-treating treated areas.

CONTAINER DISPOSAL

See back panel for proper disposal.

CROP USE DIRECTIONS

Use only according to directions on back.

RESTRICTED USE PESTICIDE
For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

STOP! READ THE LABEL

See side panels for antidote and precautions

Keep out of reach of children

SECURITY

TOBACCO SPRAY 2-1

CONTAINS 2 POUNDS THIODAN - 1 POUND PARATHION PER GALLON

ACTIVE INGREDIENTS:

Endosulfan (hexachlorohexahydromethano-2,4,3-benzodioxathiepin oxide) . . . 22.8%
Parathion (O, O-diethyl O-p-nitrophenyl phosphorothioate) 11.4%
Aromatic Petroleum Derivative Solvent 58.9%

INERT INGREDIENTS:


E. P. A. Reg. No. 769-234 E. P. A. Est. 769-GA-1 TOTAL 100.0%
Thiodan is a registered trademark of Farbwerke Hoechst A.G., U.S. Patent No. 2,799,685

NOT FOR HOME USE



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin or eyes. Wash clothing and skin thoroughly with soap and water.



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray, mist or dust are breathed.



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed, even in small amounts. Spray, mist or dust may be fatal if swallowed.



Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

✦ FIRST AID TREATMENT


Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote - administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILLIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.



DIRECTIONS

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

TOBACCO

To control - budworm, hornworm, green peach aphid, flea beetle, green stink bug and cabbage looper - apply at the rate of 1 to 2 quarts per acre. Use sufficient water for good coverage. For airplane application, use at least 3 to 10 gallons of water depending on crop size. For plant bed treatment, dilute 1 quart to 100 gallons of water and apply at the rate of 6 gallons per 100 square yards. Begin applications when insect infestation becomes damaging and repeat in 10 to 14 days or as necessary for control. Do not apply within 5 days of priming or 15 days of cutting. Avoid getting wet with plant juices when cutting. Workers entering treated fields within 24 hours of treatment should wear protective clothing.

DISPOSAL WARNING

Dispose of waste pesticide and spillage by burying in non-crop land away from water supplies. Containers should be perforated or crushed and buried with waste.

NOTICE

DISCLAIMER OF WARRANTY, MERCHANTABILITY AND LIABILITY

If for any reason this product is not used, applied, stored, transported or disposed of in accordance with the instructions set forth on this label, then and thereafter Woolfolk Chemical Works, Inc. terminates, ends and excludes all warranties, expressed or implied, including the warranty of merchantability and fitness. The failure to use, apply, store, transport or dispose of this product, in accordance with the instructions set forth on the label, shall then and thereafter terminate and end Woolfolk Chemical Works, Inc.'s liability for injury to crops, animals, personal property and real property, of every kind and description, and for injury to any person or persons, and for any consequential damages arising out of injury to the foregoing set forth. There are no warranties which extend beyond the description on this label.

WOOLFOLK CHEMICAL WORKS, INC.
Manufacturers **Fort Valley, Ga.**