of 25 to 30 pounds per acre or 2 ounces per 50 feet or row Make the first application when insects or egg masses on the underside of the leaves are first seeded. Thorough application to the lower as well as the upper leaf surface is necessary for good results. Repeat applications at 7 to 10 day intervals as necessary for control.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store pesticide in original container and place in a locked storage area. Do not reuse container. Securely wrap original container in several layers of newspapers and discard in trash.

NOTICE DISCLAIMER OF WARRANTY MERCHANTABILITY AND LIABILITY

If for any reason this product is not used, stored, applied, transported or disposed of in accordance with the instructions set forth on this label, then and thereafter Security Chemical Company terminates, ends and excludes all warranties, expressed or implied, including the warranty of merchantability and fitness.

NET WEIGHT: 4 POUNDS SECURITY CHEMICAL COMPANY

Manufacturers

- Atlanta, Georgia



ACTIVE INGREDIENT:

Carbaryl (1-naphthyl N-methylcarbamate)	. 1.75%
INERT INGREDIENTS:	98 25%
TOTAL	100.00%

EPA REG. NO. 769 236 EPA EST. 769-GA-1 Trademark of Union Carbide Corp. for 1-naphthyl Nmethylcarbamate.

KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention IF INHALED: Remove victim to fresh air. IF ON SKIN: Wash with soap and water. Remove contaminated clothing. IF IN EYES: Flush eyes with water.

Kug# 767-234 PM - 2 p lot 1

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM opiates or cholinesterase-inhibiting drugs.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of waste. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.

BEANS: To control Mexican Bean beetle, apply at the rate

