

SECURITY SECURITY SECURITY SECURITY SECURITY SECURITY SECURITY SECURITY SECURITY SECURITY SECURITY

**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING**

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

**WORK SAFETY RULES**

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water.

STOP! READ THE LABEL

**POISON**  
See side panels for antidote and precautions



**DANGER!**  
Keep out of reach of children

**CAN KILL YOU**

**PARATHION - CAPTAN PEACH SPRAY**

**ACTIVE INGREDIENTS:**

CAPTAN (N-trichloromethylthio-4-cyclohexane-1, 2-dicarboximide) ..... 25.0%  
 PARATHION (O, O-diethyl O-p-nitrophenyl phosphorothioate) ..... 7.5%

**INERT INGREDIENTS:** ..... 67.5%

U. S. Pat. Nos. 2,553,770 - 2,553,771 - 2,553,776 TOTAL 100.0%

E. P. A. Reg. No. 769-241 E. P. A. Est. 769-GA-1

**NOT FOR HOME USE**

**DANGER — POISON — PRECAUTIONS**

**POISON SIGNS (Symptoms)**

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

**FIRST AID TREATMENT**

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

**NOTE TO PHYSICIAN**

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly.

### NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

### NOTICE

#### DISCLAIMER OF WARRANTY, MERCHANTABILITY AND LIABILITY

If for any reason this product is not used, applied, stored, transported or disposed of in accordance with the instructions set forth on this label, then and thereafter Woolfolk Chemical Works, Inc. terminates, ends and excludes all warranties, expressed or implied, including the warranty of merchantability and fitness. The failure to use, apply, store, transport or dispose of this product, in accordance with the instructions set forth on the label, shall then and thereafter terminate and end Woolfolk Chemical Works, Inc.'s liability for injury to crops, animals, personal property and real property, of every kind and description, and for injury to any person or persons, and for any consequential damages arising out of injury to the foregoing set forth. There are no warranties which extend beyond the description on this label.

470520


# NOT FOR HOME USE

## DANGER—POISON—PRECAUTIONS



### CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.



### CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



### CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

## DIRECTIONS

- (5) 6 weeks before harvest of each variety
- (6) 4 weeks before harvest
- (7) 2 weeks before harvest
- (8) Apply fungicide only, 1 week before harvest

**CAUTION:** Do not apply within 14 days of harvest. Do not apply more than 5 pounds actual parathion per acre per year.

**NOTE:** Spray Nos. 3 and 4 are particularly important for scab control. Sulphur has given better control of scab than captan. Where this disease has been serious use Pan-Thion or Parathion-Sulphur in the early sprays. If heavy rains occur to wash off sprays 3 or 4 repeat within 48 hours of the beginning of rain. Where the use of captan is for fruit finish only, use a split schedule with sulphur as the fungicide in early sprays, followed by this product in sprays 6 weeks, 4 weeks and 2 weeks before harvest.

### DISPOSAL WARNING

Dispose of waste pesticide and container by burying in non-crop lands away from water supplies. Never re-use container.

## POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

### PROTECT BEES

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

### CONTAINER DISPOSAL

See below for proper disposal.

### CROP USE DIRECTIONS

Use only according to directions below.

**CAUTION:** Do not apply this material where there may be grazing dairy animals or animals being finished for slaughter. Do not add zinc or Lead Arsenate to this product. Do not apply this product within two weeks of an application of a spray containing zinc, including Pan Peach spray and Pan Thion.

**PEACHES:** To control CURCULIO, ORIENTAL FRUIT MOTH, SAN JOSE SCALE (in the crawler stage), BROWN ROT and SCAB use this product at the rate of 4 pounds per 100 gallons of water. The following schedule is suggested as a guide but is in no way guaranteed. The number and frequency of applications may vary in different localities. Early ripening varieties will not require the full schedule of applications. Consult us or your nearest Experiment Station for additional information.

### SPRAY SCHEDULE

- (1) When all petals are off
- (2) When 3/4 shucks have shed
- (3) 7 to 10 days after No. 2
- (4) 12 to 14 days after No. 3

**Manufacturers**

**WOOLFOLK CHEMICAL WORKS, INC.**

**Fort Valley, Ga.**