

EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PROTECT BEES

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

POST TREATED-AREA

Consult your State Agricultural Extension Service or Experiment Station regarding post-treated areas.

CONTAINER DISPOSAL

See below for proper disposal.

CROP USE DIRECTIONS

Use only according to directions below.

DIRECTIONS

CAUTION: Do not apply this material where there are grazing dairy animals or animals being fed soon for slaughter. Do not apply zinc or Lead Arsenate to this product. Do not apply this product within two weeks of an application of a spray containing zinc, including Pan Peach spray and Pan-Tech.

PEACHES: T. control: BURGLI, ORIENTAL FRUIT MOTH, SAN JOSE SCALE (in the crawler stage), BROWN ROT and SCAB Use this product at the rate of 4 pounds per 100 gallons of water. The following schedule is suggested as a guide but is in no way guaranteed. The number and frequency of applications may vary in different localities. Early ripening varieties will not require the full schedule of applications. Consult us or your nearest Experiment Station for additional information.

SPRAY SCHEDULE

1. 3 weeks before harvest
2. 4 weeks before harvest
3. 2 weeks before harvest
4. 1 week before harvest

CAUTION: Do not apply within 14 days of harvest. Do not apply more than 4 pounds actual parathion per acre per year.

NOTE: Spray Nos. 3 and 4 are particularly important for scab control. Sulphur has given better control of scab than captan. Where this disease has been serious use Pan-Tech or Parathion-Sulphur in the early sprays. If heavy rains occur to wash off sprays 3 or 4 repeat within 48 hours of the beginning of rain. Where the use of captan is for fruit finish only, use a split application with sulphur in the early sprays. Do not wash this product off for 2 weeks, 4 weeks and 2 weeks before harvest.

DISPOSAL WARNING

Dispose of waste pesticide and container by burying in deep lands away from water supplies. Do not reuse.

RESTRICTED USE PESTICIDE
For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

STOP! READ THE LABEL



POISON

See side panels for antidote and precautions

DANGER!

Keep out of reach of children

769-241
APR 15 1978

PARATHION - CAPTAN PEACH SPRAY

ACTIVE INGREDIENTS:

Captan (N-trichloromethylthio-4-cyclohexane-1, 2-dicarboximide) 25.0%
Parathion (O, O-diethyl O-p-nitrophenyl phosphorothioate) 7.5%

INERT INGREDIENTS:

E. P. A. Reg. No. 769-241 E. P. A. Est. 769-GA-1 TOTAL 100.0%
U. S. Pat. Nos. 2,553,770 - 2,553,771 - 2,553,776

NOT FOR HOME USE

DANGER—POISON—PRECAUTIONS



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.

870209

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, lightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit freely. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

PARATHION MIXTURE, DRY



- 1) 6 weeks before harvest
- 2) 4 weeks before harvest
- 3) 2 to 4 days after No. 1
- 4) 1 to 14 days after No. 3
- 5) 6 weeks before harvest of each variety
- 6) 4 weeks before harvest
- 7) 2 weeks before harvest
- 8) Apply fungicide only, 1 week before harvest

CAUTION: Do not apply within 14 days of harvest. Do not apply more than 5 pounds actual parathion per acre per year.

NOTE: Spray Nos. 3 and 4 are particularly important for scab control. Sulphur has given better control of scab than captan. Where this disease has been serious use Pan-Thion or Parathion-Sulphur in the early sprays. If heavy rains occur to wash off sprays 3 or 4 repeat within 48 hours of the beginning of rain. Where the use of captan is for fruit finish only, use a split schedule with sulphur as the fungicide in early sprays, followed by this product in sprays 6 weeks, 4 weeks and 2 weeks before harvest.

DISPOSAL WARNING

Dispose of waste pesticide and container by burying in non-crop lands away from water supplies. Never re-use container.

NOTICE

**DISCLAIMER OF WARRANTY,
MERCHANTABILITY AND LIABILITY**

If for any reason this product is not used, applied, stored, transported or disposed of in accordance with the instructions set forth on this label, then and thereafter Woolfolk Chemical Works, Inc. terminates, ends and excludes all warranties, expressed or implied, including the warranty of merchantability and fitness.



WOOLFOLK CHEMICAL WORKS, INC.
MANUFACTURERS **FORT VALLEY, GEORGIA**