

**SECURITY.**

# Vege-O-Gard Vegetable Dust

**Contains Sevin® and Zineb  
for Insect and Disease Control**

**ACTIVE INGREDIENTS:**

Carbaryl (1-naphthyl N-methylcarbamate) . 5.0%  
Zinc ethylene bisdithiocarbamate (Zineb) . 6.0%

**INERT INGREDIENTS:**

TOTAL 100.0%

EPA Reg No 769-265

EPA Est 769-GA-1

\* Trademark of Union Carbide Corp for the active ingredient 1-naphthyl N-methylcarbamate  
Zinc as metallic ----- 1.41%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION!**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

**NET WEIGHT: 4 POUNDS**

**ACCEPTED**

**JUN 28 1985**

Under the Federal Insecticide,  
Fungicide and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg No 769-265

**APPLICATION:** Begin applications when insects or disease first appears and apply on a regular 7 to 10 day schedule or as necessary for good control. Apply at the rate of 20 to 40 pounds per acre or 1 to 2 ounces to 50 feet or row.

**BEANS:** Mexican bean beetle, leafhoppers, lygus bugs, stink bugs, downy mildew and rust. Do not apply within 7 days of harvest.

**CUCUMBERS, SQUASH, PUMPKIN, MELONS:** Cucumber beetles, flea beetles, pickleworm, melonworm, squash bug, downy mildew, alternaria leaf spot and anthracnose.

**TOMATO, EGGPLANT, PEPPER:** European corn borer, fall armyworm, flea beetles, tomato fruitworm, tomato hornworm, stink bug, early blight, late blight, anthracnose, stemphylium and cladosporium grey mold on tomatoes, and the insects listed and cercospora leaf spot and anthracnose on eggplant and peppers. Under severe tomato hornworm, European corn borer and stink bug infestation conditions, it may be necessary to use Big 10 Dust (10% carbaryl)

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Store pesticide in original container and place in a locked storage area. Do not reuse container. Securely wrap original container in several layers of newspapers and discard in trash.

**NOTICE**

The seller makes no implied warranty of merchantability or any other warranties which extend beyond the description on this label.

**SECURITY CHEMICAL COMPANY**

**MANUFACTURERS**

**ATLANTA, GEORGIA**

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

**IF INHALED:** Remove victim to fresh air.

**IF ON SKIN:** Wash with soap and water. Remove contaminated clothing.

**IF IN EYES:** Flush eyes with water.

**NOTE TO PHYSICIAN.** Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, opiates or cholinesterase-inhibiting drugs.

**PRECAUTIONARY STATEMENTS**

**CAUTION:** May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

**ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of waste. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.

**CAUTION:** Avoid excessive application. Some phytotoxicity may occur on tender foliage in the presence of rain or high humidity of several days' duration following application.