

SECURITY BRAND CHEMICALS • SECURITY BRAND CHEMICALS • SECURITY BRAND CHEMICALS • SECURITY BRAND CHEMICALS • SECURITY BRAND CHEMICALS • SECURITY BRAND CHEMICALS • SECURITY BRAND CHEMICALS • SECURITY BRAND CHEMICALS • SECURITY BRAND CHEMICALS • SECURITY BRAND CHEMICALS

(Continued from back panel)

CARROTS, CHINESE CABBAGE, COLLARDS, DANDELION ENDOIVE (ESCAROLE), GARDEN BEETS, HORSE RADISH, KALE, LETTUCE, MUSTARD GREENS, PARSLEY, PARSNIPS, RADISHES, RUTA, SALSIFY, SPINACH, SWISS CHARD, and TURNIPS Use 2 to 3 pounds for flea beetles, barklice, and other sucking insects; six spotted leafhopper, aster virus vector; apply in 5-10 minute intervals during the day.

FORAGE AND FIELD CROPS

ALFALFA, CLOVERS, COWPEAS, PEANUTS and SOYBEANS Use 1 to 2 pounds for blister beetles and Mexican bean beetle; use 2 pounds for alfalfa caterpillar, bean leaf beetle, cucumber beetles, green clover worm, Japanese beetle, leafhoppers, three cornered alfalfa hopper, thrips, and velvet bean caterpillar; use 2 to 3 pounds for armyworms, corn earworms, stink bugs and webworms. **ON COWPEAS ONLY** use 4 pounds for cowpea curculio. Apply 4 applications beginning at first bloom and at 5 day intervals thereafter. Some leaf injury may occur if applications are made when tender foliage is wet.

RICE, FORAGE GRASSES and PASTURE Use 1 to 3 pounds for armyworms, stink bugs and thrips. For the control of grasshopper on rice, high spray pressure may be beneficial. Use 1 to 2 pounds **ON RICE ONLY**. **WARNING!** Do not apply before heading. In A.M. herbicides (such as Stam-F-34) which have been applied will be so-called plant injury may result.

SORGHUMS including Milo and Grain Sorghum Use 1 to 4 pounds for armyworms, corn earworm, stink bugs and webworms; for optimum insect control on grain sorghum, apply this product to the young heads. Use 3 pounds for sorghum grain. Treatments for sorghum midge control should be made at least 3 weeks before harvest.

SUGAR BEETS Use 2 to 3 pounds for Colorado potato beetle and webworms.

GRASSHOPPERS

Apply 1 to 2 pounds as often as necessary to the above crops. For control of grasshoppers on small plants, use 2 to 4 pounds per acre. For control on large plants and to ferns, use 4 to 6 pounds per acre. If plants are mature, use 6 to 8 pounds per acre.

ORNAMENTALS

SEVIN 50W at recommended dose on a wide range of ornamental plants including rose, carnation, geranium, arbor vitae, juniper, holly, geranium, birch and pines. SEVIN 50W uses 2 to 3 pounds per 100 gallons when the weekly spray is needed.

Apple	2
Bagworm	1
Barklice	2
Blister beetles	2
Boxelder bug	2
Boxelder worm	2
elm leaf beetle	2
elm leaf miner	2
Fla beetle	2
Gypsy moth	2



NET WEIGHT FIVE POUNDS

50% SEVIN

WETTABLE

FOR AGRICULTURAL AND COMMERCIAL USE ONLY

ACTIVE INGREDIENT

INERT INGREDIENTS

Total 100.00%

EPA Reg. No. 769-271

EPA Est. No. 769-GA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION:

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED

IF INHALED

IF ON SKIN

IF IN EYES

NOTE TO PHYSICIAN

ENVIRONMENTAL HAZARDS

PROTECT BEES

WOOLFOLK CHEMICAL WORKS, INC. MANUFACTURERS • FORT VALLEY, OH

1000

1000

ICALS • SECURITY BRAND CHEM

Y BRAND CHEMICALS • SEC

ICALS • SECURITY BRAND C

S • SEC

AND C

SEC

AND C

SEC

AND C

SEC

AND C

SECURITY

769-271

DIRECTIONS FOR USE

PREHARVEST AND PHAZING LIMITATION... APPLS and PEARS (East of the Rocky Mountains)...

GRAPES Use 2 to 4 pounds for European fruit locanum, grape leaf folder... STRAWBERRIES Use 2 to 4 pounds for meadow spittlebug...

TOBACCO

IN PLANT BEDS For tobacco flea beetle, use 4 to 6 pounds per 100 square yards...

IN FIELDS For budworms, flea beetles, Japanese beetle, June beetles and hornworms...

VEGETABLES

Rates recommended refer to pounds of SEVIN 50W per acre. Where a dosage range is indicated...

BEANS (Green beans, lima beans, snap beans, cowpeas and black-eyed peas) Use 1 pound for Mexican bean beetle...

CORN Use 2 to 4 pounds for corn earworm, corn root worm adults, European corn borer, fall armyworm...

CUCUMBER, MELONS, PUMPKIN and SQUASH Use 1 to 2 pounds for pickleworm and melonworm...

GARDEN PEAS Use 2 pounds for leafhoppers, Colorado potato beetle, Colorado potato beetle control...

POTATO, TOMATO, EGGPLANT and PEPPER Use 1 to 2 pounds for Colorado potato beetle, flea beetles...

OKRA Use 2 to 4 pounds for cutworm and stink bugs. Repeat at 5 to 7 day intervals...

CABBAGE, BROCCOLI, BRUSSELS SPROUTS, CAULIFLOWER and KOHLRABI Use 1 to 2 pounds for cabbage root fly and harlequin bug...

TREE FRUIT

Waters recommended refer to pounds of SEVIN 50W per 100 gallons of dilute spray...

APPLES and PEARS (East of the Rocky Mountains) Use 1 pound for apple mealybug, apple aphid...

APPLE THINNING: Many factors influence the degree of apple thinning obtained with SEVIN...

PECANS Use 2 to 4 pounds for pecan weevil and pecan nut casebearer. Apply 2 to 3 pounds of 50% SEVIN...

SMALL FRUIT

Use 2 to 4 pounds for European fruit locanum, grape leaf folder, grape leaf skeletonizer...

(Continued from left side panel)

LAWNS

Use 2 pounds SEVIN 50W in 150 to 200 gallons of water for each 5000 square feet of established lawn area...

POULTRY

CHICKENS, TURKEYS, DUCKS, GEESE, GAME BIRDS and PIGEONS Direct Mist Spray on Birds...

- (1) Misting with electric fog machine. Mix 10 ounces of SEVIN 50W in 1 gallon of spray... (2) Spraying with knapsack or cylinder type compressed air sprayers...

Direct mist spraying for chicken mites and fleas is a supplement to spraying roosts and buildings...

NOTES

Compatible with commonly used insecticides but unstable when used with Bordeaux, Lime, Lime Sulfur...

STORAGE AND DISPOSAL

Do not contaminate water, food or feed. Storage and disposal of this pesticide is prohibited...

NOTICE

The seller makes no implied warranty, express or otherwise, for any other uses than those specified on this label.

769-271