

769-275

04/14/1961

WITH APPLICATION MAR 10 1961

1/2

NET WEIGHT

SECURITY
BRAND

5 POUNDS

50% THIODAN (R)

WETTABLE


ACTIVE INGREDIENT

Hexachloro-hexahydro-methano-2,4,3-

benzodioxathiepin oxide 50.00%

INERT INGREDIENTS. 50.00%

Total 100.00%



WARNING: Hazardous If Swallowed, Inhaled, or Absorbed Through Skin! In case of contact, immediately remove contaminated clothing and flush skin or eyes with plenty of water; for eyes, get medical attention. Wash thoroughly with soap and water after handling and before eating or smoking; wear clean clothing. During commercial or prolonged exposure in spray mixing and loading operations, wear clean synthetic rubber gloves and a mask or respirator of a type passed by the U. S. Department of Agriculture for Thiodan protection. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. To protect fish and wildlife, do not contaminate streams, lakes or ponds with this material.

DIRECTIONS

CAUTION: Workers entering treated areas the day of application should wear protective clothing.

FRUIT CROPS

PEACHES: To control - Peach Tree Borer - use 1-1/2 pounds per 100 gallons of water and apply thoroughly to all bark area from ground to scaffold limbs. Apply as directed by local Agricultural Authorities. Usually two applications are required, one immediately after harvest and a second, 3 to 4 weeks later. Do not treat while fruit is on the trees. Do not graze animals in treated orchards.

FIELD CROPS

TOBACCO: To control - Budworm, Hornworm, Green Peach Aphid, Flea Beetle, Green Stink Bug and Cabbage Looper - apply at the rate of 1 to 2 pounds per acre. Use sufficient water for good coverage. For plant bed treatment, use 1 pound to 100 gallons of water and apply at the rate of 6 gallons per 100 square yards. Begin applications when insect infestation becomes damaging and repeat in 10 to 14 days or as necessary for control. Do not apply within 5 days of harvest.

VEGETABLES

APPLICATION: Make full coverage sprays using the recommended amount of Thiodan per acre in the amount of water necessary for good coverage.

BEANS: To control - Mexican Bean Beetle - apply at the rate of 1 pound per acre. Begin applications when insects are first seen and repeat as necessary for control. Do not apply after pods begin to form. Do not feed threshings to livestock.

BROCCOLI, CABBAGE, CAULIFLOWER: To control - Cabbage Looper, Imported Cabbage Worm, Diamond-back Moth larvae and Cross-striped Cabbageworm - apply at the rate of 1 to 1-1/2 pounds per acre. To control Flea Beetle, Harlequin Bug and Stink Bug - apply at 1-1/2 pounds per acre. Do not apply after edible parts begin to form.

EGGPLANT, PEPPERS: To control - Colorado Potato Beetle, Flea Beetle, Whitefly and Aphids - apply at the rate of 1 pound per acre. Apply when insects are first observed and repeat as necessary for control. Do not apply to eggplant or peppers within 7 days of harvest.

POTATOES: To control - Flea Beetle, Colorado Potato Beetle, Leafhoppers and Aphids - apply at the rate of 1 pound per acre. To control - Southern Armyworm, Green Stink Bug, Plant Bugs, Potato Tuberworm and Whitefly - apply at the rate of 1 to 2 pounds per acre. Begin applications when insects are first observed and repeat as necessary for control.

TOMATOES: To control - Aphids, Colorado Potato Beetle, Flea Beetle, Green Stink Bug and Blister Beetles - apply at the rate of 1 pound per acre. Do not apply within 7 days of harvest. When applying in greenhouse, wear a mask or respirator of a type passed by the U. S. D. A. for Thiodan protection.

NOTICE: The directions for use given for this product are based upon use under normal and reasonably foreseeable conditions. If the directions for use are followed and the precautions set forth on the label are observed, research indicates that the product will give satisfactory results and that the residue will be within established tolerances. However, because of the fact that the climatic, geographical, and other conditions under which this product may be used will vary widely, the seller makes no warranty or representation express or implied concerning this material and its use except that it conforms to the chemical description on the label and no person is authorized to make any other representation upon its behalf. The seller shall not be held responsible for damages resulting from the handling, storage or use of this product for any reason except the failure of the material to conform to the chemical description on the label. Damages, if any, which may result from the failure of this material to conform with the description on the label shall be limited to direct damages but shall not include consequential damages such as those resulting from crop or personal injury, residues in excess of official tolerances, or failure to give adequate control.

WOOLFOLK CHEMICAL WORKS, LTD.

Manufacturers

Fort Valley, Ga.