diluted 1 part to 3 parts water, into the gashes. Best results are obtained if applied in spring or early summer. To **prevent stumps** from sprouting treat the surface of freshly cut stumps with a solution of Sodium Arsenite, diluted 1 part to 3 parts of water.

BARK REMOVAL: To aid in the removal of bark from trees apply undiluted to the sapwood in late spring or early summer when sap flow is heavy and trees are growing rapidly. Trees treated at this time can usually be easily stripped of bark in the fall of the year of treatment. Peel off a strip of bark 2 to 4 inches wide and completely around the tree. Do not cut into or injure the sapwood because injury may descrease the effectiveness of the treatment. Thoroughly spray or paint the concentrate on the sapwood and **edge of bark above the exposed sapwood immediately after removing the bark. Only the bark above the treated sapwood will be affected. Addition of ¼ cup of phenol to one gallon of Sodium Arsenite will help make it distasteful to animals.** Bark treatment is usually effective on Red Pine, White Pine, Norway Spruce, Balsam, White Cedar, Aspen, Ironwood, Birch, Beech, Elm, Black Cherry, Hemlock, Hard Maple and Red Maple. Bark treatment is usually ineffective on White Ash.

DISPOSAL WARNING: Dispose of waste pesticide and spillage by burying in non-crop land away from water supplies. Containers should be perforated or crushed and buried with waste.

NOTICE
DISCLAIMER OF WARRANTY,
MERCHANTABILITY AND LIABILITY

[illegible]

NET CONTENTS SECURITY **ONE GALLON**

40% SOLUTION SODIUM ARSENITE

ACTIVE INGREDIENT: Sodium Arsenite [illegible] 40.0
INERT INGREDIENTS: [illegible] [illegible]
U. S. D. A. Reg. No. 769-287 TOTAL [illegible]
Total Arsenic, expressed as metallic, all in water soluble form - 23.06%
CONTAINS THE EQUIVALENT OF 4 POUNDS ARSENIC TRIOXIDE (As_2O_3) PER GALLON

DANGER: KEEP OUT OF REACH OF CHILDREN
See side panel for additional precautions

POISON

ANTIDOTE: [illegible]

WOOLFOLK CHEMICAL WORKS, LTD.
Manufacturers Fort Valley, Ga.

DANGER: [illegible] treated areas. Do not get in eyes or on skin. [illegible] Do not breathe spray mist. Wash [illegible] wash thoroughly. Do not store in or around the home. Keep away from feed and food products. Keep out reach of domestic animals. Do not allow domestic animals to graze treated area. Do not use treated vegetation as food or bedding for livestock. Do not allow spray or spray mist to contact desirable plants. Do not apply where runoff is likely to occur. Do not use this product in a [illegible] galvanized tanks or containers as highly [illegible] may be formed.

DIRECTIONS

PROTECT WILDLIFE: [illegible] product is poisonous to **wildlife**. Birds and other wildlife in treated area may be affected. Consult your **State Fish and Game** Department before using this product.

GENERAL WEED CONTROL: Sodium Arsenite is a total [illegible] except around homes. It may be used to target areas, [illegible] except [illegible] industrial areas such as [illegible] state areas, substations and [illegible] undesirable vegetation. [illegible] the season when [illegible] with 2 parts of water and [illegible] with a solution [illegible] wet foliage, stems and [illegible]

ON AREAS TO BE PAVED: [illegible]

TREE AND STUMP [illegible]NG: [illegible]

ACCEPTED
Jun 7, 1971
UNDER THE FEDERAL INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT FOR SALE OR SHIPMENT WITHIN INTERSTATE COMMERCE
769-287

ACCEPTED WITH COMMENTS