

SECURITY BRAND 4# bag  
 FOR FLOWER & ORNAMENTAL DUST  
 CONTAINS ZINEB, CARBARAL, LINDANE, FENITRATHIN (R) AND KARATHANE (R)  
 CONTROLS OVER 40 DIFFERENT INSECTS & DISEASES

ACTIVE INGREDIENTS:

Zineb (zinc ethylene bisazithiocarbamate) -----	6.00%
Carbaral (1-naphthyl N-methylcarbamate) -----	5.00%
1,1-Bis(chlorophenyl)-2,2,2-trichloroethane -----	2.00%
Gamma Isomer of Benzene Hexachloride (Lindane) -----	1.00%
2,4-Dinitro- <i>o</i> -cresol (phenyl acetate) } -----	.75%
2,6-Dinitro- <i>i</i> -cresol (phenyl acetate) } -----	
Nitrophenyl phenols (phenyl acetate) -----	.05%
INERT INGREDIENTS: -----	
81.22%	
100.00%	

EPA Reg. No. 769-299

EPA Est. 769-1-1

\*E mixture of 1-methoxy-2-naphthol, 1-naphthol and 1-propylpentyl.  
 (R) KARATHANE and KARATHANE are reg. trademarks of Rohm & Haas.

JUN 21 1983

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF EMERGENCY TREATMENT

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.

**IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water.

**IF IN EYES:** Flush eyes with plenty of water. Call a physician immediately.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. May cause eye and skin irritation. Do not get in eyes, on skin or clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of food and feed. Do not store near food or feed products. Avoid inhalation of dust.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

**PROTECT BEES:** This product is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the treatment area. Applications should be timed to provide the maximum possible interval between the next period of bee activity.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**NOTICE:** When mixing or loading this product, all workers must wear the following protective clothing: long pants, long-sleeved shirt, gloves, hat and boots.

This product will control a large number of pests and diseases of flowers and ornamentals. See below for names of insects controlled. Use a good mechanical duster, and apply at the rate of 1 ounce to 50 square feet of garden area. Direct the dust for thorough coverage of upper and lower leaf surface. The best time to dust is in early morning or late afternoon when the air is calm. Do not apply during periods of very high temperature or when plants are suffering from drought. Young tender plants may be injured if dusted heavily when wet. Four pounds of dust will be sufficient for 5 treatments of a 20 by 30 foot garden. Begin applications when pests or diseases are first observed and repeat as necessary. For disease