

SECURITY BRAND
ROSE, FLOWER & ORNAMENTAL DUST
CONTROL MORE THAN 40 DIFFERENT INSECTS AND DISEASES

ACTIVE INGREDIENTS:	ACCEPTED IN EPA LABEL	
Zincb (zinc ethylene bis dithiocarbamate) -----		6.00%
Carbaryl (1-naphthyl N-methylcarbamate) -----		5.00%
1,1 bis(chlorophenyl) 2,2,2, trichloroethanol -----		2.00%
Gamma Isomer of Benzene Hexachloride from Lindane -----	HAR 2	1.00%
2,4-Dinitro-6-octyl*-phenyl crotonate } -----		.73%
2,6-Dinitro-4-octyl*-phenyl crotonate } -----		.73%
Nitroethyl* phenols (principally dinitro) -----		.05%
INERT INGREDIENTS: -----		85.22%
	769-299	TOTAL 100.00%

EPA Reg. No. 769-299

EPA Est. 769-GA-1

*A mixture of 1-methylheptyl, 1-ethylhexyl and 1-propylpentyl.

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person. IF INHALED: Remove victim to fresh air. Apply respiration if indicated. IF ON SKIN: Remove contaminated clothing and wash contaminated skin with soap and water. IF IN EYES: Flush eyes with plenty of water. Get medical attention immediately.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION! HARMFUL IF SWALLOWED. May be absorbed through skin. Avoid inhalation and skin contact. Avoid contamination of feed and foodstuffs. Do not use on household pets. Do not use on humans. Do not allow children to handle or apply this product. Children and pets should not be allowed in treated areas until sprayed surfaces are dry.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply to any body of water. Do not apply to any area not specified on this label. PROTECT BEES: This product is highly toxic to bees exposed to direct treatment or residues on treated areas. Do not apply this product, or allow it to drift, to blooming plants or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

PROTECTIVE CLOTHING REQUIRED: Applicators must wear the following protective clothing during the application process: long-sleeved shirt, long pants, waterproof gloves, full foot covering, and a head covering.

This product will control a large number of pests and diseases of flowers and ornamentals. See below for names of insects controlled. Use a good mechanical duster and apply at the rate of 1 ounce to 50 square feet of garden area. Direct the dust for thorough coverage of upper and lower leaf surface. The best time to dust is in early morning or late afternoon when the air is calm. Do not apply during periods of very high temperature or when plants are suffering from drought. Young tender plants may be injured if dusted heavily when wet. Four pounds of dust will be sufficient for 5 treatments of a 20 by 30 foot garden. Begin applications when pest or disease is first observed and repeat as necessary. For disease control, applications are usually necessary at weekly intervals during favorable periods for disease infection. To control azalea petal blight, dogwood anthracnose and fire blight,

ROSE, FLOWER & ORNAMENTAL DUST

Homeowner Use

Page 2

applications should begin at the first sign of insects to open and should be repeated at 2 to 3 day intervals until the insects are controlled when conditions for disease infection are favorable. Also apply to the soil and litter around the plants while they are in bloom to aid in control of azalea petal blight. For scale insect control, apply 2 or 3 times at 2 week intervals to affected plants during spring and early summer. For boxwood leafminer, apply in spring when adults are laying eggs. Two or more applications at weekly intervals, about the time new leaves become full grown, are usually necessary for control. On lawns to control millipedes, sod webworm, grassworm, ants and earwigs, apply at the rate of 4 pounds per 1000 square feet. For best results, apply after rain or watering and do not water for at least 2 days after application. Repeat in 2 to 3 weeks if necessary.

DISEASES CONTROLLED

ANTHRACNOSE on crabapple, dogwood, hollyhock, pansy, snapdragon, and violet; AZALEA PETAL BLIGHT; BOTRYTIS BLIGHT or GRAY MOLD on amaryllis, carnation, dahlia, dogwood, gladiolus, lily and tulip; CURVULARIA or FLOWER BLIGHT on gladiolus; DOWNY MILDEW on aster, forget-me-not and snapdragon; FIRE BLIGHT on crabapple, hawthorn and pyracantha; ALTERNARIA and CERCOSPORA LEAF SPOTS on aster, dogwood, geranium, hibiscus, hollyhock, rose, smilax, and sweet pea; POWDERY MILDEW on African violet, aster, begonia, calendula, chrysanthemum, crepe myrtle, dahlia, delphinium, euonymus, hydrangea, larkspur, phlox, rose, snapdragon and zinnia; ROSE BLACK SPOT; RUST on carnations, chrysanthemum, crabapple, hawthorn, hollyhock, pine needles, rose, and snapdragon; and STEMPHYLIUM or LEAF SPOT on gladiolus.

INSECTS CONTROLLED

Ants	Elm Leaf Beetles	Periodical Cicada
Aphids	Flea Beetles	Plant Bugs
Armyworm	Grasshoppers	Psyllids
Bagworm	Grassworm	Red Spiders
Birch Leafminer	Japanese Beetle	Rose Aphid
Blister Beetles	Lacebug	Scale Insects
Boxelder Bug	Leafhoppers	Sod Webworm
Boxwood Leafminer	Leafrollers	Stink Bug
Cucumber Beetles	Millipedes	Thrips
Eastern Tent Caterpillar	Oak Leafminer	Exposed Willow Leaf Beetle
Earwigs	Orange Tortrix	

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store pesticide in original container and place in a locked storage area. Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: The seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on this label.

NET WEIGHT: 4 POUNDS

WOOLFOLK CHEMICAL WORKS, INC.

MANUFACTURERS

FORT VALLEY, GEORGIA



2 MAR 1984

OFFICE OF
REGISTRATION AND TOXIC SUBSTANCES

4.35 / 111796
37 / 1

300 / 117951
17 / 2

Mr. Thomas H. Alden
Woolfolk Chemical Works, Inc.
P.O. Box 938
Fort Valley, GA 31030

Dear Mr. Alden

Subject: Lindane RPAR
Security Brand Rose, Flower & Ornamental Dust
EPA Reg. No: 769-299
Appl. Date: November 11, 1983

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. A Symptoms of Poisoning section must be added to the label in close proximity to the STATEMENT OF PRACTICAL TREATMENT; we suggest the following:

"SYMPTOMS OF POISONING: headache, nausea, dizziness, loss of equilibrium, muscle spasms, difficulty in breathing, hyper-excitability and convulsions."

2. The "If swallowed" STATEMENT OF PRACTICAL TREATMENT is inappropriate. The aspiration hazard exists only when a large amount of light weight petroleum distillate or other light weight solvent is found in the formulation. With a dust, in this toxicity range, it is generally recommended that the victim (or someone else on the scene) induce vomiting as soon as possible. Therefore you should use the following:

"If swallowed-Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person."

3. Be sure to note the type size requirements for the front panel signal word, the "KEEP OUT OF REACH OF CHILDREN" and the headings "STORAGE AND DISPOSAL" and "~~RESTRICTED USE PESTICIDE~~".

7-2-83

PEST DOCUMENT AVAILABLE

2

4. Add the following statement to appear under "HAZARDS TO HUMANS...":

"Wash hands and face thoroughly after handling and before eating

5. Revise the beneficial insect caution appearing under the heading "ENVIRONMENTAL HAZARDS" as follows:

"This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity."
or smoking."

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

If you hold a Federal registration, a supplemental registration, or a Special Local Needs registration, you may continue to produce new stocks of such products, using current labeling, until April 1, 1984. After that date, all remaining inventories of affected products will fall under the Existing Stocks provisions stated in our letter of October 28, 1983.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure