SUPERIOR OIL - 70 98% EMULSIFIABLE SPRAY OIL AND HERBICIDE ADJUNCT

ACTIVE INGREDIENT:

 Petroleum Oil
 98.0%

 INERT INGREDIENT:
 2.0%

 Total
 100.0%

*Min. Visc. 65 second Saybolt at 100° F, unsulfonated residue 92% Gravity (A.P.I. degrees) 34 minimum

EPA Reg. No. 769-317

EPA Est. No. 769-GA-1

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entienda la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Contact physician or Poison Control Center immediately. Do not give anything by mouth unless directed to do so by qualified personnel. Get medical attention.

If Inhaled: Remove from exposure. **If On Skin:** Wash with soap and water.

If In Eyes: Flush eyes with copious amounts of water for 15 minutes and seek

medical attention if irritation persists.

ACCEPTED

)

MAY 30 1996

Under the Federal Insecticide. Fungicide, and Rodenticide Act. as amended, for the pesticide registered under EPA Rec. No. 169-317

Manufactured By:

SureCo, Inc Fort Valley, GA 31030

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing spray mist. Avoid contact with eyes, skin or clothing,

Personal Protectice Equipment:

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

Applicators and Other Handlers Must Wear:

- Long-sleeved shirt and long pants
- Chemical resistant gloves such as: Barrier laminate, nitrile rubber, neoprene rubber or viton
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users Should:

•

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PEP immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical resistant gloves, such as: Barrier laminate, nitrile rubber, neoprene rubber, or viton
- Shoes plus socks

AGITATE CONTENTS BEFORE WITHDRAWING OIL

TO CONTROL SCALE INSECTS, including San Jose, Forbes and White Peach Scale attacking deciduous fruit trees, ornamental shrubbery and berries, use 2 gallons per 100 gallons of water and spray during the dormant period. Make no application if freezing temperatures are expected within 4 hours. Do not follow a dinitro spray with oil under two weeks or bud injury may result.

APPLES: Use at the rate of 2 gallons per 100 gallons of water when trees are dormant or as a delayed dormant spray. Where surfy scale is a problem, increase the rate to 3 gallons per 100 gallons of water and apply in the delayed dormant spray, when buds first show green but before leaves separate from buds.

PEACHES: Use at a rate of 2 gallons per 100 gallons of water during the dormant period. If white peach scale is a problem two applications should be made at two week intervals.

ORNAMENTALS AND SHADE TREE GROWING SEASON SPRAYS: On acuba, azalea, camellia, crabapple, dogwood, elm, flowering peach, gardenia, hemlock, holly, lilac, ligstrum, magnolia, oak, pine (expect white pine), sasanqua, spruce (except blue spruce), viburnum and willow to control scale insects, mealybugs, whiteflies, mites, and pine bark aphids, apply at a rate of 1 gallon to 100 gallons of water. Make application

during periods of moderate temperatures (40 ° F to 85 ° F), preferably in spring or fall. Applications under other temperatures conditions may result in injury. Spray for thorough coverage so that the insect pest to be controlled is covered with the spray.

CAUTION: Do not spray again with oil for at least a month. Do not spray drought injured or winter burned plants. Do not apply oil sprays within 30 days of sulphur application. Injury may result if oil sprays are use don ferns, palms, hibiscus, certain conifers including blue spruce, white pine, arborvitae and certain deciduous trees such as Japanese maple, beech, hickory, walnut and butternut.

SPREADER-STICKER ON PECANS: Where a recommendations call for the use of an oil to increase spreading and sticking of insecticide and fungicides, use this material at the rate of 1 quart per 100 gallons of spray.

ADJUNCT FOR HERBICIDES: This product is satisfactory for use with certain herbicides. Consult the herbicide label for rates and directions.

STORAGE AND DISPOSAL

STORAGE: Store pesticide in original container and place in a locked storage area. Opened pesticide containers should be securely resealed prior to storage. Protect form penetration of moisture, excessive heat or cold. Avoid cross-contamination with other pesticides or fertilizers. Use caution when storing pesticides in stacks.

PESTICIDE STORAGE: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

)

IMPORTANT: Read these entire Directions and Conditions of Sale before using this product. DISCLAIMER: SureCo warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to above. SureCo makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty. In no case shall SureCo be liable for consequential, special, or indirect damages resulting from the use, handling or application of this product.