

1/14

769-324 PM12

RESTRICTED USE PESTICIDE

Due to very high acute toxicity to
Humans and Birds

For retail sale to and use only by certified applicator or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

SUREGARD BRAND

THIODAN-PARATHION TOBACCO SPRAY 2-1

CONTAINS 2 POUNDS THIODAN - 1 POUND PARATHION PER GALLON

ACTIVE INGREDIENTS:	
Endosulfan (hexachlorophexahydromethano-2,4,3-benzodioxathieoin oxide)	22.8%
Parathion (O, O-diethyl O-p-nitrophenyl-phosphorothioate)	11.4%
Aromatic Petroleum Derivative Solvent	58.9%
INERT INGREDIENTS:	6.9%
TOTAL	100.0%

ACCEPTED

DEC 1 0 1987

Under FIFED Act, as a pesticide registered under EPA Reg. No. 769-324

STOP! READ THE LABEL.

DANGER!
Keep out of reach of children.
POISON
See front and back panels for antidote and precautions.



CAN KILL YOU

PELIGRO
PRECAUCION AL USUARIO: Si usted no lee Ingles, no use este producto hasta que le etiqueta haya sido explicado amplamente.

- IF SWALLOWED:** Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person.
- IF INHALED:** Remove victim to fresh air. If Breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.
- IF ON SKIN:** Remove contaminated clothing and wash immediately with soap and water.
- IF IN EYES:** Flush eyes with plenty of water and get medical attention!


SURECO
FORT VALLEY, GEORGIA

EPA REG. NO. 769-324
EPA Est. NO. 769-GA-1

BEST AVAILABLE COPY

NOT FOR HOME USE

DANGER-POISON-PRECAUTIONS




CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors or spray mist are breathed.



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts; spray mist may be fatal if swallowed.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

STATEMENT OF PRACTICAL TREATMENT

DANGER

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. **IF SWALLOWED:** Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching the back of throat with finger. Do not give anything by mouth to an unconscious person. **IF INHALED:** Remove victim to fresh air. If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. **IF ON SKIN:** Remove contaminated clothing and wash immediately with soap and water. **IF IN EYES:** Flush eyes with plenty of water and get medical attention.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the symptoms of poisoning are: headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness of chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

NOTE TO PHYSICIAN

Antidote-Administer atropine sulphate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous system and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after the initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

BEST AVAILABLE COPY

3/14

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish and wildlife. Birds in treated areas may be killed. Do not apply directly to water or wetlands (swamps, marshes, bogs, and potholes). Run-off and drift may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate water by cleaning of equipment or disposal of wastes.

PROTECT BEES

This product is extremely toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow to drift to blooming crops or weeds if bees are visiting the treatment area.

Parathion Labeling Information for Range and Pastureland Uses

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of federal laws. The use of this product is controlled to prevent death or harm to endangered or threatened species that occur in the following counties or elsewhere in their range.

Before using this pesticide in the above counties you must first obtain the Rangeland Endangered Species Bulletin. The use of this pesticide is prohibited in these counties unless specified otherwise in the Bulletin. The EPA Bulletin is available from either your County Agricultural Extension Agent, the Endangered Species Specialist in your State Wildlife Agency Headquarters or the appropriate Regional Office of either the U.S. Fish and Wildlife Service (FWS) or the U.S. Environmental Protection Agency (EPA). THIS BULLETIN MUST BE REVIEWED PRIOR TO PESTICIDE USE.

BEST AVAILABLE COPY

4/14

STATE (Regional Office FWS) Species	County (unless specified otherwise)
ALABAMA (Atlanta, GA.) Alabama cavefish	Lauderdale
Slackwater darter	Lauderdale, Limestone, Madison
Snail darter	Jackson and Madison
Watercress darter	Jefferson
Freshwater mussels	Colbert, Jackson, Marshall, Morgan and Monroe
ARIZONA (Albuquerque, N.M.) Arizona (Apache) trout	Apache, Graham and Greenlee
Bonytail chub	Mohave
Woundfin	Mohave
Gila and Yaqui topminnow	Cochise, Graham, Pima, Pinal and Santa Cruz
Masked Bobwhite	Pima
ARKANSAS (Atlanta, GA.) Freshwater mussels	Clark, Clay, Cross, Lawrence, Randolph, Sharp and St. Francis
CALIFORNIA (Portland, OR.) Owens River pupfish	Inyo and Mono
Unarmored threespine stickleback	Los Angeles and Santa Barbara
Aleutian Canada goose	Colusa, Merced, Stanislaus and Sutter
California condor	Fresno, Kern, Kings, Los Angeles, Monterey, San Benito, San Luis Obispo, Santa Barbara, Tulare and Ventura
Blunt-nosed leopard lizard	Kern, Kings, Fresno, Madera, Merced, Monterey, San Luis Obispo, Santa Barbara, Stanis- laus and Tulare
Paiute cutthroat trout	Alpine, Madera and Mono
Little Kern golden trout	Tulare
Santa Cruz long-toed salamander	Monterey and Santa Cruz

BEST AVAILABLE COPY

5/14

Species	County (unless specified otherwise)
California (con't) Delta green ground beetle	Solano
Valley elderberry longhorn beetle	Merced
Kern Primrose sphinx moth	Kern
COLORADO (Denver, Co.) Greenback cutthroat trout	Boulder, Larimer, Gilpin, Park and Fremont
Colorado squawfish Bonytail chub Humpback chub	Blanco, Delta, Garfield, Rio and Routt
FLORIDA (Atlanta, GA.) Okaloosa darter	Okaloosa and Walton
Eastern indigo snake	Statewide
GEORGIA (Atlanta, GA.) Snail darter	Catoosa
Eastern indigo snake	S.E. Georgia
HAWAII (Portland, OR.) Hawaiian goose	Islands of Maui and Hawaii
IDAHO (Portland, OR.) Whooping crane	Caribou, Bear Lake and Bonneville
KENTUCKY (Atlanta, GA.) Freshwater mussels	Ballard, Edmundson, Jackson, Laurel, Marshall, McCracken, Pulaski, Rockcastle, Warren and Wayne
Kentucky Cave shrimp	Edmundson and Hart
MARYLAND (Newton Corners, MA.) Maryland darter	Harford
MISSISSIPPI (Atlanta, GA.) Bayou darter	Claiborne and Copiah
Mississippi sandhill crane	Jackson
NEVADA (Portland, OR.) Ash Meadows speckled dace	Nye
Ash Meadows amargosa pupfish	Nye

BEST AVAILABLE COPY

6/14

STATE (Regional Office No.) Species	County (unless specified otherwise)
Nevada (con't) Cui-ui	Washoe
Devils Hole pupfish	Nye
Pahrump killifish	Clark, White Pine
Warm Springs pupfish	Nye
Pahranaqat bonytail	Lincoln
NEW MEXICO (Albuquerque, N.M.) Socorro isopod	Socorro
Pecos gambusia	Chaves, Eddy
Gila trout	Catron, Grant
Chihuahua chub	Grant
New Mexican ridge-nosed rattlesnake	Hidalgo
NORTH CAROLINA (Atlanta, GA.) Spotfin chub	Macon, Swain
OHIO (Twin Cities, MN.) Scioto Madtom	Champagne, Franklin, Logan, Madison, Pickway, Union
OKLAHOMA (Albuquerque, N.M.) Leopard darter	Pushmataha, McCurtain
OREGON (Portland, OR.) Borax lake chub	Harney
TENNESSEE (Atlanta, GA.) Slender chub	Claiborne, Hancock
Spotfin chub	Cumberland, Fentress, Morgan
Slackwater darter	Lawrence, Wayne
Snail darter	Bradley, Hamilton Knox, Loudon, Marion, Meigs and Polk

BEST AVAILABLE COPY

7/14

species	otherwise)
TENNESSEE (continued) Yellowfin madtom	Claiborne, Hancock, Monroe
Freshwater mussels	Blount, Claiborne, Decatur, Franklin, Hancock, Hardin, Hawkins, Lincoln, Loudon, Marshall, Maury, Rhea, Roane, Scott, Sequatchie, Smith, Sullivan
TEXAS (Albuquerque, N.M.) Fountain darter	Comal, Hays
Pecos gambusia	Jeff Davis, Pecos, Reeves
San Marcos gambusia	Hays
Comanche Springs pupfish	Jeff Davis, Reeves
Leon Springs pupfish	Pecos
Clear Creek gambusia	Menard
San Marcos salamander	Hays
Houston toad	Bastrop, Burleson
UTAH (Denver, CO.) Woundfin	Washington
Colorado squawfish --- Bonytail chub > Humpback chub ---	Carbon, Duchesne, Emery, Garfield, Grand, Kane, San Juan, Uintah, Wayne
Desert tortoise	Washington
VIRGINIA (Newton Corners, MA.) Slender chub	Lee, Scott
Spotfin chub	Scott, Washington
Yellowfin madtom	Lee, Russell, Scott
Freshwater mussels	Lee, Russell, Scott, Smyth, Tazewell, Washington, Wise

BEST AVAILABLE COPY

3/14

STATE (REGIONAL OFFICE FWS) Species	COUNTY (UNLESS SPECIFIED OTHERWISE)
WYOMING (Denver, CO.) Kendall Warm Springs dace	Sublette
Wyoming toad	Albany
Whooping crane	Lincoln, Sublette

BEST AVAILABLE COPY

9/14
ENDANGERED SPECIES LABELING FOR CROP¹ USE PRODUCTS CONTAINING ONE OR MORE OF THE FOLLOWING ACTIVE INGREDIENTS:

Aldicarb	Endosulfan (non granular)
Azinphos-methyl	Endrin (non granular) ²
Dasanit (fensulfothion)	Ethoprop
Diazinon	Ethyl parathion
Chlorpyrifos	Phorate
EPN (non granular)	Toxaphene (non granular)

"ALABAMA

COLBERT, GREENE, JACKSON, LAMAR, LAUDERDALE, LIMESTONE, MADISON, MARSHALL, MORGAN, PICKENS AND SUMTER

ARIZONA

GRAHAM, MARICOPA, MOHAVE, PIMA, PINAL AND SANTA CRUZ

ARKANSAS

BENTON, CLAY, CLARK, CROSS, LAWRENCE, LEE, POINSETTE, POLK, RANDOLPH, SHARP AND ST. FRANCIS

CALIFORNIA

BUTTE, COLUSA, GLENN, IMPERIAL, KERN, MERCED, MODOC, INYO, LOS ANGELES, MODOC, ORANGE, RIVERSIDE, SACRAMENTO, SAN BERNARDINO, SAN DIEGO, SANTA BARBARA, SOLANO, STANISLAUS, SUTTER, TEHEMA, YOLO AND VENTURA

FLORIDA

ALACHUA, BAKER, BRADFORD, BREVARD, BROWARD, CHARLOTTE, CITRUS, CLAY, COLLIER, COLUMBIA, DADE, DE SOTO, DIXIE, DUVAL, FLAGLER, GADSDEN, GILCHREST, GLADES, HARDEE, HENDRY, HERNANDO, HIGHLANDS, HILLSBOROUGH, INDIAN RIVER, JEFFERSON, LAFAYETTE, LAKE, LEE, LEON, LEVY, MADISON, MANATEE, MARION, MARTIN, MONROE, NASSAU, ORANGE, OKEECHOBEE, OSCEOLA, PALM BEACH, PASCO, PINELLAS, POLK, PUTNAM, ST. JOHNS, ST. LUCIE, SARASOTA, SEMINOLE, SUMTER, SUWANNEE, TAYLOR, UNION, VOLUSIA AND WAKULLA

GEORGIA

BRANTLEY, BRYAN, BULLOCH, BURKE, CAMDEN, CANDLER, CHARLTON, CHATHAM, EFFINGHAM, EMANUEL, EVANS, GLASCOCK, GLYNN, JEFFERSON, JENKINS, JOHNSON, LIBERTY, LONG, MCINTOSH, PIERCE, RICHMOND, SCREVEN, WARE, WASHINGTON AND WAYNE

KANSAS

CLARK, COMANCHE, MEADE AND STAFFORD

1/ Crop uses are corn, cotton, soybeans, sorghum and small grains (wheat, oats, barley and rye).

2/ Cotton use of Endrin is allowed west of I-35 only, therefore, only species in registered area of use are applicable.

KENTUCKY

BALLARD, BUTLER, EDMUNDSON, GREEN, HART, JACKSON, LAUREL, LIVINGSTON,
MARSHALL, McCracken, McCreary, PULASKI, ROCKCASTLE, TAYLOR, WARREN AND
WAYNE

MISSISSIPPI

CLAIBORNE, COPIAH, HINDS, ITAWAMBA, LOWNDES, MONROE AND NOXUBEE

MISSOURI

BARRY, BENTON, CAMDEN, CHRISTIAN, DALLAS, GREENE, HICKORY, JASPER,
LAWRENCE, MILLER, NEWTON, OSAGE, POLK, ST. CLAIR, STONE AND WEBSTER

MONTANA

GARFIELD, MCCONE, SHERIDAN AND VALLEY

NEBRASKA

BOYD, BROWN, BUFFALO, BUTLER, CASS, CEDAR, COLFAX, DAWSON, DODGE,
DOUGLAS, HALL, HAMILTON, HOLT, HOWARD, KEARNEY, KEYA PAHA,
KNOX, MERRICK, NANCE, PHELPS, PLATTE, POLK, ROCK, SARPY AND SAUNDERS

NEVADA

CLARK

NEW MEXICO

CHAVES, DEBACA AND EDDY

NORTH CAROLINA

EDGECOMBE, NASH AND PITT

NORTH DAKOTA

RANSON, BOTTINEAU, BURKE, BURLEIGH, DIVIDE, DUNN, EDDY, EMMONS, FOSTER,
KIDDER, LOGAN, MCHENRY, MCINTOSH, MCKENZIE, MCLEAN, MERCER, MORTON,
MOUNTRAIL, NELSON, OLIVER, PIERCE, RAMSEY, RANVILLE, ROLETTE, SHERIDAN,
SIOUX, STUTSMAN, TOWNER, WARD, WELLS AND WILLIAMS

OHIO

PICKAWAY

OKLAHOMA

DELAWARE, MCCURTAIN AND PUSHMATAHA

OREGON

LAKE

SOUTH CAROLINA

AIKEN, BARNWELL, BEAUFORT, BERKELY, CHARLESTON, COLLETON, DORCHESTER,
GEORGETOWN, HAMPTON, HORRY, JASPER AND MARION

11/14
PROTECTIVE CLOTHING STATEMENT

THIS PRODUCT MAY BE FATAL IF SWALLOWED, INHALED, OR IF ALLOWED TO CONTACT SKIN. FAILURE TO PROPERLY FOLLOW ALL INSTRUCTIONS FOR PROTECTIVE CLOTHING AND EQUIPMENT WILL INCREASE YOUR RISK.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR AND CLEANING OF APPLICATION EQUIPMENT, DISPOSAL OF PESTICIDE, AND EARLY REENTRY INTO TREATED FIELDS:

Waterproof pants and coat; heavy-duty chemical-resistant gloves; rubber boots or rubber overshoes; hood or wide-brimmed hat; safety goggles or face shield; NIOSH approved respirator. In addition, mixer/loaders must wear a chemical resistant apron when using the concentrated product. During aerial application in nonenclosed cockpits, a helmet with a visor may be substituted for the hood or wide-brimmed hat and safety goggles or face shield requirements.

IF MIXING/LOADING IS PERFORMED USING A CLOSED SYSTEM, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE:

Heavy-duty chemical resistant gloves; chemical resistant apron, long-sleeved shirt (or gauntlets and short sleeve shirt) and long-legged pants; shoes and socks.

Safety goggles or a faceshield must be worn when the system is under pressure. All other protective clothing and equipment required for use with open systems must be available nearby.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE:

Clean long-sleeved shirt and long-legged pants. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated areas. If used for this purpose, contaminated clothing may not be brought back into the cab unless in an enclosure such as a plastic bag.

REMEMBER- THIS CLOTHING IS NOT INTENDED TO PROTECT YOU DURING REPAIR AND CLEANING OF APPLICATION EQUIPMENT OR DURING EARLY REENTRY! REFER TO THE INSTRUCTIONS ABOVE.

HUMAN FLAGGERS ARE STRICTLY PROHIBITED DURING AERIAL APPLICATION.

IMPORTANT! If pesticide comes in contact with skin, wash off with soap and water, and contact a physician immediately. Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or toileting.

12/11
HUMAN FLAGGERS ARE STRICTLY PROHIBITED DURING AERIAL APPLICATION.

IMPORTANT! If pesticide comes in contact with skin, wash off with soap and water, and contact a physician immediately. Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or toileting.

AFTER WORK: Wash gloves with soap and water before removing. Take off all work clothes and shoes. Store protective clothing separately from personal clothing. Launder protective clothing after each use. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Personal clothing worn during mixing/loading, application, repair and cleaning of application equipment, disposal of pesticide, and early reentry into treated fields must be stored and laundered separately from household articles. Clothing and equipment heavily contaminated or drenched with parathion must be destroyed according to state and local regulations.

HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.

Respirators should be cleaned and cartridges replaced according to instructions included with respirators. Replace gloves frequently.

WORK SAFETY RULES

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Keep all unprotected persons and children away from treated area or where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (See statement of practical treatment) and if a doctor cannot come, take the victim to a clinic or hospital. **IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating, or drinking. **AFTER WORK** take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes before leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. respirator should be cleaned and filter replaced according to instructions with respirator.

13/14

DIRECTIONS

**DO NOT USE, POUR, SPILL OR STORE
NEAR HEAT OR OPEN FLAME.**

Do not apply
this product
through any
type of irrigation
system.

TOBACCO

To control -- budworm, hornworm, green peach aphid, flea beetle, green stink bug and cabbage looper -- apply at the rate of 1 to 2 quarts per acre. Use sufficient water for good coverage. For airplane application, use at least 3 to 10 gallons of water depending on crop size. For plant bed treatment, dilute 1 quart to 100 gallons of water and apply at the rate of 6 gallons per 100 square yards. Begin applications when insect infestation becomes damaging and repeat in 10 to 14 days or as necessary for control. Do not apply within 5 days of priming or 15 days of cutting. Avoid getting wet with plant juices when cutting. Workers entering treated fields within 24 hours of treatment should wear protective clothing.

DISPOSAL WARNING

Dispose of waste pesticide and spillage by burying in non-crop land away from water supplies. Containers should be perforated or crushed and buried with waste.

STORAGE AND DISPOSAL

STORAGE: Store pesticide in original container and place in a locked storage area. Opened pesticide containers should be securely resealed prior to storage. Protect from penetration of moisture, excessive heat or cold. Avoid cross-contamination with other pesticides or fertilizers. Use caution when storing pesticides in stacks.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DISCLAIMER OF WARRANTY, MERCHANTABILITY AND LIABILITY

NOTICE: SureCo warrants that this product conforms to the chemical description on its label and, when used in accordance with the directions on this label and under normal conditions, is reasonably fit for the purposes stated on the label.

SURECO MAKES NO WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, EXPRESSED OR IMPLIED, EXCEPT AS STATED ABOVE. Plant injury, ineffectiveness, or other unintended consequences

may result because of such factors as environmental conditions, conditions of application and other conditions relating to the use and handling of this product.

All such risks are assumed by the purchaser. SURECO SHALL IN NO EVENT BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

11/14
DISCLAIMER OF WARRANTY, MERCHANTABILITY AND LIABILITY

NOTICE: SureCo warrants that this product conforms to the chemical description on its label and, when used in accordance with the directions on this label and under normal conditions, is reasonably fit for the purposes stated on the label. SureCo makes no warranties of merchantability, fitness for a particular purpose or otherwise, expressed or implied, except as stated above. Plant injury, ineffectiveness or other unintended consequences may result because of such factors as environmental conditions, conditions of application and other conditions relating to the use and handling of this product. All such risks are assumed by the purchaser. SURECO SHALL IN NO EVENT BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

Manufactured SureCo, Inc.
For: Fort Valley, GA 31030



POISON B
NA2783RQ

BEST AVAILABLE COPY