

ACCEPTED
Sept 21, 1967

SECURITY

METHYL PARATHION EC-4

**CONTAINS 4 POUNDS
METHYL PARATHION PER GALLON**

ACTIVE INGREDIENTS:

Methyl Parathion (90% triphenyl phosphorotriester)	3.6
Acetic acid (per cent per volume solvent)	0.4
Methyl parathion carriers	0.0
TOTAL	4.0

INERT INGREDIENTS:

Water	3.0
Other inert ingredients	1.0
TOTAL	4.0

 **POISON**
ANTIDOTE AND FIRST AID TREATMENT

DANGER: KEEP OUT OF REACH OF CHILDREN! Pungent odor, watery eyes, itchy throat, skin. Rapidly absorbed through skin. Repeated contact with skin may, without warning, produce very severe symptoms. Methyl Parathion is extremely toxic if it gets into eyes, on skin, or on clothing. Do not breathe dust or vapors. Wear a gas-tight rubber gloves; wash water for protective clothing, and goggles. Replace gloves frequently and wash hands. Wear a mask or respirator if a mask is required. Wash thoroughly with soap and water after handling. Do not shake or splash into the eyes. Wash with water for at least ten minutes and get medical attention. Wash all contaminated clothing before re-use.

PROTECT WILDLIFE - Do not apply to areas where birds, bees, and other wildlife are present. Do not apply to areas where domestic animals are present.

ATROPINE IS THE EMERGENCY ANTIDOTE FOR METHYL PARATHION POISONING. Atropine is the emergency antidote for Methyl Parathion poisoning. It is available in 1 mg. and 2 mg. tablets. It should be given immediately to a person suspected of poisoning.

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If the person has swallowed, do not induce vomiting. Give water to drink. If the person is unconscious, do not give anything by mouth to an unconscious person.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the Methyl Parathion, remove contaminated clothing, and wash skin with soap and plenty of water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

IF WARNING SYMPTOMS APPEAR: Administer two (2) 100 grain atropine tablets immediately. **NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR.** (See Warning Symptoms below.) Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIANS

WARNING SYMPTOMS: Symptoms include weakness, headache, lightness in chest, blurred vision, hyper-reactive pupil, dry salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

TREATMENT: Atropine is the specific antidote for poisoning due to parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 15-minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Atropine is contraindicated in cases of glaucoma, tachycardia, and severe hypertension. Oxygen administration is only necessary to preserve patient until recovery. Repeated exposure to the parathion inhibitor may, with a warning, cause the blood sensitivity to very small doses. If any parathion is detected, avoid further exposure until the blood parathion level is below 100 ng/ml. Wash patient's clothing and skin thoroughly with soap and water. Do not use contaminated clothing. Do not use contaminated water for drinking or bathing.

DIRECTIONS

WARNING: Do not use on areas where birds, bees, and other wildlife are present. Do not use on areas where domestic animals are present. Do not use on areas where children are present. Do not use on areas where people are present. Do not use on areas where people are present.

COTTON: Boll weevils, Armyworms, Leafworms, Flea beetles, Thrips, Cotton Leaf Perforator, and other insects. Apply at the rate of 1/2 to 1 gallon per acre. Do not apply to cotton which has been treated with another insecticide. Do not apply to cotton which has been treated with another insecticide. Do not apply to cotton which has been treated with another insecticide.

VEGETABLES: Apples, Apricots, and other fruits. Beetles, Leafhoppers, and other insects. Do not apply to vegetables which have been treated with another insecticide. Do not apply to vegetables which have been treated with another insecticide.

ALFALFA: Do not apply to alfalfa which has been treated with another insecticide. Do not apply to alfalfa which has been treated with another insecticide.

SMALL GRAINS: Do not apply to small grains which have been treated with another insecticide. Do not apply to small grains which have been treated with another insecticide.

NOTICE

DISCLAIMER OF WARRANTY, MERCHANTABILITY AND LIABILITY

Manufacturers

WOOLFOLK CHEMICAL WORKS, LTD.

Fort Valley, Ga.