

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for the uses covered by the Certified Applicator's certification.

METHYL PARATHION EC-4

ACTIVE INGREDIENTS:

Methyl Parathion (0,0 dimethyl 0-0 nitrophenyl phosphorothioate) 90.0%
Related Compounds 10.0%

INERT INGREDIENTS:

Acrylic Petroleum Derivative Solvent 49.2%
EPA Reg No. 769.340
EPA Est. 769 GA 1

This product contains 4 pounds of Methyl Parathion and related compounds per gallon.

**KEEP OUT OF REACH OF CHILDREN
DANGER-POISON**



STATEMENT OF PRACTICAL TREATMENT
ATROPINE IS THE EMERGENCY
ANTIDOTE FOR METHYL PARATHION
POISONING. 2 PAM chloride 5 mg and 1 mg
and may be administered intravenously with
atropine. Consult your physician for
obtaining an adequate supply of 2 mg and 1 mg
atropine tablets for emergency use.
PHYSICIAN IMMEDIATE TREATMENT
OF SUSPECTED POISONING:

IF SWALLOWED: Drink 1-2 glasses of
water and induce vomiting. If unconscious,
induce vomiting by gastric lavage. If
an unconscious person, call for medical
attention.

IF INHALED: Remove person to fresh air
and breathe fresh air.

IF ON SKIN: Remove clothing. Wash skin
with soap and water. Wash hair and
water.

IF IN EYES: Flush eyes with plenty of water
for at least 15 minutes. Get medical attention.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include
anxiety, headache, dizziness, blurred
vision, difficulty breathing, salivation,
nausea, vomiting, diarrhea, sweating,
tremor, and muscle twitching.

TREATMENT: Atropine is the specific antidote
for parathion poisoning. It should be given
as soon as possible. The dose is 2 mg
intravenously every 30-60 minutes until
the patient is breathing normally and
the heart rate is normal.

Atropine should be given to the patient
until the patient is breathing normally and
the heart rate is normal. The dose is 2 mg
intravenously every 30-60 minutes until
the patient is breathing normally and
the heart rate is normal.

Atropine should be given to the patient
until the patient is breathing normally and
the heart rate is normal. The dose is 2 mg
intravenously every 30-60 minutes until
the patient is breathing normally and
the heart rate is normal.

Atropine should be given to the patient
until the patient is breathing normally and
the heart rate is normal. The dose is 2 mg
intravenously every 30-60 minutes until
the patient is breathing normally and
the heart rate is normal.

Atropine should be given to the patient
until the patient is breathing normally and
the heart rate is normal. The dose is 2 mg
intravenously every 30-60 minutes until
the patient is breathing normally and
the heart rate is normal.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER! KEEP OUT OF REACH OF CHILDREN. Poisonous if
swallowed, inhaled or absorbed through skin. Rapidly absorbed
through skin. Repeated inhalation or skin contact may, without
symptoms, progressively increase susceptibility to Methyl
Parathion poisoning. Do not swallow or get in eyes, or skin or on
clothing. Do not breathe mist or vapors. Wear clean natural
rubber gloves, clean waterproof protective clothing and goggles.
Replace gloves frequently and destroy used gloves. Wear a
pesticide respirator, only approved by the Mining Enforcement
and Safety Administration (formerly the U.S. Bureau of Mines) and
the National Institute for Occupational Safety and Health under
the provisions of 30 CFR part 11. Wash thoroughly with soap and
water after handling and before eating or smoking. Wash clothing
before use.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds and other wildlife. Do not apply
directly to lakes, streams or ponds. Do not apply where runoff is
likely to occur. Do not apply when weather conditions favor drift
from treated areas. Do not contaminate water by cleaning of
equipment or disposal of wastes. Apply this product only as
specified on this label. **PROTECT BEES.** This product is highly
toxic to bees exposed to direct treatment or to residues on plants.
Protective information may be obtained from your Cooperative
Agricultural Extension Service.

PHYSICAL AND CHEMICAL HAZARDS

Do not use near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner
inconsistent with its labeling.

WARNING: Do not apply or allow to drift to areas occupied by
unprotected humans and beneficial animals. Vacated areas
should not be reentered until drifting insecticides and volatile
residues have dissipated. Workers entering treated fields within
48 hours after application should wear protective clothing. Do not
contaminate food or feed products.

COTTON: Boll Weevils, Aphids, Cotton Leafworm, Fleahopper,
Thrips and some species of Spider Mites. Apply at the rate of 1/2 to
1 1/2 pints per acre in sufficient water for coverage. Begin applications
when first testator warrants and repeat at 4 to 5 day intervals
as necessary for control. **BOLLWORM:** This product will not control
bollworms after it is late. When this pest is present increase
the rate of Methyl Parathion EC-4 to 1 quart per acre. Do not apply
the product within 30 days of harvest. Cotton
at any stage may be treated with this product.

VEGETABLES: Aphids, Armyworms (1st to 3rd instar), Flea
Beetle, Fleahopper and certain species of Mites. On Celery,
Peas, Peppers, Potatoes, Lettuce, Spinach apply at the rate of 3/4
pint per acre. On Carrots, Beets, Tomatoes apply at the rate of 7/8
pint per acre. On Beans, Cole Crops (including Broccoli, Brussels
Sprouts, Cabbage and Cauliflower) apply at the rate of 1 pint per
acre. Begin applications when insects appear, repeat as
necessary for control. Do not apply to Potatoes within 5 days of
harvest. On carrots where tops are not to be used for food.


Manufacturers

WOOLFOLK CHEMICAL WORKS, INC.

280250

Fort Valley, Georgia 31030

**METHYL
PARATHION
MIXTURE,
LIQUID
NA2783**



(vegetables cont.)

Peas, Peas, Peppers, etc.
where tops are not to be used.
In Beans, except green beans, and
tomatoes with 15 day preharvest
interval. Beans, Lettuce, Spinach, Green
Onions, and Cucumber with 14 day
preharvest interval.

ALFALFA: Sprayed Alfalfa April 1 - Apply at the
rate of 1.0 lb per acre weekly until April
15. Do not spray alfalfa after April 15.
Do not spray alfalfa after April 15.
Do not spray alfalfa after April 15.

SMALL GRAINS: Barley, Oats, and Wheat - Apply
at the rate of 1.0 lb per acre at the time of
planting.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
Dumping is prohibited. Do not reuse empty containers.
Do not spray mixture or rinse water that cannot be used
according to label instructions. Rinse and dispose of according to
label. Follow approved state procedures for disposal of the
Residue Conservation and Recovery Act.

Do not use in a restricted area. Do not use for recycling or
reuse. Do not use for disposal of in a landfill or
by other approved state and local procedures.

NOTICE

**DISCLAIMER OF WARRANTY
MERCHANTABILITY AND LIABILITY**

For any reason this product is not used, stored, applied,
transported or disposed of in accordance with the instructions set
forth on the label, then and thereafter Woolfolk Chemical Works
terminates, ends and excludes all warranties, expressed or
implied, including the warranty of merchantability and fitness.