

SECURITY SECURITY SECURITY SECURITY SECURITY SECURITY SECURITY SECURITY SECURITY SECURITY SECURITY

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

PROTECT BEES

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See below for proper disposal

STOP! READ THE LABEL

POISON

See side panels for antidote and precautions



CAN KILL YOU

DANGER!

Keep out of reach of children

769-398

PARA - NEX

2 PEACH SPRAY 8

ACTIVE INGREDIENTS:

*Parathion 3.0%
Sulphur 76.0%

INERT INGREDIENTS: 21.0%

*O, O-diethyl O-p-nitrophenyl phosphorothioate **TOTAL 100.0%**
E. P. A. Reg. No. 769-398 E. P. A. Est. 769-GA-1

NOT FOR HOME USE

DANGER—POISON—PRECAUTIONS



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts:



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or soiled or



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are

★ POISON SIGNS ★

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

★ FIRST AID TREATMENT ★

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote: administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been re-

them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking. AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

HAZARDOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

PROTECT BEES

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See below for proper disposal.

CROP USE DIRECTIONS

Use only according to directions below.

FOR USE ON PEACHES (Except California) To control Curculio, Oriental Fruit Moth, San Jose Scale on the crawler stages, Brown Rot and Scab. Use Para-Nex at the rate of 10 pounds per hundred gallons of water. Application should not be made when temperature is excessively high because of the danger of sulphur injury. Do not apply more than 5 pounds of actual parathion per acre per year. The following schedule is suggested as a general guide but is in no way guaranteed. The number of applications and time of application may vary in different localities. Early ripening varieties will not require the full schedule of applications. Consult your nearest Experiment Station for specific directions.

SPRAY SCHEDULE

- (1) When all petals are off
- (2) When 3-4 shucks have shed
- (3) 7 to 10 days after No. 2

2 PEACH SPRAY 8

ACTIVE INGREDIENTS:

*Parathion	3.0%
Sulphur	76.0%

INERT INGREDIENTS:

.....	21.0%
*O, O-diethyl O-p-nitrophenyl phosphorothioate	TOTAL 100.0%
E. P. A. Reg. No. 769-398	E. P. A. Est. 769-GA-1

NOT FOR HOME USE

DANGER—POISON—PRECAUTIONS



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

DIRECTIONS

- 1- 12 to 14 days after No. 3- See note below
- 2- 4 weeks before harvest of each variety
- 3- 4 weeks before harvest
- 4- 2 weeks before harvest
- 5- See Note Below

NOTE: If no diseases are present in orchard at the time of Spray No. 4, use only NUTONEX Sulphur for disease control. Spray No. 3 should be applied 1 week before harvest using NUTONEX Sulphur.

DO NOT APPLY THIS MATERIAL WITHIN 14 DAYS OF HARVEST

DISPOSAL LABEL #4

Dispose of waste pesticide and containers by burying in non-crop land away from water supplies. Never re-use container.

... breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

NOTICE

DISCLAIMER OF WARRANTY, MERCHANTABILITY AND LIABILITY

If for any reason this product is not used, applied, stored, transported or disposed of in accordance with the instructions set forth on this label, then and thereafter Woolfolk Chemical Works, Inc. terminates, ends and excludes all warranties, expressed or implied, including the warranty of merchantability and fitness. The failure to use, apply, store, transport or dispose of this product, in accordance with the instructions set forth on the label, shall then and thereafter terminate and end Woolfolk Chemical Works, Inc.'s liability for injury to crops, animals, personal property and real property, of every kind and description, and for injury to any person or persons, and for any consequential damages arising out of injury to the foregoing set forth. There are no warranties which extend beyond the description on this label.

470416

WOOLFOLK CHEMICAL WORKS, INC.

Manufacturers

Fort Valley, Ga.