

767-76600000

2 quarts to 25 gallons of water (13 ounces to 5 gallons or 6 tablespoonfuls to 1 gallon) and spray during the dormant period. Make no application if freezing temperatures are expected within 4 hours. Do not follow a dinitro spray with oil under 2 weeks or bud injury may result.

APPLES - Use at the rate of 2 quarts to 25 gallons of water (13 ounces to 5 gallons or 6 tablespoonfuls to 1 gallon) when trees are dormant or as a delayed dormant spray. Where scurfy scale is a problem, increase the rate by 50% and apply in the delayed dormant spray, when buds first show green but before leaves separate from buds.

PEACHES - Use at the rate of 2 quarts to 25 gallons of water (13 ounces to 5 gallons or 6 tablespoonfuls to 1 gallon) and apply during the dormant period. If White Peach Scale is a problem, two applications should be made at two week intervals.

NOTICE: Agitate contents before withdrawing oil. Spray for thorough coverage so that insect pest to be controlled is covered with the spray.

DISPOSAL WARNING

Dispose of waste pesticide and spillage by burying in non-crop land away from water supplies. Do not re-use containers.

NOTICE

DISCLAIMER OF WARRANTY, MERCHANTABILITY AND LIABILITY

If for any reason this property is not used, applied, stored, transported or disposed of in accordance with the instructions set forth on this label, then and thereafter Woolfolk Chemical Works, Ltd. terminates, ends and excludes all warranties, expressed or implied, including the warranty of merchantability and fitness.

070122

**ORNAMENTAL & FRUIT
SPRAY OIL**

ACTIVE INGREDIENT:

*Petroleum Oil 98.0%

INERT INGREDIENTS: 2.0%

U.S.D.A. Reg. No. 769-400 TOTAL 100.0%

*Min. Visc. 65 second Saybolt at 100° F., Min. unsulfonated residue 95%, Gravity (A.P.I. degrees) 34 minimum.

CAUTION!

**KEEP OUT
OF REACH
OF
CHILDREN.**

Harmful if
swallowed.



**Net Contents
One Quart**

**WOOLFOLK CHEMICAL WORKS, LTD.
Manufacturers Fort Valley, Ga.**

DIRECTIONS

GROWING SEASON SPRAYS

ORNAMENTALS and SHADE TREES- On Aucuba, Azalea, Camellia, Crabapple, Dogwood, Elm, Flowering Peach, Gardenia, Hemlock, Holly, Lilac, Ligustrum, Magnolia, Oak, Pine (except white pine), Sasanqua, Spruce (except Blue Spruce), Viburnum and Willow to control scale insects, mealy bugs, White flies, Mites and pine bark aphids, apply at the rate of 1 quart to 25 gallons of water (6 1/2 ounces to 5 gallons or 3 tablespoonfuls to 1 gallon). Make applications during periods of moderate temperatures (40° to 85° F), preferably in Spring or Fall. Applications under other temperature conditions may result in injury. Spray for thorough coverage so that insect pest to be controlled is covered with the spray. **CAUTION!** Do not spray again with oil for at least a month. Do not spray drought injured or Winter burned plants. Do not apply oil sprays within 30 days of sulphur applications. Injury may result if oil sprays are used on ferns, palms, hibiscus, certain conifers, including blue spruce, white pine, arborvitae and junipers, and certain deciduous trees such as Japanese Maple, beech, hickory, walnut and butternut.

DORMANT SEASON SPRAYS

ORNAMENTALS and SHADE TREES- On Aucuba, Azalea, Camellia, Crabapple, Dogwood, Elm, Flowering Peach, Gardenia, Hemlock, Holly, Lilac, Ligustrum, Magnolia, Oak, Pine (except white pine), Sasanqua, Spruce (except Blue Spruce), Viburnum and Willow to control scale insects, including San Jose, Forbes and White Peach Scale,

ORNAMENTAL & FRUIT SPRAY OIL

APPLES -

PEACHES - Use at the rate of 2 quarts to 25 gallons of water (13 ounces to 5 gallons or 6 tablespoonfuls to 1 gallon) and apply during the dormant period. If White Peach Scale is a problem, two applications should be made at two week intervals.

NOTICE: Agitate contents before withdrawing oil. Spray for thorough coverage so that insect pest to be controlled is covered with the spray.

DISPOSAL WARNING

Dispose of waste pesticide and spillage by burying in non-crop land away from water supplies. Do not re-use containers.

NOTICE

DISCLAIMER OF WARRANTY, MERCHANTABILITY AND LIABILITY

If for any reason this property is not used, applied, stored, transported or disposed of in accordance with the instructions set forth on this label, then and thereafter Woolfolk Chemical Works, Ltd. terminates, ends and excludes all warranties, expressed or implied, including the warranty of merchantability and fitness.

070122

ACTIVE INGREDIENT:

INERT INGREDIENTS:

*Min. Visc. 65 second Saybolt at 100° F., Min. unsulfonated residue 95%, Gravity (A.P.I. degrees) 34 minimum.

CAUTION!

KEEP OUT
OF REACH
OF
CHILDREN.

Harmful if
swallowed.



Net Contents
One Quart

WOOLFOLK CHEMICAL WORKS, LTD.
Manufacturers Fort Valley, Ga.

DIRECTIONS

GROWING SEASON SPRAYS
ORNAMENTALS and SHADE TREES-

ounces to 5 gallons or 3 tablespoonfuls to 1 gallon. Make applications during periods of moderate temperatures (40° to 85° F), preferably in Spring or Fall. Applications under other temperature conditions may result in injury. Spray for thorough coverage so that insect pest to be controlled is covered with the spray. **CAUTION!** Do not spray again with oil for at least a month. Do not spray on light injured or winter burned plants. Do not apply oil sprays within 10 days of sulfur applications. Injury may result if oil sprays are used on ferns, palms, narcissus, certain cypresses, including blue spruce, white pine, arbovitae and junipers, and certain deciduous trees such as Japanese Maple, birch, hickory, walnut and butternut.

DORMANT SEASON SPRAYS

ORNAMENTALS and SHADE TREES- F. Almond, Azalea, Camellia, Crabapple, Dogwood, Elm, Flowering Peach, Gardenia, Hemlock, Holly, Lilac, Ligustrum, Magnolia, Oak, Pine (except white pine), Sasanqua, Spruce (except Blue Spruce), Viburnum and Willow to control scale insects, including San Jose, Forbes and White Peach Scale,