



Flea & Mosquito Dust

Also controls Ticks, Millepedes and Earwigs

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methylcarbamate) 5.0%

INERT INGREDIENTS: 95.0%

TOTAL 100.0%

EPA REG. NO. 769-405

EPA EST. 769-GA-1

KEEP OUT OF REACH OF CHILDREN CAUTION!

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger.

Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. **IF**

INHALED: Remove victim to fresh air. **IF ON SKIN:** Wash with soap and water. Remove any contaminated clothing. **IF ON EYES:** Flush eyes with water.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, opiates or cholinesterase-inhibiting drugs.

areas, apply this product at the rate of 1/2 to 1 pound per 1000 square feet depending upon amount of ground cover and vegetation present. Apply to ground surface, litter and vegetation up to a height of about 2 feet. Repeat applications as necessary for control. Treat in and around sleeping quarters, kennels and dog houses as directed under fleas. Dust liberally.

MILLEPEDES AND EARWIGS: Apply 2 to 3 pounds per 1000 square feet to soil surface and to mulch and debris around shady places where these pests are found.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store pesticide in original container and place in a locked storage area. Do not reuse container. Securely wrap original container in several layers of newspapers and discard in trash.

NOTICE

The seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on this label.

NET WEIGHT: 5 POUNDS

SECURITY CHEMICAL COMPANY

MANUFACTURERS

ATLANTA, GEORGIA

PRECAUTIONARY STATEMENTS

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of waste. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not use on pregnant dogs.

FLEAS: To control fleas in pens, yards, lawns, barns and under buildings, apply this material at the rate of 1 to 2 pounds per 1000 square feet using a garden-type duster. Treat in and around sleeping quarters, kennels and dog houses. Force dust into cracks and crevices. Dust liberally. Repeat as necessary. Do not expose kittens less than four weeks of age to treated areas.

MOSQUITOES: For control of adult mosquitoes (outdoors only), apply to shrubbery, grass and other vegetation at the rate of 1 to 2 pounds per 1000 square feet. Repeat as necessary for control.

TICKS: On infested lawns, vacant fields and wooded

