


7-9 407 12/12 131

ACCEPTED
JUN 28 1985
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 769-407



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
STATEMENT OF PRACTICAL TREATMENT

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other parathion and carbaryl labels.

REENTRY STATEMENT

Do not enter treated areas for 48 hours unless appropriate protective clothing is worn. Do not enter treated areas without protective clothing until dust has settled. Because certain states may require more restrictive reentry intervals for various crops treated with this product. Consult your State Department of Agriculture for further information.

NOTICE: TO FIELD WORKERS SUPERVISOR OR FARM MANAGER: Written or oral warnings must be given to workers who are expected to be in treated area or in an area about to be treated with this product. (Indicate specific oral warnings which inform workers of area or areas that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure.) When oral warnings are given, warnings shall be given in the language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: **DANGER!** Area treated with parathion on (DATE OF APPLICATION). Do not enter without appropriate protective clothing for 48 hours. In case of accidental exposure, consult statement of practical treatment above.

WARNING: Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

TOBACCO: To control hornworms, flea beetles, aphids and suckfly, apply at the rate of 15 to 25 pounds of dust per acre. Begin applications when insect infestation warrants and repeat as necessary for control. Do not apply with cloth bags or other hand applicators. Use mechanical applicators only. Overapplication may cause plant injury. Some plant injury may occur on tender foliage in the presence of rain or high humidity of several days duration following applications. Do not apply within five days of pruning or fifteen days of cutting. Avoid getting wet with plant juices when cutting crop. Plant bed applications for control of flea beetles and aphids should be made at 1 to 2 pounds per 100 square yards. Repeat at 10 to 14 day intervals as necessary. When necessary to enter treated fields within 24 hours after application, protective clothing should be worn.

STORAGE AND DISPOSAL

ORAGE: Store pesticide and place in a locked storage area. Opened pesticide containers should be securely resealed prior to storage. Protect from penetration of moisture and excessive heat. Avoid cross contamination with other pesticides. Use caution when storing pesticides in stacks.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label directions, contact your State pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE - DISCLAIMER OF WARRANTY, MERCHANTABILITY AND LIABILITY: If for any reason this product is not used, stored, transported or disposed of in accordance with the instructions set forth on this label, then and thereafter Security Chemical Company terminates, ends and excludes all warranties, expressed or implied, including the warranty of merchantability and fitness. The failure to use, apply, store, transport or dispose of this product in accordance with the instructions set forth on this label shall then and thereafter terminate and end Security Chemical Company's liability for injury to crops, animals, persons, property and real property, of every kind and description, and for injury to any person or persons, and for any consequential damages arising out of injury to the foregoing set forth. There are no warranties which extend beyond the description on this label.

Manufacturers **SECURITY CHEMICAL COMPANY** Atlanta, Georgia

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

DANGER!
Keep out of reach of children.

STOP! READ THIS LABEL



CAN KILL YOU

POISON!
See side panels for antidote and precautions

PELIGRO PRECACION AL USUARIO

Si usted no lee bien, no use este producto hasta que la etiqueta haya sido explicado completamente.

5% Sevin-2% Parathion Tobacco Dust

Controls Hornworm, Flea Beetles, Aphids and Suckfly

ACTIVE INGREDIENTS:		
Carbaryl (1-Naphthyl N-methylcarbamate)		5.00%
Parathion (0,0 diethyl 0-p-nitrophenyl thiophosphate)		2.00%
INERT INGREDIENTS:		93.00%
EPA REG. NO. 769-407	EPA EST. 769 GA-1	TOTAL 100.00%

* Trademark of Union Carbide Corp. for 1-naphthyl N-methylcarbamate

NOT FOR HOME USE

DANGER - POISON - PRECAUTIONS



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin in eyes or on clothing.



CAN KILL YOU IF BREATHED

This product can kill you if dust is breathed.



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. dust may be fatal if swallowed.

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. **IF SWALLOWED:** Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. **IF INHALED:** Remove victim to fresh air. If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. **IF ON SKIN:** Remove contaminated clothing and wash immediately with soap and water. **IF IN EYES:** Flush eyes with plenty of water for at least 15 minutes and get medical attention.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooping of drooping of mouth and nose, muscle spasms and coma.

NOTE TO PHYSICIAN

Antidote - Administer atropine sulfate in large doses, TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING:

(1) Wear waterproof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear a respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II. (4) Wear heavy-duty natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from the treated area or where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking. **AFTER WORK,** take off all work clothes and shoes. Shower using soap and water. Wear only clean clothing when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and wildlife. Birds and other wildlife in treated area may be killed. Do not apply directly to water or wetlands. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PROTECT BEES: This product is highly toxic to bees exposed to direct treatment or residue on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Protective information may be obtained from your Cooperative Agricultural Extension Service.

BEST AVAILABLE COPY