

SECURITY

7% PENTA HERBICIDE

FOR NON-CROPLAND USE ONLY

ACTIVE INGREDIENTS:

Pentachlorophenol	6.36%
Other Chlorophenols and related compounds74%
Aromatic petroleum derivative solvent	59.70%
Petroleum hydrocarbons	32.90%

INERT INGREDIENTS:

.....	.30%
E. P. A. Reg. No. 769-435	TOTAL 100.00%

DO NOT USE. POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME

WARNING! KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed or absorbed through skin! Causes skin irritation! Do not breathe vapor or spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. If swallowed, send for a physician, induce vomiting, and when vomit fluid is clear, take 2 tablespoons of baking soda in a glass of water.

PROTECT WILDLIFE: This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS

For weed and grass control in non-crop areas only. Apply Penta Herbicide in warm weather, it is most toxic at temperatures above 80° F. and at a high humidity. Below 50° F. it is not very effective. Apply sufficient volume to wet the vegetation thoroughly. Mix 1 part Penta Herbicide to 7 parts of a light petroleum solvent such as kerosene, mineral spirits, diesel fuel or light furnace oil, and apply at the rate of 150 to 300 gallons per acre, depending on the height and density of the vegetation. Penta Herbicide kills annual weeds. Perennials will be burned to the ground, but will regrow in several weeks or months. Penta Herbicide may be used in lumber yards, industrial plant yards, along railroad tracks and right-of-way, fence rows and similar non-crop areas. Do not apply to areas underlaid by roots of desirable trees and shrubs. Avoid spray drift to desirable plants. Do not contaminate water used for irrigation or domestic purposes. Do not permit grazing on treated areas.

DISPOSAL WARNING

Dispose of waste and spillage by burying in non-crop land away from water supplies. Containers should be disposed of by punching holes in them and burying with waste. Do not re-use empty container.

NOTICE

DISCLAIMER OF WARRANTY, MERCHANTABILITY AND LIABILITY
If for any reason this product is not used, applied, stored, transported or disposed of in accordance with the instructions set forth on this label, then and thereafter Woolfolk Chemical Works, Inc. terminates, ends and excludes all warranties, expressed or implied, including the warranty of merchantability and fitness.

WOOLFOLK CHEMICAL WORKS, INC.

MANUFACTURERS

370716

FORT VALLEY, GEORGIA

DILUTION CHART FOR SWIMMING POOLS

Swimming Pool Capacity Gal. of Water	Initial Treatment ALGAE-Cure	Treatment Once Every Two Weeks ALGAE-Cure
10,000	1/2 oz.	1/4 oz.
20,000	1 oz.	1/2 oz.
30,000	1 1/2 oz.	3/4 oz.
40,000	2 oz.	1 oz.
50,000	2 1/2 oz.	1 1/4 oz.
60,000	3 oz.	1 1/2 oz.
70,000	3 1/2 oz.	1 3/4 oz.
80,000	4 oz.	2 oz.
90,000	4 1/2 oz.	2 1/4 oz.
100,000	5 oz.	2 1/2 oz.

FOR BLACK ALGAE
 For black algae, use the amount of ALGAE-Cure indicated in the chart above, plus an additional amount of 1/2 oz. per 10,000 gallons of water.

HOW TO ESTIMATE GALLON CAPACITY OF YOUR POOL
 For Square or Rectangular Pools:
 Length x Width x Depth = Gallons
 For Circular or Elliptical Pools:
 Length x Width x Depth = Gallons

WASH YOUR HANDS IMMEDIATELY AFTER TREATMENT



ALGAE-CIDE for SWIMMING POOLS

ACTIVE INGREDIENTS
 Copper as elemental 7.41%
INERT INGREDIENTS: 92.59%
 F & B ALGAE-Cure contains 0.72 lbs. of elemental copper per gallon
 as a Copper Triethanolamine Complex

CAUTION KEEP OUT OF REACH OF CHILDREN
 See additional cautions on side panel

NET CONTENTS: ONE QUART
 Distributed by
Faesy & Besthoff, Inc.
 Edgewater, N.J. 07020

DIRECTIONS FOR USE

CAUTION

EPA Est No. 779-N EPA Reg No. 79-90