

## RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

# METHYL PARATHION EC-6

### ACTIVE INGREDIENTS:

Methyl Parathion (0,0-dimethyl 0 p  
nitrophenyl phosphorothioate 59.55%  
Related Compounds 3.13%  
Aromatic Petroleum Derivative Solvent 30.58%

**INERT INGREDIENTS:** 6.74%

EPA Reg. No. 769-440 Total 100.00%  
EPA Est. 769-GA-1

This product contains 6 pounds Methyl  
Parathion per gallon

**KEEP OUT OF  
REACH OF CHILDREN  
DANGER-POISON**



**STATEMENT OF PRACTICAL TREATMENT  
ATROPINE IS THE EMERGENCY  
ANTIDOTE FOR METHYL PARATHION  
POISONING.** 2-PAM chloride is also antidotal  
and may be administered in conjunction with  
atropine. Consult your physician about  
obtaining an adequate supply of 1-100 grain  
atropine tablets for emergency use. **CALL A  
PHYSICIAN IMMEDIATELY IN ALL CASES  
OF SUSPECTED POISONING.**

**IF SWALLOWED:** Drink 1 or 2 glasses of  
water and induce vomiting by touching back  
of throat with finger or blunt object. Do not  
induce vomiting or give anything by mouth to  
an unconscious person. Get medical  
attention.

**IF INHALED:** Remove victim to fresh air.  
Apply respiration if indicated.

**IF ON SKIN:** Remove victim from the vicinity  
of the Methyl Parathion, remove conta-  
minated clothing and wash skin with soap and  
water.

**IF IN EYES:** Flush eyes with plenty of water  
for at least ten minutes. Get medical attention.

### NOTE TO PHYSICIAN

**WARNING SYMPTOMS:** Symptoms include  
weakness, headache, tightness in chest,  
blurred vision, non reactive pin point pupils,  
salivation, sweating, nausea, vomiting,  
diarrhea and abdominal cramps.

**TREATMENT:** Atropine is the specific thera-  
peutic antagonist of choice against parasympath-  
etic nervous stimulation. If there are signs of  
parasympathetic stimulation, atropine sulfate  
should be injected at 10 minute intervals in  
doses of 1 to 2 milligrams until complete  
atropinization has occurred. Morphine is  
contraindicated. Clear chest by postural  
drainage. Oxygen administration may be  
necessary. Observe patient continuously for  
48 hours. Repeated exposure to cholinesterase  
inhibitors may without warning cause  
prolonged susceptibility to very small doses of  
any cholinesterase inhibitor. Allow no further  
exposure until time for cholinesterase  
regeneration has been allowed as determined  
by blood tests. Additional information on  
treatment of patients suffering from organic  
phosphorus insecticide poisoning is  
contained in the booklet entitled "Clinical  
Memoranda on Economic Poisons," a  
publication of the Department of Health,  
Education and Welfare, Public Health  
Service, Communicable Disease Center,  
Atlanta, Georgia.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER! KEEP OUT OF REACH OF CHILDREN.** Poisonous if  
swallowed, inhaled or absorbed through skin. Rapidly absorbed  
through skin. Repeated inhalation or skin contact may, without  
symptoms, progressively increase susceptibility to Methyl  
Parathion poisoning. Do not swallow or get in eyes, on skin or on  
clothing. Do not breathe mist or vapors. Wear clean natural  
rubber gloves, clean waterproof protective clothing and goggles.  
Replace gloves frequently and destroy used gloves. Wear a  
pesticide respirator jointly approved by the Mining Enforcement  
and Safety Administration (formerly the U.S. Bureau of Mines) and  
by the National Institute for Occupational Safety and Health under  
the provisions of 30 CFR part 11. Wash thoroughly with soap and  
water after handling and before eating or smoking. Wash clothing  
before use.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds and other wildlife. Do not apply  
directly to lakes, streams or ponds. Do not apply where runoff is  
likely to occur. Do not apply when weather conditions favor drift  
from areas treated. Do not contaminate water by cleaning of  
equipment or disposal of wastes. Apply this product only as  
specified on this label. **PROTECT BEES:** This product is highly  
toxic to bees exposed to direct treatment or to residues on plants.  
Protective information may be obtained from your Cooperative  
Agricultural Extension Service.

### PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner  
inconsistent with its labeling.

**WARNING:** Do not apply or allow to drift to areas occupied by  
unprotected humans and beneficial animals. Vacated areas  
should not be re-entered until drifting insecticides and volatile  
residues have dissipated. Workers entering treated fields within  
48 hours after application should wear protective clothing. Do not  
contaminate food or feed products.

**COTTON:** Boll Weevil, Aphids, Cotton Leafworm, Fleahopper,  
Thrips and some species of Spider Mites. Apply at the rate of 1/2 to  
2/3 pint per acre in sufficient water for coverage. Begin applications  
when insect infestation warrants and repeat at 4 to 5 day intervals  
as necessary for control. **BOLLWORM:** This product will not control  
bollworms at the above rate. When this pest is present, increase  
the rate of Methyl Parathion EC-6 to 2 1/2 fl. oz. per acre. Do not apply  
this product within 7 days of handpicking or harvest. Cotton which  
has been treated with this material should not be grazed.

**VEGETABLES:** Aphids, Armyworms (up to 3rd instar), Flea  
Beetles, Leafhoppers and certain species of Mites. On Celery,  
Peas, Peppers, Potatoes, Lettuce, Spinach, apply at the rate of 2/3  
pint per acre. On Carrots, Beets, Tomatoes, apply at the rate of 2/3  
pint per acre. On Beans, Cole Crops (including Broccoli, Brussels  
Sprouts, Cabbage and Cauliflower) apply at the rate of 2/3 pint per  
acre. Begin applications when insects appear, repeat as  
necessary for control. Do not apply to Potatoes within 5 days of  
harvest, to Carrots (where tops are not to be used for food).


Manufacturers

WOOLFOLK CHEMICAL WORKS, INC.

290250

Fort Valley, Georgia 31030

**METHYL  
PARATHION  
MIXTURE,  
LIQUID  
NA2783**



**(vegetables cont.)**

Celery Peas Peppers Bean  
(where tops are not to be used for  
food) Beans (except green beans) and  
Tomatoes within 15 days of harvest  
Carrots Beets Lettuce Spinach  
Beans and Cauliflowers within 15 days  
of harvest

**ALFALFA:** Spotted Alfalfa Aphid. Apply at a  
rate of 5 fluid ounces per acre to control Spotted  
Armyworms, cutworms, and other leaf-eating insects.  
Certain species of Moths apply at the rate of 10 fluid  
ounces. Do not apply within 30 days of harvest.

**SMALL GRAINS:** (Wheat, Barley, Oats, Rye, and Corn)  
(Green Bug) Apply at the rate of 10 fluid ounces per acre.  
Apply within 15 days of harvest.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.  
Open containers and labels must be clearly marked. Do not  
reuse. Pesticide containers must be triple-rinsed, and the rinsate  
applied according to label directions. Do not burn. Do not  
dispose of in any way that will result in the release of toxic  
materials into the environment. For more information, contact your  
Responsible Chemist and Regulatory Agency.

**NOTICE  
DISCLAIMER OF WARRANTY  
MERCHANTABILITY AND LIABILITY**

This product is sold as a mixture of active ingredients. The  
manufacturer does not warrant the performance of this product  
under any conditions. The user assumes all liability for the  
use of this product. The manufacturer is not responsible for  
any damage to property or persons resulting from the use of  
this product. The manufacturer is not responsible for any  
damages to property or persons resulting from the use of this  
product. The manufacturer is not responsible for any damages  
to property or persons resulting from the use of this product.