

SPACE SPRAY: To kill flies, mosquitoes and gnats. Close room or area to be treated. Shut off air conditioner and ventilator system. Seal all open vents. Remove fish and pets. Apply undiluted as a very fine mist space spray through manually operated equipment or with electrical and other powered applicators. Avoid staining by holding the spray nozzle at least five feet from objects. Direct the fine spray mist toward the upper corners of the room. Fill the room with a fine mist space spray at the rate of 5 fluid ounces per 5,000 cubic feet. Leave room closed for one-half hour. Ventilate thoroughly before re-entry. Sweep up and destroy fallen insects.

CONTACT SPRAY: To kill roaches, ants, earwigs, grain mites, sawbugs, spiders, and centipedes. Adjust spray to contact these insects in cracks and crevices in floors, baseboards around pipes, behind cabinets, and other harborage. Spray these infested areas until thoroughly wet. Repeat as necessary.

TO KILL SPIDERS: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

TO KILL ANTS: Spray doors, window frames, ant trails and hills.

TO KILL GRAIN INSECTS: Adults of confused flour beetles, saw-toothed grain beetles, shiny spider beetle. Remove infested grain, cereal or flour and destroy. Avoid contamination of other feed and food stuffs in the area by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain insects may be hiding. In homes, dispose of all infested products, the shelves and drawers should be cleaned, thoroughly sprayed so as to contact all pests and covered with shelf paper after allowing shelves to dry. Any utensils that are contacted with spray should be washed before using. Repeat as necessary.

NOTICE: The seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on this label.



Household Insect Killer

ACCEPTED

ACTIVE INGREDIENTS:

*+ ^o Resmethrin ([5 (phenylmethyl) 3 furanyl, methyl 2,2 dimethyl 3-(2-methyl 1 propenyl) cyclopropanecarboxylate	0.250	w w
Related Compounds	0.634	
Aromatic petroleum hydrocarbons	0.331	
Petroleum distillate	99.375	
INERT INGREDIENTS:	0.010	
E. P. A. Reg. No. 769-462	TOTAL	100.000
E. P. A. Est. 769-GA-1		

* Cis trans isomers ratio: max 30 (+) cis and min 70 (+) trans.

+ U. S. Patent Nos. 3,465,007 and 3,542,928.

^oPerick's SBP-1382 brand of resmethrin insecticide, Perick Corp., 1050 Wall Street West, Lyndhurst, NJ 07071

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See side panel for additional precautionary statements.

Woolfolk Chemical Works, Inc.
Manufacturers 970330 **Ft. Valley, Ga.**

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS
 CAUTION**

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing mist. Remove fish, birds, and other pets from area to be sprayed. Extinguish open flame before space spraying. Foods should be removed or covered during treatment. This product contains petroleum distillates. Do not induce vomiting if ingested.

FIRST AID

In case of contact, immediately flush skin and eyes with plenty of water for at least 15 minutes. For skin and eyes, call a physician.

PHYSICAL OR CHEMICAL HAZARDS

This formulation is combustible. **DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

DISPOSAL

Do not reuse container. Wrap container and place in trash collection.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

A synthetic Pyrethroid for controlling the following household flying and crawling insects: Houseflies, Mosquitoes, Gnats, Roaches, Ants, Earwigs, Spiders, Grain Insects (adults of Confused Flour Beetles, Saw-Toothed Grain Beetles, Shiny Spider Beetles), Grain Mites, Sawbugs and Centipedes.

FOR USE IN motels, hotels, homes, non-food areas of institutions, packaging and processing plants, seed houses, and horse stables.

DO NOT USE in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.