

PM21

769-478

1/4

DUSTING SULPHUR

Active Ingredient:	
Sulphur	90.0%
Inert Ingredients:	10.0%
TOTAL:	100.0%

EPA Reg. No. 769-478

EPA Est. No. 769-GA-1

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entienda la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Statement of Practical Treatment

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by sticking finger in back of throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

If Inhaled: Move victim to fresh air and administer artificial respiration if indicated.

If In Eyes: Immediately flush with plenty of water for at least 15 minutes. Call a physician irritation persists.

If On Skin: Wash with soap and water.

Manufactured By:
SureCo, Inc.
Fort Valley, GA 31030

ACCEPTED

JAN 2 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 769-478

96 SEP 19 P 3:59

RECD EPA/OPP/DPD1

PRECAUTIONARY STATEMENTS
Hazards To Humans and Domestic Animals
CAUTION

Harmful if swallowed. Avoid breathing dust. May cause irritation of nose, throat or skin. Avoid contact with eyes, skin and clothing. Do not contaminate feed and foodstuffs. Do not use for medical purposes or as a feed supplement.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users Should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

CHEMICAL HAZARDS

Sulphur dust suspended in air ignites easily. Keep away from heat, sparks or flames. Do not smoke while applying this product.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

3/4

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, waterproof gloves and shoes plus socks.

Use Precautions: Some fruits and other plants are susceptible to injury from sulphur under certain climatic conditions. The user is advised not to use sulphur on any crop unless local use has proven that sulphur is safe in that locality. Do not allow dust to reach cucumbers, squash or melons. During periods of high temperatures, sulphur may burn foliage and fruit. Do not make sulphur applications at excessively high temperatures. Do not use sulphur within 4 weeks of an oil application. If the crop to be treated will be used for commercial canning or freezing purposes, consult food processor before applying sulphur.

Citrus: To control Rust Mite, use 1/2 to 1 1/2 lbs. per tree, depending on tree size. Apply dust when air is calm and leaves are covered with dew, preferably at night. Do not apply during periods of high temperatures.

Peaches, Plums: To control Brown Rot, Powdery Mildew and Scab, apply 25 to 45 lbs. per acre. Follow locally issued spray schedule for number and frequency of applications. Usually 6 applications are made: No. 1 - when 2/3 petals have fallen; No. 2 - when 3/4 shucks have shed; No. 3 - two weeks later; No. 4 - Two weeks after No. 3; No. 5 - four weeks before harvest; and No. 6 - two weeks before harvest.

Apples: To control Apple Scab and Powdery Mildew, apply 25 to 45 lbs. per acre. Dust thoroughly between periods of rainfall. Repeat as necessary to cover new foliage growth during pink, petal-fall and cover spray period. MacIntosh, Golden Delicious, Jonathan and certain other varieties may be injured by sulphur applications under certain conditions.

Outdoor Flowers, Ornaments: To control Powdery Mildew, Leaf Spot and Black Spot on Roses, Botrytis Blight on Hydrangea and Red Spiders dust thoroughly and repeat applications as necessary. For disease control, repeat applications on a weekly basis.

Beans: To control Rust and Red Spiders, dust thoroughly at the rate of 15 to 30 lbs per acre. Be sure dust is directed to underside of leaves. Repeat as necessary. For rust control, applications should be made at 7 to 10 day intervals. Do not apply to varieties of beans susceptible to sulphur injury. Do not apply if the temperature during or within 3 days after application is expected to exceed 90 F.

Peanuts: To control Leaf Spot, apply 20 to 25 lbs. per acre at 7 to 10 day intervals or as necessary. Begin dusting when disease first appears and continue to within 1 month of harvest.

Poultry (chickens, turkeys, ducks, geese, game birds, and pigeons): To control deplumming mites, dust liberally to birds and rub into feathers. Apply dust thoroughly to all interior surfaces of poultry houses. Force dust into cracks and crevices. Repeat applications as needed.

STORAGE AND DISPOSAL

Storage: Store pesticide in original container and place in a locked storage area. Opened pesticide containers should be securely resealed prior to storage. Protect from penetration of moisture and excessive heat. Avoid cross contamination with other pesticides or fertilizers. Use caution when storing pesticides in stacks.

Pesticide Disposal: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: Read these entire Directions and Conditions of Sale before using this product. **DISCLAIMER:** SureCo warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to above. SureCo makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty. In no case shall SureCo be liable for consequential, special, or indirect damages resulting from the use, handling or application of this product.