

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

SURE-KOTE™ P

PARATHION-SULPHUR FLOWABLE PEACH SPRAY

STOP! READ THE LABEL.

DANGER!
Keep out of reach
of children.
POISON
See side panels
or antidote
and precautions.



PELIGRO
PRECAUCION AL USUARIO
Si usted no lee, entienda, no use este
producto hasta que le etiqueta haya
sido explicado ampliamente

ACTIVE INGREDIENTS:

Parathion (0,0 dimethyl (0 p nitrophenyl) phosphorothioate)
Related Compounds
Sulphur

INERT INGREDIENTS:

EPA Reg No. 769-518

This product contains 6 pounds Sulphur and 0.6 pounds Parathion and related compounds per gallon

5.00%

0.24%

50.00%

44.76%

TOTAL 100.00%

EPA Est. 769-GA-1

NOT FOR HOME USE

DANGER-POISON-PRECAUTIONS



**CAN KILL YOU BY
SKIN CONTACT**

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes)



**CAN KILL YOU IF
BREATHED**

This product can kill you if vapors, or spray mist are breathed



**CAN KILL YOU IF
SWALLOWED**

This product can kill you if swallowed even in small amounts, spray mist may be fatal if swallowed

WOOLFOLK CHEMICAL WORKS, INC.

Manufacturers

Fort Valley, Georgia

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS STATEMENT OF PRACTICAL TREATMENT

Call a doctor (physician) clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. **IF SWALLOWED:** Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. **IF INHALED:** Remove victim to fresh air. If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. **IF ON SKIN:** Remove contaminated clothing and wash immediately with soap and water. **IF IN EYES:** Flush eyes with plenty of water for at least 15 minutes and get medical attention.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the symptoms of poisoning are: headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness of chest, labored breathing, nervousness, sweating, watering of eyes, drooping of mouth and nose, muscle spasms and coma.

NOTE TO PHYSICIAN

Antidote: Administer atropine sulphate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous system and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after the initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING:

(1) Wear water proof pants, coat, hat and rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear a respirator properly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician) clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see Statement of Practical Treatment) and if a doctor cannot come, take the victim to a clinic or hospital. **IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking. **AFTER WORK:** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes before leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. **PROTECT BEES.** This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service or Experiment Station regarding treated areas.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE.

REENTRY STATEMENT

Do not enter treated areas for 48 hours unless appropriate protective clothing is worn. Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.


NOTICE TO FIELD WORKERS SUPERVISOR OR FARM MANAGER: Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. (Indicate specific oral warnings which inform workers of areas or fields that may not be entered without specific protective clothing. Period of time field must be vacated and appropriate actions to take in case of accidental exposure.) When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: **DANGER!** Area treated with parathion on (date of application). Do not enter without appropriate protective clothing for 48 hours. In case of accidental exposure, consult statement of practical treatment above.

WARNING: Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

FOR USE ON PEACHES, PLUMS and NECTARINES: To control curculio, Oriental fruit moth, San Jose scale (in the crawler stage), brown rot and scab use this product at the rate of 2 quarts per 100 gallons of water applied as a dilute spray. For concentrate applications use 3 to 6 quarts per acre depending on tree size in sufficient water for thorough coverage. Do not apply when temperature is excessively high because of the danger of sulphur injury. Do not apply more than 5 pounds of actual parathion per acre per year (8 1/2 gallons of this product per acre per year).

**PARATHION
MIXTURE
LIQUID
NA2783 RQ**

**NET CONTENTS:
5 GALLONS**



ACCEPTED

APR 30 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 769-518

DIRECTIONS (Continued)

Workers entering treated fields within 48 hours after application should wear protective clothing. The following schedule is suggested as a general guide but is in no way guaranteed. The number of applications and time of application may vary in different localities. Early ripening varieties will not require the full schedule of applications. Consult your nearest Experiment Station for specific directions.

SPRAY SCHEDULE

- (1) When all petals are off
- (2) When 1/2 shucks have shed
- (3) 7 to 10 days after No. 2
- (4) 10 to 14 days after No. 3
- (5) 14 days after No. 4
- (6) 6 weeks before harvest of each variety
- (7) 4 weeks before harvest
- (8) 2 weeks before harvest
- (9) Preharvest

*If heavy scab pressure is expected based on factors such as past history or an inadequate spray program the previous year, add 4 1/2 to 6 pounds of Security® Nitron® Wettable Sulphur or 3 to 4 quarts of Security® Sure-Kote Flowable Sulphur per acre, in addition to the standard rate of Security® Sure-Kote P Parathion Sulphur Flowable in sprays No. 2, No. 3 and No. 4. If insects are present in orchard at the time of spray No. 5, use Security® Nitron® Wettable Sulphur or Security® Sure-Kote Flowable Sulphur for disease control. ***DO NOT USE THIS PRODUCT WITHIN 14 DAYS OF HARVEST. If insect or disease control is needed, apply an approved insecticide or fungicide.

STORAGE AND DISPOSAL

STORAGE: Store pesticide in original container and place in a locked storage area. Opened pesticide containers should be securely resealed prior to storage. Protect from penetration of moisture and excessive heat or cold. Avoid cross contamination with other pesticides or fertilizers. Use caution when storing pesticides in stacks. **PESTICIDE DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Triple rinse (or equivalent), then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

**NOTICE
DISCLAIMER OF WARRANTY
MERCHANTABILITY AND LIABILITY**

If for any reason this product is not used, applied, stored, transported or disposed of in accordance with the instructions set forth on this label, then and thereafter, Wootok Chemical Works, Inc. terminates, ends and excludes all warranties, expressed or implied, including the warranty of merchantability and fitness. 397001