

RESTRICTED USE PESTICIDE
 Due to very high acute toxicity to
 Humans and Birds

For retail sale to and use only by certified applicator or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

ACCEPTED
 NOV 1 0 1987
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 769-518

SUREGARD BRAND

BEST AVAILABLE COPY

SURE-KOTE™ P

Parathion-Sulphur Flowable Peach Spray

ACTIVE INGREDIENTS:

Parathion (0,0-diethyl (0-p-nitrophenyl phosphorothioate)	5.00%
Related Compounds	0.24%
Sulphur	50.00%

INERT INGREDIENTS: 44.76%

EPA Reg. No. 769-518 EPA Est. 769-GA-1 Total 100.00%

This product contains 6 pounds Sulphur and 0.6 pounds Parathion and related compounds per gallon.

NET CONT. 2 1/2 GALLONS

STOP! READ THE LABEL.



DANGER!

Keep out of reach of children.

POISON

See back panel for antidote and precautions

PELIGRO

PRECAUCION AL USUARIO

Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado amplimente.

NOT FOR HOME USE
DANGER - POISON - PRECAUTIONS



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors or spray mist are breathed.



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts; spray mist may be fatal if swallowed.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
STATEMENT OF PRACTICAL TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. **IF SWALLOWED:** Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. **IF INHALED:** Remove victim to fresh air. If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. **IF ON SKIN:** Remove contaminated clothing and wash immediately with soap and water. **IF IN EYES:** Flush eyes with plenty of water for at least 15 minutes and get medical attention.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the symptoms of poisoning are: headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness of chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, and muscle spasms and coma.

NOTE TO PHYSICIAN

Antidote--Administer atropine sulphate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral

nervous system and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after the initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

PROTECTIVE CLOTHING STATEMENT
THIS PRODUCT MAY BE FATAL IF SWALLOWED, INHALED OR IF ALLOWED TO CONTACT SKIN. FAILURE TO PROPERLY FOLLOW ALL INSTRUCTIONS FOR PROTECTIVE CLOTHING AND EQUIPMENT WILL INCREASE YOUR RISK.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR AND CLEANING OF APPLICATION EQUIPMENT, DISPOSAL OF PESTICIDE, AND EARLY REENTRY INTO TREATED FIELDS:
 Waterproof pants and coat; heavy-duty chemical resistant gloves;

rubber boots or rubber overshoe, hood or wide-brimmed hat; safety goggles or face shield; NIOSH approved respirator. In addition, mixers/loaders must wear a chemical resistant apron when using the concentrated product. During aerial application in nonenclosed cockpits, a helmet with a visor may be substituted for the hood or wide-brimmed hat and safety goggles or face shield requirements.

IF MIXING/LOADING IS PERFORMED USING A CLOSED SYSTEM, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE:

Heavy-duty chemical resistant gloves; chemical resistant apron; long-sleeved shirt (or gauntlets and short sleeved shirt) and long-legged pants; shoes and socks.

Safety goggles or a face shield must be worn when the system is under pressure. All other protective clothing and equipment required for use with open systems must be available nearby.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE:

Clean long-sleeved shirt and long-legged pants. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated areas. If used for this purpose, contaminated clothing may not be brought back into the cab unless in an enclosure such as a plastic bag.

REMEMBER - THIS CLOTHING IS NOT INTENDED TO PROTECT YOU DURING REPAIR AND CLEANING OF APPLICATION EQUIPMENT OR DURING EARLY REENTRY! REFER TO THE INSTRUCTIONS ABOVE.

HUMAN FLAGGERS ARE STRICTLY PROHIBITED DURING AERIAL APPLICATION.

IMPORTANT! If pesticide comes in contact with skin, wash off with soap and water, and contact a physician immediately. Always wash hands, face and arms with soap and water before smoking, eating, drinking or toileting.

AFTER WORK: Wash gloves with soap and water before removing. Take off all work clothes and shoes. Store

protective clothing separately from personal clothing. Launder protective clothing after each use. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Personal clothing worn during mixing/loading, application, repair and cleaning of application equipment, disposal of pesticide, and early reentry into treated fields must be stored and laundered separately from household articles. Clothing and equipment heavily contaminated or drenched with parathion must be destroyed according to state and local regulations.

HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.

Respirators should be cleaned and cartridges replaced according to instructions included with respirators. Replace gloves frequently.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see Statement of Practical Treatment) and if a doctor cannot come, take the victim to a clinic or hospital. **IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking. **AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes before leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

Reentry into apple, citrus, peach, nectarine or grape fields in the states of Arizona, California, Nevada, New Mexico, Oklahoma, Texas and Utah is prohibited for seven days after the end of application, unless all protective clothing and equipment required for early reentry as described elsewhere on the label is worn. Reentry into all other treated areas is prohibited for 6 days after end of application, unless all required protective clothing and equipment is worn.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish and wildlife. Birds in treated areas may be killed. Do not apply directly to water or wetlands (swamps, marshes, bogs and potholes). Runoff and drift from target areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate water by cleaning of equipment or disposal of wastes.

PROTECT BEES

This product is extremely toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow to drift to blooming crops or weeds if bees are visiting the treatment area.

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE
KEEP FROM FREEZING

NOTICE TO FIELD WORKERS SUPERVISOR OR FARM MANAGER:
Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. (Indicate specific oral warnings which inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure.) When oral warnings are given, warnings shall be given in language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

MANUFACTURED FOR: SureCo, Inc.
Fort Valley, GA 31030

DANGER!

Area treated with parathion on (DATE OF APPLICATION).
Do not enter without appropriate protective clothing for 48 hours. In case of accidental exposure, consult statement of practical treatment above.

Do not apply this product through any type of irrigation system.

WARNING: Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

FOR USE ON PEACHES, PLUMS and NECTARINES: To control curculio, Oriental fruit moth, San Jose scale (in the crawler stage), brown rot and scab use this product at the rate of 2 quarts per 100 gallons of water applied as a dilute spray. For concentrate applications use 3 to 6 quarts per acre depending on tree size in sufficient water for thorough coverage. Do not apply when temperature is excessively high because of the danger of sulphur injury. Do not apply more than 5 pounds of actual parathion per acre per year (8 1/2 gallons of this product per acre per year). Workers entering treated fields within 48 hours after application should wear protective clothing. The following schedule is suggested as a general guide but is in no way guaranteed. The number of applications and time of application may vary in different localities. Early ripening varieties will not require the full schedule of applications. Consult your nearest Experiment Station for specific directions.

SPRAY SCHEDULE

- | | |
|--------------------------------|---|
| (1) When all petals are off. | (6) 6 weeks before harvest of each variety. |
| (2) When 1/4 shucks have shed. | (7) 4 weeks before harvest. |
| (3) 7 to 10 days after No. 2. | (8) 2 weeks before harvest. |
| (4) 10 to 14 days after No. 3. | (9) Preharvest. |
| (5) 14 days after No. 4. | |

*If heavy scab pressure is expected based on factors such as pest history or an inadequate spray program the previous year, add 4 1/2 to 6 pounds of SureGard[®] Nutonex Wettable Sulphur or 3 to 4 quarts of SureGard[®] Sure-Kote Flowable Sulphur per acre in addition to the standard rate of SureGard[®] Sure-Kote P Parathion-Sulphur Flowable in sprays No. 2, No. 3 and No. 4. **If no insects are present in orchard at the time of spray No. 5, use SureGard[®] Nutonex Wettable Sulphur or SureGard[®] Sure-Kote Flowable Sulphur for disease control. ***DO NOT USE THIS PRODUCT WITHIN 14 DAYS OF HARVEST. If insect or disease control is needed, apply an approved insecticide or fungicide.

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

STORAGE: Store pesticide in original container and place in a locked storage area. Opened pesticide containers should be securely resealed prior to storage. Protect from penetration of moisture and excessive heat or cold. Avoid cross-contamination with other pesticides or fertilizers. Use caution when storing pesticides in stacks. **PESTICIDE DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

DISCLAIMER OF WARRANTY, MERCHANTABILITY AND LIABILITY

NOTICE: SureCo, Inc. warrants that the product conforms to the chemical description on its label and when used in accordance with the directions on the label and under normal conditions, is reasonably fit for the purposes stated on the label. SURECO MAKES NO WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, EXPRESSED OR IMPLIED, EXCEPT AS STATED ON THIS LABEL. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as environmental conditions, conditions of application and other conditions relating to the use and handling of this product. All such risks are assumed by the purchaser. SURECO SHALL IN NO EVENT BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.