

769-522

5-27-1982

1/3

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460 NOTICE OF PESTICIDE: ☐ REGISTRATION ☐ REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 769-522 TERM OF ISSUANCE NAME OF PESTICIDE PRODUCT Security Blade Liquid Liquid Worm Spray	DATE OF ISSUANCE MAY 27 1982
NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Woolfolk Chemical Works, Inc. P.O. Box 938 Fort Valley, GA 31030 17-05 769-522 18/1 PHS		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is attached herewith.		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
This product is conditionally registered in accordance with the provisions of Section 3(c)(7)(A) of the Act, since you have agreed that you will submit and/or cite all data required for registration/reregistration of your product under FIFRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.		
If these conditions are not complied with, the registration will be subject to cancellation in accordance with Section 3(c)(7)(B) of the Act.		
Franklin D. R. Gee Product Manager (17) Insecticide-Rodenticide Branch Registration Division (TS-767)		
☐ ATTACHMENT IS APPLICABLE SIGNATURE OF APPROVING OFFICIAL: [Signature] DATE: May 27 1982		

Apply when caterpillars (or their damage) first appears.
Retreatments at 7 to 10 day intervals may be required, especially when egg hatch occurs over an extended period of time.

RATE TO USE

SHADE TREES, SHRUBS AND ORNAMENTALS: To control the following insect pests, apply 2 teaspoons per gallon of water (2 pints per 100 gallons of water). Gypsy Moth, Bagworm, Redhumped Caterpillar, Spring & Fall Cankerworm, Fall Webworm, Elm Spanworm, Tent Caterpillar, California Oakworm, Pine Butterfly, Spruce Budworms, Saddle Prominent Caterpillar, Douglas Fir Tussock Moth, Western Tussock Moth, Fruittree Leafroller, Blackheaded Budworm, Mimosa Webworm, Jack Pine Budworm, Saddleback Caterpillar

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap container and place in trash collection.

NOTICE

The seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on this label. 286040

NET CONTENTS 1 FL. QUART

WOOLFOLK CHEMICAL WORKS, INC.

Manufacturers

Fort Valley, Ga.



Dipel®

Liquid Worm Spray Biological Insecticide

Kills Gypsy Moths, Bagworms, Tent Caterpillars and other caterpillars attacking shade Trees and Shrubs

ACTIVE INGREDIENT:

Bacillus thuringiensis, Berliner, 8,800 International Units of Potency per mg. (Equivalent to 32 billion International Units per gallon).

* Dipel is a registered trademark of Abbot Laboratories
EPA Reg. No. 769-522 EPA Est. 769-GA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

ADVANTAGES OF DIPEL LIQUID

The active ingredient, *Bacillus thuringiensis*, is a biological insecticide that selectively controls the larvae of leaf-eating caterpillars. Dipel will not harm honeybees, beneficial or predacious insects in treated areas.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Security® Dipel Liquid is easy to mix and apply through pressurized or hose-end sprayers. Place one-half the required amount of water in jar or tank. Add recommended amount of Security® Dipel Liquid and shake or stir. Then add balance of water and shake. Security® Spreader-Sticker may be added for hard-to-wet crops or to improve weather-fastness of the spray deposit. Do not store diluted spray for more than 72 hours. Do not mix Security® Dipel Liquid with other pesticides unless prior experience has shown them to be compatible.

Security® Dipel Liquid works as a "stomach poison". Caterpillars must eat a small amount of treated leaf to get a lethal dose. Thorough and uniform coverage of both sides of all foliage subject to attack is essential for prompt and complete control. Within a few hours after taking a bite of treated foliage, the caterpillar stops feeding. Death follows in a few days.

BEST DOCUMENT AVAILABLE

2/3

ACCEPTED
MAY 27 1982
The following information
as entered in the
registered at
EPA Reg. No.

769-322

[56644-57]