ACCEPTED

SEP 1 8 1986

in the Faderal Inserticide, i Fundici he and Redenticide Act, as annually, for the pesticide Regulated under IPA Reg. No. 769-543

MEASURING CUP (4 oz.) ENCLOSED: 1 Cupful will treat 2 bushcls of seed.

SOYBEANS: Use as a planter box treatment at the rate of 3-1/2 oz. per 100 lbs. seed (2 oz. per bushel). When seed is planted a the rate of one bushel per acre, this will provide the needed 1/2 oz. of sodium molybdate peracre. To achieve adequate coverage, fill planter box only half full of seed, add one-half the required amount of SECURITY CAPTAN-MOLY 2X and mix thoroughly. with a stick. Then add the remainder of the seed in the planter box and add the rest of the required amount of product, again mixing thoroughly. Better results are obtained by premixing seed with SECURITY CAPTAN-MOLY 2X in a sultable container, then pouring treated seed into planter box. Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Do not feed forage grown from treated seed. Seed: commercially treated with this product must be labeled in accordance with all applicable requirement of the Federal Seed Act.

## STORAGE AND DISPOSAL

STORAGE: Store pesticide in original container and place in a locked storage area. Opened pesticide containers should be securely resealed prior to storage. Protect from penetration or fertilizers, use caution when. storing pesticides in stacks.

PESTICIDE DISPOSAL: Do not contaminate water, food; or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess posticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration or, if allowed by state and local authorities, by burning. If burned, stay our of smoke.

### NOTICE: DISCLAIMER OF WARRANTY. **MERCHANTABILITY AND LIABILITY**

If for any reason this product is not used, applied, stored, transported or disposed of in accordance with the instructions set forth on this label, then and thereafter Security Chemical Company terminates, ends and excludes all warranties, expressed or implied, including the warranty of merchantability and

**SECURITY CHEMICAL COMPANY MANUFACTURERS** ATLANTA, GEORGIA

# SECURITY

# Captan-Moly 2X Soybean Seed **Protectant with** Molybdenum

15% Non-Oli Lubricant Added

**NET WEIGHT: TEN POUNDS** 

ACTIVE INGREDIENTS:	
Captain*	47.3%
Related Derivatives:	
INERT INGREDIENTS:	
	TOTAL 100.0%
EPA REG. NO. 769-543	EPA EST. 769-GA-1
*N-[(trichloromethyl)thio]-4-c	cyclohexene-1, 2-
dicarboximide.	

Contains the equivalent of 0.5% molybdenum from sodium molybdate.

#### KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT IF IN EYES: Flush eyes immediately with plenty of water for at least 15 minutes. Call a physician. IF ON SKIN: Wash with soap and water. IF INHALED: Remove victim to fresh air.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Wear goggles, face shield or safety glasses when handling. May cause eye irritation. Harmful if swallowed. Do not get in eyes. Avoid contact with skin. Avoid Inhalation of dust. In case of eye contact, flush eyes with fresh water for at least 15 minutes. If irritation persists, get medical attention. If swallowed, promptly drink a large quantity of water and induce vomiting. Get medical attention. Wash hands after use.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Po not contaminate water by cleaning of equipment or disposal of wastes. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

### **ENDANGERED SPECIES RESTRICTIONS**

The use of this product in a manner which may harm endangered species or adversely modify their habitat is prohibited by Federal law. The following endangered species and the general location of their habitats have

been identified by Slackwater Darte and Madison); Pecos gambusia Texas (Reeves, Mussels, Tenne and Sullivan); Vit and Grayson); Texas (Reeves ar product in the ab these species a adjacent to, the Consult your reg office (Endanger Agency if there is outdoor use of ca

It is a violation of manner inconsist PROTECTIVE ( applicators, whe wear mid-torearr rubber, vinyl or boots or oversho sleeves and long hat or other app must be worn w Clothing worn w product must clothing before drenched or hea In accordance wi

SECURITY CAPT for treating soyb When at the r Increased deposi of planters, Incl and plate plante Cyclo Planter, S sound and/or m and soilborne di seedling blight molydenum whi nodule bacteria. time, SECURITY to avoid the ad treatment with it are most likely product when a lime), heavily lea