

Cucumber Beetle
 Eastern Tent Caterpillar
 Flea Beetle
 Green Peach Aphid
 Harlequin Bug
 Japanese Beetle Adult
 Leafhopper
 Mexican Bean Beetle
 Spider Mites
 Thrips
 Whiteflies

Diamondback Moth Larvae
 Fireworm
 Forest Tent Caterpillar
 Gypsy Moth
 Imported Cabbageworm
 Leafhopper
 Mealybug
 Scale Crawlers
 Stink Bug
 Webworm

FOR USE ON THE FOLLOWING VEGETABLES

Asparagus	Beans
Broccoli	Brussels Sprouts
Cabbage	Cauliflower
Celery	Collards
Eggplant	Kale
Lettuce	Mustard Greens
Peppers	Potatoes
Radishes	Spinach
Tomatoes	Turnips

FOR USE ON ORNAMENTAL TREES, SHRUBS AND FLOWERS

INCLUDING: African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwoods, Geraniums, Gladiolas, Marigolds, Roses and Wandering Jew

STORAGE AND DISPOSAL


Store this product in original container and keep in a locked storage area. Do not reuse bottle. Rinse thoroughly and securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

SECURITY CHEMICAL COMPANY

MANUFACTURERS

ATLANTA, GEORGIA



Vegetable and Ornamental Insect Spray Ready-To-Use

ACTIVE INGREDIENTS:

Pyrethrins	0.02%
Piperonyl Butoxide Technical*	0.20%

INERT INGREDIENTS:

99.78%

EPA Reg. No. 769-546 EPA Est. 769-GA-1 TOTAL 100.00%

*Equivalent to min. 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION!

(See additional precautionary statements on side panel)

NET CONTENTS: 30 FL. OZ.

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid breathing vapors. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Remove birds and cover fish aquariums before spraying indoors. Avoid spraying food and foodstuffs.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OF CHEMICAL HAZARDS

Do not transport or store under 32°F. If freezing occurs, thaw and agitate vigorously.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

TO OPERATE: SHAKE WELL BEFORE USING. Turn nozzle to "spray" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage.

This product may be used indoors, outdoors or in greenhouses throughout the growing season or as preharvest treatment when other insecticides are prohibited due to residue restrictions and use limitations. This product may be applied on day of harvest.

To control the insects listed, direct the spray to cover the insect pest and also the upper and lower leaf surfaces. Begin treatment as soon as insects appear. Make sure spray penetrates dense foliage. Repeat application weekly or as needed to control infestation.

INSECTS CONTROLLED ON ROSES, ORNAMENTALS AND VEGETABLES

Aphids	Asparagus Beetle
Blister Beetle	Cabbage Looper
Colorado Potato Beetle	Cross-Striped Cabbageworm