

USE PRECAUTIONS: DO NOT USE GALVANIZED STEEL OR UNLINED STEEL SPRAYERS to apply this product. Spray solutions of this product should be mixed and applied only in stainless steel, aluminum, fiberglass, plastic and plastic lined steel containers. AVOID CONTACT WITH DESIRABLE VEGETATION. Do not apply when winds are gusty or under any condition which will allow spray drift to occur. Use extreme care when using this product. Do not allow spray to drift or splash onto desirable plantings since minute quantities of this product can cause severe damage or destruction to plantings on which treatment was not intended. If accidental drift should contact desirable foliage, wash off IMMEDIATELY with lots of water.

DO NOT spray foliage to the point of run-off. Rainfall within 6 hours after application may reduce the effectiveness of the treatment and heavy rainfall within 2 hours after application may wash chemical off requiring re-treatment.

WEEDS AND GRASSES CONTROLLED: Bahiagrass, Bentgrass, Bermudagrass, Bindweed (Wild Morningglory), Blackberries, Black Medic, Bluegrass, Blue Toadflex, Brassbuttons, Bromegrass, Broadleaf Plantain, Bur Clover, Canada Thistle, Chickweed, Common Groundsel, Common Plantain, Crabgrass, Creeping Beggarweed, Creeping Bentgrass, Creeping Charlie, Curly Dock, Dandelion, Dog Fennel, Diffusa Lovegrass, Evening Primrose, False Dandelion, Fennel, Fescue, Fiddle-neck, Filaree, Florida Pusley, Garden Spurge, Henbit, Johnsongrass, Knotweed, Lambsquarter, Little Bitter Cress, London Rocket, Mallow, Maiden Cane, Mayweed, Mouseear Chickweed, Nimblewill, Oldenlandia, Orchardgrass, Oxalis, Pennsylvania Smartweed, Pennywort, Perennial Ryegrass, Poison Ivy, Poison Oak, Prostrate Spurge, Primrose, Puncture Vine, Quackgrass, Ragweed, Sandspur, Shepherdspurge, Smooth Cat's Ear, Sowthistle, Spotted Spurge, St. Augustine Grass, Tall Fescue, Torpedograss, White Clover, Whitetop, Wild Barley, Yellow Nutgrass, and Zoysia.

AMOUNT TO USE: SECURITY Blot-Out can be applied with any good tank-type compressed air sprayer. Do not use galvanized metal sprayers. Follow the table below for proper dilutions and area of coverage. Apply spray to the entire plant uniformly. Do not spray to run-off. Heavy weed growth or difficult-to-control weeds such as Bermudagrass, Dock, Dandelion and Canada Thistle may require a repeat application if regrowth occurs. SECURITY Blot-Out only controls emerged weeds; repeat treatments may required to control later weeds germinating from seed.

DILUTION TABLE

<u>Amount of Blot-Out to use</u>	<u>Water to use</u>	<u>Area to treat</u>
8 oz. (1 cup)	2 gal.	250 sq. ft.
1 pt.	4-6 gal.	500 sq. ft.
1 qt.	8-12 gal.	1,000 sq. ft.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection. NOTICE: The seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on this label.

