er the Federal Insecticide, Fundicide, and Redenticide Act, as amended)

Sevin Brand Granular

NAME AND ADDRESS OF REGISTRANT (Include ZIP ands)

Sureco, Inc. P.O. Box 938 310 East Main Street Fort Valley, GA 31C30

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

- 1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Add the phrase "EPA Registration No. 769-567" to your label before you release the product for shipment.
- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edvards, Jr. Product Manager (12) Insecticide-Rodenticide Branch Registration Division (H7505C)

	Enclosures	
X	ATTACHMENT IS	APPLICABLE

SIGNATURE OF APPROVING OFFICIAL lennes

4/90

PA Ferm 8578-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

SEVIN Brand Granular

Carbanyl Insecticide For Outdoor Home Insecticide Use For Home Insecticide Use ACTIVE INGREDIENT: Carbaryl (1-naphthyl N-methylcarbamate)...........6.3% by Wt. INERT INGREDIENTS.....93.7% by wt. E.F.A. Reg. No. 769 E.F.A. Est. No. 769-GA-1 ACCEPTED with COMMENTS in EPA Letter Desmi KEEP OUT OF REACH OF CHILDREN **JUN 1 4 1990** CAUTION CUIDADO finder the Puderal Inserticia Pungicide, and Rodenticide Ass See inside booklet for additional PRECAUTIONARY STATEMENTS the pested or EPA Ros. N PRECAUTION AL USARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamenta. NET CONTENTS: \_\_\_\_\_ Made in U.S.A. SURECO, INC. Font Malley, Georgia 31036 SEVIN is a registered trademark of Rhons Poulenc for carbaryl insecticides.

PRECAUTIONARY STATEMENTS

BEST AVAILABLE COPY

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

MAY BE HARMFUL IF SWALLOWED. Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling this product. Do not eat, drink, or use tobacco while working with this product. Wash hands and face before eating, drinking, or using tobacco. Keep of reach of children and domestic animals.

(35)

### ANTIDOTE STATEMENT

ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. See NOTE TO PHYSICIAN below.

STATEMENT OF PRACTICAL TREATMENT

#### **GENERAL**

Contact a physician immediately in all cases of suspected poisoning. Transport to a physician of hospital immediately and SPOW A COPY OF THIS LABEL TO THE PHYSICIAN. If poisoning is suspected in animals, contact a veterinarian.

IF SWALLOWED: Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing drink 1 to 2 glasses of water and induce vomiting by touching the back of the throat with finger.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash thoroughly with scap and water.

IF INHALED: Move from contaminated atmosphere and call a physician.

## NOTE TO PHYSICIAN

Carbaryl is a carbamate insectioide, which is a cholinesterase inhibitor. Atropine is antidotal. Nancotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended.

Consultation on diagnosis, therapy, an analysis can be obtained all hours by calling the Union Carbide number 1-800-UCC-High.

# ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estaurine invertebrates. Do not apply directly to water and wetlands. Do not contaminate water by cleaning equipment or disposal of wastes.

USE DIRECTIONS:



### LAWNS AND RECREATIONAL AREAS

For control of turfgrass pests, apply granules uniformly to the turfgrass. Follow specific directions for proper watering or irrigation  $\forall$  after application.

		FOUNDS OF	
		SEVIN BRAND	
		GRANULAR PER	
SITE	INSECT	1000 SQFI	SPECIFIC DIRECTIONS
TURF	Ants, Armyworm	2.0 to 2.5	For general insect control
GRASSES	Centipedes.	(10 lbs/4000	apply granules uniformly
	Cniggers. Chinch	to 5000 sa.	when grass is dry. Water
	bugs, Cutworms,	ft.)	lawn lightly after appli-
	Earwigs, Essex		cation. Repeat as neces-
	skippen, turopean		sary.
	chafer, Fail armyworm.		
	Fleas. Fiery skipper.		
	Grasshoppen, June beetles,		
	Leafhoppens, Lucenne moth.		

BEST AVAILABLE COPY

White grubs
,such as
Japanese Beetle,
Chafer Beetle,
Phyllophaga
spp., and Green
June beetle grubs!

Millipedes, Adult Mos-

Ticks, Yellowstriped

Spittlebugs, Springtails,

quitoes. Sowbugs.

armywc j

2.5 (10 16s/4000 sq. ft.( For white grub control applications should be made when grubs are feeding mean the soil sunface, usually during late March through May on July to early sentember, on as necommended by local agricultural altersion agents. Water or irrigate turf thoroughly soon after treatment.

#### PEST CONTROL AROUND BUILDINGS

PERIMETER TREATMENT: For residual control of ants, brown dog ticks, carpenter ants, centipedes, cockroaches, chickets, earwigs, firebrats and silvenfish, fleas, millipedes, scorpions and spiders; apply granules uniformly in a 6 foot band around the building.

Apply granules at the rate of 4.8 ounces for 120 square feet 16 x 20 footband). Restrict applications to shrub beds, foundation, plantings, and lawn or soil areas immediately adjacent to the building. Lightly water treated area soon after application.

### STORAGE AND DISPOSAL

## STORAGE

Stone unused product in original container only, in cool, dry area out of reach of children and animals. Do not stone in area Where temperatures frequently exceed 100 degrees F.

### PESTICIDE DISPOSAL

fecurely whap original container in several layers of newspaper and discard in thash.

## CONTAINER DISPOSAL

Do not neuse bag. Discand bag in thath.

#### NOTE OF DISCLAIMER:

BUYER SHALL BE SOLELY RESPONDIBLE FOR ANY AND ALL INJURY, LOSS, OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS, OR CAUTIONS.

