page 183

" & FEB ISUJ

Mr. Rob R. Adams, Jr. SureCo, Incorporated P.O. Box 921879 Norcross, GA 30092-1879

Dear Mr. Adams:

Subject:

Revised label language

SureCo Insect Repellent Spray EPA Registration Number 769-606 Submission dated January 4, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the commente listed below. One copy of the finished labeling must be submitted prior to releasing the product for shipment.

Delete the statement "Do not let children rub their eyes after treatment" from the product label as this wording continues to be misleading.

Sincerely,

Joseph M. Tavano

Acting Product Manager 10 Insecticide-Rodenticide Branch Registration Division (H7505C) CHANGES Highlighted

SureCo Professional Products, Inc.

P. O. Box 921879, Norcross, GA 30092 (404) 242-8771 Fax (404) 416-0930

SureCo INSECT REPELLENT SPRAY

Repels Mosquitoes, Chiggers, Ticks, Deer Flies, White the Foderal to on Exposed Skin Surfaces and Clothing

769 -606

ACTIVE INGREDIENTS:

N,N-diethyl-m-toluamide	16.62%
Other isomers	
+N-Octyl bicycloheptene dicarboximide	5.00%
*Di-n-propyl isocinchomeronate	
INERT INGREDIENTS:	
Total	

+MGK 264, Insecticide Synergist *MGK Repellent 326

> KEEP OUT OF REACH OF CHILDREN CAUTION See Back Panel for Precautionary Statements

Manufactured by: SureCo Professional Products, Inc. P.O. Box 921879, Norcross, GA 30092-1879

EPA EST #769-GA-1

1

EPA REG #769-6-6

Net Contents oz.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read all directions before using this product.

To repel the insects listed on the Front Panel, apply to all exposed skin areas. To apply to face, spray on hands and rub on. Repeat as needed. For ticks and chiggers, also apply to shoe tops, socks, and around openings in clothing.

For use as a clothing treatment: Select an outdoor area protected from the wind. Test product on a small hidden area of the clothing intended for treatment. Avoid contact with plastics, such as eyeglass frames and plastic watch crystals, leather and synthetic fabrics such as acetate, rayon, Spandex and Dynel. This product may also damage painted or varnished surfaces.

Holding bottle at least 6 to 8 inches away, spray outer surfaces of the clothing with a slow sweeping motion to <u>lightly</u> moisten the surface of the fabric. The complete outfit consisting of shirt, trousers, and socks should be treated front and back. Pay particular attention to socks, trouser cuffs, and shirt cuffs.

In heavily infested areas, protection will be improved by either wearing cuffs inside footwear or taping pant cuffs around legs. Repeat application as necessary.

Do not spray in enclosed areas. Do not apply over cuts, wounds, or irritated skin. Do not apply to eyes and mouth and do not apply to the hands of young children. Do not spray directly on face.

Use just enough repellent to cover exposed skin and/or clothing. Do not use under clothing. Avoid overexposure. Frequent reapplication and saturation is unnecessary for effectiveness.

After returning indoors, wash treated skin with soap and water. Wash treated clothing.

Use of this product may cause skin reactions in rare cases. If you suspect that you or your child is reacting to this product, wash treated skin and call your local poison control center.

STORAGE AND DISPUSAL

STORAGE: Store in a cool, dry area away from heat or open flame. DISPOSAL: Do not re-use empty container. Wrap and put in trash.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

Causes eye irritation. Harmful if swallowed. Avoid contact with eyes or lips. Instruct older children in the proper use of this product and keep it from infants and young children. Do not let children rub their eyes after treatment.

PHYSICAL OR CEEMICAL HAZARDS

FLAMMABLE: Do not use or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

Buyer assumes all risks of use, storage or handling of this : product not in strict accordance with this label.

Page 2 of 2