169-60.

007 31 1997

10/37

Ms. Stacy Schmitt SureCo, Inc. 10012 N. Dale Mabry, Suite 221 Tampa, FL 33618

03

Dear Ms. Schmitt:

Subject: Label Amendments in Response to Basic Suppliers Deletion of Certain DDVP Uses

- SCMP Vapona Insecticide 90% Concentrated Solution
- EPA Registration No. 769-629
- Your Submission Dated June 15, 1995

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes indicated below prior to release for shipment of product bearing the amended labeling:

- 1. Replace the current personal protective equipment (PPE) statements plus the precautionary statements with the statements appearing on the label for Superior DDVP #2 Vapona Insecticide Emulsifiable Concentrate (EPA Registration No. 769-798).
- 2. The Note to Physician and Warning Symptoms should appear on the front panel following the statement of practical treatment.
- List the pounds of Dichlorvos per gallon on the front panel.
- 4. Revise last sentence under Environmental Hazards to read "Do not contaminate water by disposal of equipment washwaters."
- 5. Under Directions add "Do not apply by air. Do not apply to rangelands."
- 6. You must specify the outdoor areas where the product can be applied, for example: "Outdoor living areas, picnic areas, backyard areas, patios, loading docks, refuse areas around service stations, open-air drive in, garbage collection and disposal areas."

Submit two copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

Sincerely,

George T. LaRocca Product Manager (13) Insecticide Branch Registration Division (7505C)

SMCP VAPONA INSECTICIDE 90% CONCENTRATED SOLUTION

For Agricultural/Commercial Use Only Not For Sale For Any Other Uses

Active Ingredients:	
2,2-Dichlorovinyl Dimethyl Phosphate	83.7%
Related Compounds	
Inert Ingredients:	<u>10,0%</u>
Total	100.0%

Equivalent to 90% Vapona insecticide

. . . .



KEEP OUT OF REACH OF CHILDREN DANGER/POISON/PELIGRO



Si usted no entienda la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See Side Panel For Additional Precautionary Statements

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious or convulsing person.

If Inhaled: Remove victim to fresh air immediately. Apply artificial respiration if indicated. Get medical attention. If In Eyes: Flush eyes with plenty of water for at least 10 minutes. Get medical attention immediately.

If On Skin: Remove contaminated clothing immediately and wash affected area with soap and water. Call a physician immediately. Wash clothing before reuse.

EPA Reg. No. 769-629

EPA Est. No. 769-GA-1

......

.

....

د ‹ ۲ ر

cèce

140000

. <u>.</u>

ê

ACCEPTED				
with COMMENTS				
in EPA Letter Dated				

OCT 3 1 1997

Under the Federal Inscetticide, Fungiside, and Rodenticide Act as amended, for the posticide rogistered under EPA Reg. No.

ristered under EPA Reg. No 767-629

Manufactured By:						
		SureCo,	Inc.			
	Fort.	Valley,	GA	31030		

NET CONTENTS:

PRECAUTIONARY STATEMENTS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS DANGER

Poisonous if swallowed, inhaled or absorbed through the skin or eyes. Do not get in eyes or on skin. Do not breathe vapor or spray mist. Handle concentrate in ventilated area. Do not get on rubber gloves, waterproof in eyes. Wear natural skin or protective clothing and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly U.S. Bureau of Mines) and by the National Institute for Occupation Safety and Health under the provision of 30 CFR Part II. Keep all unprotected persons out of the operational area. In case of contact wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water after handling and before eating or smoking. Do not apply to areas which will be contacted by children. Call a physician in all cases of suspected poisoning.

NOTE TO PHYSICIAN: smcp Vapona EM-4 is a cholinesterase inhibitor. Treat symptomatically. Atropine is the emergency antidote. 2-PAM is also antidotal and may be administered in conjunction with atropine. Morphine is contraindicated. Clear chest by postural drainage. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by a blood test. Keep patient prone and quiet.

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping id prohibited. Do not reuse empty container. Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous, Waste representative at the nearest EPA Regional Office for guidance. Container Disposal: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or incinerate, or if allowed by state and local authorities, burn. If burned stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Vapona Insecticide 90% Concentrated Solution is a specially prepared concentrate for use in fogging devices and conventional application equipment.

Outdoor Areas: To 'control Flies, Mosquitoes, Gnats and other small flying insects. For a 1% to 3% fog or mist solution mix 1 pint Vapona 90% Concentrated Solution with 16 gallons diesel oil (1.0%). Apply as a fog or a fine mist. Apply with fogging apparatus or mist blowers. Dilute Vapona 90% Concentrated Solution with oil to the recommended concentrations and apply at the rate of 0.05 - 0.1 lb. Vapona Insecticide per acre. For example using a 1% fog mist solution apply 5 pints per acre for the 0.05 lb./acre dosage or 1 1/4 gallons per acre for the 0.1 lbs. dosage. DO NOT treat areas where food or feed crops are growing.

IMPORTANT: Read these entire Directions and Conditions of Sale before using this product. DISCLAIMER: SureCo warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to * above. SureCo makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty. In no case shall SureCo be liable for consequential, special, or indirect damages resulting from the use, handling or application of this product.

>

> > e . . .