

S514108 300  
17

PM 19 769-642 1/13

FEB 04 1997

Stacy A. Schmidt  
SureCo  
10012 N. Dale Mabry Hwy.  
Suite 221  
Tampa, FL 33618

Subject: SMCP Flea Scat  
EPA Registration No. 769-642  
Amendment dated 10/22/96  
Response to Agency letter dated 10/1/96

Dear Ms. Schmidt:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

1. Make the following changes to your label:

a) In the Directions for Use on lawns, add a heading to the paragraph as follows:  
"DIRECTIONS FOR USE ON LAWNS: Wearing household latex or rubber gloves...."

b) In the DIRECTIONS FOR USE ON LAWNS, delete the words "both upper and lower leaf surfaces" so that the last sentence in that paragraph reads as follows:  
"Dust lightly to cover area with a thin, even film of dust."

2. Submit one copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.  
Product Manager (19)  
Insecticide-Rodenticide Branch  
Registration Division (7505C)

Enclosure

Edwards A: 769/642 2/3/97

# SMCP FLEA SCAT

Pleasantly Scented

Protect Your Pest - Flea Scat contains Sevin®, effective control for fleas, and ticks

---

Active Ingredient:	
Carbaryl (1-naphthyl N-methylcarbamate) .....	5.0%
Inert Ingredients: .....	95.0%
Total:	100.0%

---

Sevin® is a registered trademark of Rhone Poulenc for carbaryl insecticide

EPA Reg. No. 769-642

EPA Est. No. 769-GA-1

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See Side Panel For Additional Precautionary Statements

Manufactured By:  
SureCo, Inc.  
Fort Valley, GA 31030

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

FEB 04 1997

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

769-642

**BEST AVAILABLE COPY**

## PRECAUTIONARY STATEMENTS Hazards To Humans and Domestic Animals CAUTION

Harmful if swallowed. Avoid breathing of dust. Avoid contact with eyes, skin, or clothing. Wash thoroughly after handling. Do not treat puppies, or kittens under 12 weeks of age.  
**Note To Physician:** Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

### USER SAFETY REQUIREMENTS

- Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product
- Change clothing as soon as possible after use.
- Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.

### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic and estuarine invertebrates. Do not apply directly to water. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

2/3

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use this product only outside or in a well-ventilated area. Wearing household latex or rubber gloves, dust entire animal, avoiding pet's eyes, nose, mouth and genital areas. Rub or brush pet's hair to work dust down to the skin. This product should not be applied by children. Do not use on pregnant dogs. Do not use on kittens or puppies under 12 weeks of age. Dust bedding and doghouse using a shaker can or other dust applicator.

Use Flea Scat 3 ways for best results.

(1) To control fleas and ticks on dogs and cats, dust entire cat or dog starting with the head and work back, making sure to rub powder down to skin.

(2) Discard old bedding and apply Flea Scat to fresh bedding.

(3) To control Ticks and Fleas in lawns, apply at the rate of one pound per 500 sq. ft.

Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust.

Apply when air is calm to avoid drift and contact with eyes and skin.

Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering.

## STORAGE AND DISPOSAL

**General:** Do not contaminate water, food, feed, fertilizer, or other pesticides by use, storage, or disposal. If damaged, leaking, or spilled, sweep up and wrap waste, then dispose of as below.

**Storage:** Keep in upright, tightly closed container in a cool, dry, locked area away from flames, sparks, sunlight, other chemicals, and other sources of ignition, heat, degradation, or contamination.

**Disposal:** Do not reuse empty container. Securely wrap in several layers of newspaper and discard in trash.

**BEST AVAILABLE COPY**