



PM 3

769-642

3/4/98

1/3

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

Stacey A. Schmidt
SureCo
7501 Harps Mill Road
Raleigh, N.C. 27615-5422

MAR - 4 1998

Subject: SMCP Flea Scat
EPA Registration No. 769-642
Deletion of Ornamentals
Amendment dated March 24, 1997
Federal Register (Vol. 62, No. 166) August 27, 1997

Dear Ms. Schmidt:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you:

1. Make the following changes to your label:

a) In the sentence immediately above the Active Ingredient statement change the word "Pest" in the sentence to "Pets" so that it reads "Protect Your Pets-flea Scat contains Sevin, effective control for fleas and ticks".

b) In the heading "ENVIRONMENTAL HAZARDS" in the first sentence add the words "to aquatic" so that it reads "This pesticide is extremely toxic to aquatic and estuarine invertebrates".

2. Submit two copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely,

George Tompkins
George Tompkins, Ph.D., Entomologist
Insecticide-Rodenticide Branch
Registration Division (7505C)

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAR - 4 1998

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
769-642

SMCP FLEA SCAT

Pleasantly Scented

Protect Your Pest - Flea Scat contains Sevin®, effective
control for fleas, and ticks

Active Ingredient:	
Carbaryl (1-naphthyl N-methylcarbamate)	5.0%
Inert Ingredients:	95.0%
Total:	100.0%

Sevin® is a registered trademark of Rhone Poulenc for
carbaryl insecticide

EPA Reg. No. 769-642

EPA Est. No. 769-GA-1

KEEP OUT OF REACH OF CHILDREN
CAUTION

See Side Panel For Additional Precautionary Statements

Manufactured By:
SureCo, Inc.
Fort Valley, GA 31030

PRECAUTIONARY STATEMENTS

Hazards To Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid breathing of dust. Avoid contact
with eyes, skin, or clothing. Wash thoroughly after handling.
Do not treat puppies, or kittens under 12 weeks of age.
Note To Physician: Carbaryl is a moderate, reversible,
cholinesterase inhibitor. Atropine is antidotal.

USER SAFETY REQUIREMENTS

- Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product
- Change clothing as soon as possible after use.
- Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic, and estuarine invertebrates.
Do not apply directly to water. This product is highly toxic to
bees exposed to direct treatment or residues on blooming
crops or weeds. Do not apply this product or allow it to drift to
blooming crops or weeds if bees are visiting the treatment
area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use this product only outside or in a well-ventilated area. Wearing household latex or rubber gloves, dust entire animal, avoiding pet's eyes, nose, mouth and genital areas. Rub or brush pet's hair to work dust down to the skin. This product should not be applied by children. Do not use on pregnant dogs. Do not use on kittens or puppies under 12 weeks of age. Dust bedding and doghouse using a shaker can or other dust applicator.

Use Flea Scat 3 ways for best results.

- (1) To control fleas and ticks on dogs and cats, dust entire cat or dog starting with the head and work back, making sure to rub powder down to skin.
- (2) Discard old bedding and apply Flea Scat to fresh bedding.
- (3) To control Ticks and Fleas in lawns, apply at the rate of one pound per 500 sq. ft.

DIRECTIONS FOR USE ON LAWNS

Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Dust lightly to cover area with a thin, even film of dust.

Apply when air is calm to avoid drift and contact with eyes and skin.

Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering.

STORAGE AND DISPOSAL

General: Do not contaminate water, food, feed, fertilizer, or other pesticides by use, storage, or disposal. If damaged, leaking, or spilled, sweep up and wrap waste, then dispose of as below.

Storage: Keep in upright, tightly closed container in a cool, dry, locked area away from flames, sparks, sunlight, other chemicals, and other sources of ignition, heat, degradation, or contamination.

Disposal: Do not reuse empty container. Securely wrap in several layers of newspaper and discard in trash.