

PM 19 769-65

11/6

MAY 30 1996

Stacy A. Schmidt
SureCo, Inc.
10012 N. Dale Mabry, Suite 221
Tampa, FL 33618

Dear Ms. Schmidt:

Subject: Deleted Uses
SMCP Methoxychlor 2E
EPA Registration No. 769-651
Amendment application of October 13, 1995

The amendment referred to above, submitted in connection with registration under Federal Insecticide, Fungicide and Rodenticide Act, is acceptable provided that you:

Revise the ingredient statement to read:

*Methoxychlor: 1,1,1-trichloro-2,2-bis
(p-methoxychlor) ethane24.00%

Revise the Statement of Practical Treatment for If swallowed to read:

If swallowed: Call physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by administering Syrup of Ipecac or by touching to back of throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

Add the following environmental hazards statement:

Environmental Hazards

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur.

3/6

This product is toxic to bees and should not be applied when bees are actively visiting area.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec 6 (e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamp copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide Rodenticide Branch
Registration Division (H-7505C)

Enclosure

3/6

SMCP METHOXYCHLOR 2E
Emulsifiable Concentrate
Contains 24% Technical Methoxychlor

Active Ingredients:

*Methoxychlor Technical.....	24%
Methylated Naphthalenes.....	69%
Inert Ingredients.....	7%
Total.....	100%

KEEP OUT OF THE REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water. Call a Physician or Poison Control Center and have stomach emptied immediately. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF INHALED: Remove victim to fresh air.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Launder clothing before reusing.

IF IN EYES: Flush with plenty of water. Call a Physician.

NOTE TO PHYSICIAN: This product contains a chlorinated hydrocarbon insecticide. Vomiting or careful gastric lavage is recommended. Epinephrin or other adrenergic amines can cause myocardial irritability.

EPA Reg. No. 769-651

EPA Est. No. 769-GA-1

See Side Panel For Additional Precautionary Statements


Manufactured By:
SureCo, Inc.
Fort Valley, GA 31030

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAY 30 1996

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

769-651



4/6

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Avoid prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of spray mist. Avoid contamination of feed and foodstuffs. Harmful if swallowed. Keep out of reach of children.

Personal Protective Equipment:

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category G on an EPA chemical resistance category selection chart.

Applicators and Other Handlers Must Wear: Long-sleeved shirt and long pants, chemical-resistant gloves, such as Barrier Laminate or Viton, and shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users Should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Important: Users should observe the usual precautions concerning application of oil-containing products to crops during high temperatures, since many crops are then more susceptible to oil injury. This product is toxic to fish. DO not contaminate water by cleaning of equipment, or disposal of wastes. Destroy empty container. Do not re-use.

If exposed to prolonged cold, place in warm storage (50 to 80 F.) For several hours and agitate before using.

GENERAL INFORMATION

Methoxychlor 2E Emulsifiable Insecticide contains 2.00 pounds technical methoxychlor per gallon, and is to be used as a spray with water (forming a stable emulsion) for the control of certain insects. It is suitable for high or low volume application.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected

7/6

handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

Coveralls, chemical-resistant gloves, such as Barrier Laminate or Viton and shoes plus socks.

FORAGE CROPS: (Alfalfa, Clover, Grass, Soybean, Cowpea and Peanut Forage) - Use the specified dosages of Methoxychlor 2E in a minimum of 100 gallons of water per acre on the listed forage crops and potatoes by ground equipment. Start applications at first site of infestation and repeat at 7 to 14 day intervals as needed. Do not apply later than 7 days before harvest or grazing.

Leafhopper, Spittlebug: 1 1/2 to 2 qts per acre.

Alfalfa Caterpillar, Flea Beetles: 2 qts per acre

***Alfalfa Weevil (larvae), Alfalfa Webworm, Fall Armyworm, Clover Leaf Weevil, Mexican Bean Beetle, Pea Weevil, Soybean**

Caterpillar, Velvet Bean Caterpillar: 2 to 3 qts per acre.

Cowpea Curculio, Japanese Beetle: 3 qts per acre.

Armyworm: 3 to 4 qts per acre.

*For pea aphid and as an alternative program for control of alfalfa weevil, add malathion (emulsifiable liquid) at the rate of 1 to 1 1/4 lbs per acre.

POTATOES: Use 2 qts per acre for control of Colorado Potato Beetle, Leafhoppers and Flea Beetles. Retreat as necessary.

LIVESTOCK: (except dairy animals) For control of certain external parasites. Use as spray. Do not use in dipping vats.

6/6

CATTLE: Use 1 qt Methoxychlor 2E to 12 1/2 gals of water. Apply 2 qts of spray per mature animal for control of Hornflies; for control of Short-nosed and Long-nosed Cattle Lice, apply as a drenching spray.

HOGS: For control of lice, 1 qt Methoxychlor 2E to 12 1/2 gals of water applied as a drenching spray.

SELF APPLICATION FLY CONTROL ON CATTLE: (except dairy animals) For control of Hornflies dilute 1 gal Methoxychlor 2E with 4 gals of Diesel fuel fore furnace type oil. Do not use any other type of oil. Use 1 gal of solution to saturate burlap on "back rubber"; soak burlap every two to three weeks.

CONTACT AND SPACE SPRAY FOR FLIES: To reduce populations of Houseflies and Stable Flies in farm buildings, in barnyards, in alleys, on dumps and other outdoor locations, dilute 1 pt of Methoxychlor 2E with 2 1/2 gals of water and apply in space by mist blower or directly to flies by hydraulic sprayer, hand sprayer or cylindrical pressure sprayer. Care should be taken to avoid contamination of milk handling equipment, feedstuffs, feed troughs and watering receptacles. Dairy animals should not be present while spraying.

COMPATIBILITY: Do not use this product with any spray materials which are incompatible with oil. Do not apply within 14 days of sulfur or sulfur product applications.

IMPORTANT: Read these entire Directions and Conditions of Sale before using this product. **DISCLAIMER:** SureCo warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to above. SureCo makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty. In no case shall SureCo be liable for consequential, special, or indirect damages resulting from the use, handling or application of this product.