

OFFICE OF PREVENTION, PESTICIDES AND

TOXIC SURSTANCES



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

MAR 24, 1994

H. R. McLane

Agent for: SOUTHERN MILL CREEK PRODUCTS CO. INC.

10008 N. Dale Mabry - Suite 121

Tampa, FL 33618

Subject:

Label Amendment Submission of 12/13/93 in Response to PR Notice 93-7

EPA Reg. No. 6720-131 Transferred to 769-662

SMCP DURSBAN .5% GRANULAR INSECTICIDE

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling AND
- WITHIN one year from date of this acceptance.

Page 2

Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,

Hm Tompkins, Deputy Chief Registration Support Branch Registration Division (7505W)

Attachment

376/

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division

H.R. McLane (agent) SOUTHERN MILL CREEK PRODUCTS CO INC 10008 N DALE MABRY SUITE 121 TAMPA FL 33618

Comment for: EPA Reg Nr.6720-131
SMCP DURSBAN .5% GRANULAR INSECTICIDE

The following specific comments pertain to your WPS labeling submission concerning the product cited above:

User Safety Recommendations must either be placed in a box or printed on the label in a contrasting color from surrounding text.

You may delete the respirator statement added to your proposed label. It is not required for your product.

Insert the following statement above the Agricultural Use Requirements box: "Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation." The exact location is shown in Section F on Part 2 of the Product Worksheet in Supplement Three-A to PR Notice 93-7.

You have incorrect wording in the second-to-last sentence in the first pararaph in the Agricultural Use Requirements box on your proposed label. The sentence must be as follows:
"It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), "" and restricted-entry interval."

The bodywear requirement for early entry in the Agricultural Use Requirements box on your proposed labeling is missing or incorrect. Remove the incorrect requirement (if any) and add "Coveralls". The exact location is shown in Sections F and G on Part 2 of the Product Worksheet in Supplement Three-A to PR Notice 93-7.

SOUTHERN MILL CREEK PRODUCTS CO INC

EPA Reg. Number: 6720-131

SMCP DURSBAN .5% GRANULAR INSECTICIDE

Application date: 12/13/93

Original Submission

You must retain from your original label any statements about entry restrictions that apply to the non-agricultural uses on your product. Create a Non-Agricultural Use Requirements box in the Directions For Use section of your labeling and add the statements: "The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses." Then add to the box the statements that are in brackets [] on your original label. Please refer to the instructions for creating a Non-Agricultural Use Requirements box starting on page 45 of Supplement Three to PR Notice 93-7 (Main Labeling Guidance).

Delete the crossed-out statements on your proposed label. They are redundant statements or phrases.

Correct the typographical errors circled on your proposed label.



For Effective Long Lasting Control of Chinch Bugs and Sod Webworms in Ornamental Turf.

USE FOR MOUND TREATMENT CONTROL OF IMPOPTED FIRE ANTS IN LAWNS AND RECREATIONAL AREAS

25 LBS TREATS UP TO 5,000 SQ.FT.

Controls Ants, Armyworms (Beet, Fall, Yellowstriped), Brown Dog Ticks, Centipedes, Chiggers (1), Chinch Bugs, Clover Mites, Cutworms, Crickets, Earwigs, Fiery Skipper, Fleas, Grasshoppers, Greenbugs, Leafhoppers, Millipedes, Sod Webworms (Lawn Moth)(2), Sow Bugs, Springtails, Ticks (1), Turfgrass Weevil (Hyperodes) (3), European Crane Fly (4), White Grubs (Black Turfgrass Ataenius, European Chafer, Southern Chafer, Japanese Beetle, June Beetle larvae) (4), Bluegrass Billbugs(5), Fire Ants (6).

The numbers in parenthesis refer to SPECIFIC DIRECTIONS on side panel.

USE FOR CRAWLING INSECT CONTROL OUTSIDE OF HOMES, APARTMENTS, CONDOMINIUMS, WAREHOUSES, HOSPITALS, SCHOOLS, FOOD HANDLING ESTABLISHMENTS AND COMMERCIAL BUILDINGS.

ACTIVE INGREDIENT:

Chlorpyrifos: [O,O,-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate]. INERT INGREDIENTS: 99,50% Total

100,00%

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

ORGANOPHOSPHATE: JESWALLOWED: Drink 1 or 2 pleases of water and induce verniting by touching back of throat with finger. DO NOT induce vorniting or give anything by mouth to an unconscious or convulsing person. Get medical attention, IFIN EYES: Flush eyes with plenty of water. JF ON SKIN; in case of contact, remove contaminated dictining and wash affected area with scap and water NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Altropine is an antidote only by injection.

PRECAUTIONARY STATEMAN.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be hermful if ewallowed Avoid contact with eyes, skin and clothing. Avoid breathing dust, Keep away from food, feedstaffs, and water supplies.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear long-eleved shirt and long perits; waterproof gloves shoes plus socks and a Dust/Mist filtering respirator (MSHAN4IOSH approval number prefix TC-21C). Follow manufacturiers instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wish PPE appearably from other laundry.

User Sefety Recommendations

User Statety recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately at pessicidly gets inside. Then wash thoroughly and put on clean clothing. Remove PES immediately after handling this product. Wash the outside of gets inside. Then wash thoroughly and change into clean clothing.

CAN DISCALLAGE TALL MAZADING. **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do

To control Fire Ants, apply 4 ounces evenly over and around each mound. After not contaminate water when disposing of equipment washwaters. Use only as directed.

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT

water per 6 inches of mound diameter. For pest results: do not disturb the mound.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its abeling.

EPA Reg. No. 769-662 EPA Est. no. 76. GA-1 NET WEIGHT 1 POUND (5 lb. 10 lb. 20 lb. 40 lb.)

SURECO, INC. Fort Valley, GA 31030

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protect Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. "It contains requirements for training, decontamin notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirement in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entr into treated areas during the restricted-entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Stan and that involves contact with enything that has been treated, such as plants, soil, or

water, is: long sleeved shirt and long pants, waterproof gloves and shoes plus socks. STORAGE AND DISPOSAL

Do not conteminate water, food or feed by storage or disposal. STORAGE: Store product in its original labeled container in a cool, dry, locked place out of reach of children. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site of at an approved waste disposal facility. CONTAINER <u>DISPOSAL</u>: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local

authorities, by burning. If burned stay out of smoke.
HOUSEHOLD: Do not re-use empty container. Wrap container and put in tresh.

SPECIFIC DIRECTIONS

The following numbered paragraphs correspond to numbers in parenthesis (x) on the front panel following the insect names. Insects not numbered may be controlled by following the GENERAL DIRECTIONS. Repeat treatments as needed for control

(1) CHIGGERS, TICKS, & FLEAS

Use 1 lb./ 200 sq.ft. (5 lb./1,000 sq.ft.) for area control of these insects, infesting noncrop land areas such as roadsides, footpaths, and trails, pionic and camping sites, parks and other recreational areas where these pests are present and create a nuisance or a possible public health problem. DO NOT allow public use of treated area during applications. For Fleas (out-of-doors; only) treat sleeping quarters and other areas frequented by pets such as beneath porches and along fencing.

(2) SOD WEBWORMS

0.50%

For Sod Webworms, delaywatering or mowing the treated area for 12 to 24 hours after treatment. Treat in the spring or when insects first appear troublesome. Additional treatments at 30 day intervals may be needed for new infestations. Apply at rate of 5 lbs per 1,000 sq.ft.

(3) TURFGRASS WEEVIL

Use 25 lbs. per 2,500 sq.ft.). Treat suspected problem areas in mid-April and again in mid-May or as recommended by your local Agricultural Extension Service Special-

(4) WHITE GRUBS: CRANE FLY LARVAE

To control White Grubs (Black Turforess Atsenius, European Chafer, Southern Masked Chater, Japanese Beetle and June Seetle Larvae), use 25 lbs to treat 2,500 sq.ft. After applications apply enough water to thoroughly wash the insecticide into the turf. For best results remove thatch first & treat when grubs are young and actively feeding near the soil surface, usually dunng late July and August, Consult your local Agricultural Extension Service Specialist for best time to tree

European Crane Fly larvee will be controlled using 25 lbs per 3,600 sq.ft. or will be controlled simultaneously with the same application being applied for control of "White Grubs" i.e. (25 lbs/2,500 sq.ft.). Consult your Agricultural Agent for proper time to apply. For best results, first remove thatch. Water the granul

(5) BLUEGRASS BILLBUGS

Use 25 lbs./2,500 sq.ft. for Billburg grubs. Remove thatch before treatment. Wash

(6) IMPORTED FIRE ANT CONTROL

application of granules, gently sprinkle the treated area with a minimum of 1 quart water per 6 inches of mound diameter. For best results; do not disturb the mound before or during the application; apply in cool weather (65-80 F); or in early morning or later evening. Treat new mounds as they appear.

IMPORTANT:

Read these entire Directions and Conditions of Sale before using this product, DISCLAMER: SureCo, inc. wertents that this product conforms to the chemical description on the label and is researchly fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to above. SureCo, Inc. makes no other express or implied warranty of fitness or merchantability nor any other express or implied werranty. In no case shell SureCo, Inc. be liable for consequential, special, or indirect demages resulting from the use, handling, or application of this product. (862-WPS.PM4 \ 12-01-83)

LAV

Apply DUI operated (vhen insi Surface In listed unds with 30 ga the zone 0 and water *Opserve

> For contr Ticks, Ca Skipper, (La

> > Areas <u>Treat</u> 200 1,000 5 000 10.000

Refer t higher r

> USE HO ES

To protect pround t Fleas, M Use 1 po Apply wh spring of are sprin

5% into: area of 5 test, ope not be ki tecomm