

769-662

11/01/2000

1/4

DURSBAN .5% GRANULAR INSECTICIDE

For Effective Long Lasting Control of Chinch Bugs and Sold Webworms on Golf Courses

Public Health Use For Mound Treatment Control of Imported Fire Ants

Use For Crawling Insect Control Outside of Warehouses, Food Processing Plants and Other Industrial Sites

ACTIVE INGREDIENT:		ACCEPTED	
Chlorpyrifos: [0,0,-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]		NOV 1 2000	0.5%
OTHER INGREDIENTS:		Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under	99.5%
TOTAL:		EPA Reg. No. 769-662	100.0%

*Dursban is a trademark of Dow AgroSciences LLC

EPA Reg. No. 769-662

EPA Est. Nos. 44616-MO-1 (H), 47427-OH-1(M), 11600-MN-1 (C)

Letter within parenthesis corresponds to the first letter of Batch No. printed on container.

KEEP OUT OF REACH OF CHILDREN
CAUTION

See Back Panel for Additional Precautionary Statements

FIRST AID

This product is an organophosphate insecticide

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. DO NOT induce vomiting or give anything by mouth to an unconscious or convulsing person. Get medical attention.

If in Eyes: Flush eyes with plenty of water.

If On Skin: In case of contact, remove contaminated clothing and was effected area with soap and water.

Note To Physician: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote only by injection.

PRECAUTIONARY STATEMENTS

Hazards To Humans and Domestic Animals

CAUTION

May be harmful if swallowed. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Wash thoroughly after handling and before eating or smoking. Wash contaminated clothing before reuse. Keep away from food, feedstuffs and water supplies. When watering-in of the insecticide is required children and pets should be kept off treated areas until material is washed into the soil and the grass is dry.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds, fish and aquatic invertebrates. Birds feeding in treated areas may be killed. Clean up spilled product to reduce exposure to wildlife. Do not apply directly to water. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store product in its original container in a cool, dry, locked place out of reach of children.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned stay out of smoke.

REPORTED FIRE ANT CONTROL

Mound Treatment: For Public Health treatment of fire ant mounds occurring in turf and premise areas, treat individual ant mounds measuring from 3 to 12 inches in diameter by applying 5 tablespoons (1.6 oz.) of granules evenly in a circle around the outer edges (1 to 2 feet from the center) of the mound. Finish the treatment by applying 5 tablespoons (1 oz.) sprinkled evenly over the center of the mound. Best results will be obtained if mound is not disturbed after treatment thus allowing ants to come and go and to be exposed to the insecticide. Repeat treatments as needed for additional control, but not more than once every 7 days.

GENERAL DIRECTIONS FOR USE ON GOLF COURSES

Apply uniformly to golf course areas using any hand or power operated gravity or rotary type spreader designed for application of granules. Treat when insects first appear, at the rate of 200 lbs./acre. For control of soil feeding insects (sod webworms, white grubs and crane fly larvae, bluegrass billbugs) sprinkle the turf after application with 300 gallons of water per 10,000 sq. ft. (1,320 gals./acre) to move the granules into the zone of insect infestation, see table below. Repeat treatment as necessary. For sod webworms, delay watering or mowing the treated area for 12 to 24 hours after treatment.

SURFACE AND SOIL FEEDING INSECTS

For Ants, Armyworms, (such as Beet, Fall, Yellowstriped), Brown Dog Ticks, Centipedes, Chiggers, Chinch Bugs, Cutworms, Crickets, Earwigs, Fiery Skipper, Fleas, Gnats, Grasshoppers, Greenbugs, Leafhoppers, Lucerne Moth, Millipedes, Mites (such as Clover, Formula Grass, Winter Grain), Sod Webworms (Lawn Moth), Sowbugs, Springtails and Ticks it is not necessary to water in the granules to obtain control of surface insects.

PERIMETER TREATMENT USE FOR CRAWLING INSECT CONTROL OUTSIDE OF WAREHOUSES, FOOD PROCESSING PLANTS, AND OTHER INDUSTRIAL SITES

The following pests are commonly found around or near the foundations. Many of these insects will enter the facility seeking food and shelter. Ants, Brown Dog Ticks, Crickets, Clover Mites, Cockroaches, Earwigs, Fleas, Millipedes, Springtails, Sowbugs (pillbugs), Spiders, Ticks. To control and prevent entry of these pests, apply this product at the rate of 1 pound per 220 sq. ft. (as a band 5 ft. x 44 ft. long) around and next to the building foundation using a suitable spreader. Apply when pests are active and may find entrance.

Repeat one month later than as needed for control but not more than once every 7 days.

IMPORTANT: Read these entire Directions and Conditions of Sale before using this product. **DISCLAIMER:** SureCo warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to above. SureCo makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty. In no case shall SureCo be liable for consequential, special, or indirect damages resulting from the use, handling or application of this product.

.....
.....

Distributed by:
SureCo, Inc.
an indirect subsidiary of Verdant Brands, Inc.
9555 James Avenue South, Suite 200
Bloomington, MN 55431
(612) 703-3300

NET WEIGHT: 50 LBS.

6/00
Chlorpyrifos revision

